

SAFETY DATA SHEET

1. Identification

Product identifier: CITRUS DEGREASER

Other means of identification

SDS number: RE1000045008

Recommended restrictions

Recommended use: Cleaner

Restrictions on use: Not known.

Manufacturer Information

Manufacturer

Company Name: IMPERIAL SUPPLIES LLC
Address: PO BOX 11008
GREEN BAY, WI 54307-1008
Telephone: 800-558-2808

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol	Category 1
Gases under pressure	Liquefied gas

Health Hazards

Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1
Aspiration Hazard	Category 1

Environmental Hazards

Acute hazards to the aquatic environment	Category 2
--	------------

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.
Causes serious eye irritation.
May cause an allergic skin reaction.
May be fatal if swallowed and enters airways.
Toxic to aquatic life.
Contains gas under pressure; may explode if heated.

Precautionary Statements

Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Specific treatment (see on this label). Wash contaminated clothing before reuse.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light	64742-47-8	20 - <50%
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	20 - <50%
2-Propanone	67-64-1	10 - <20%
Hexanedioic acid, 1,6-dimethyl ester	627-93-0	10 - <25%
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	5989-27-5	5 - <10%
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	34398-01-1	1 - <5%
Carbon dioxide	124-38-9	1 - <5%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	Rinse mouth. Call a physician or poison control center immediately. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air.
Skin Contact:	Get medical attention if symptoms occur. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling: Wash hands thoroughly after handling. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities: Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated light	REL	100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values, as amended (2008)
	TWA	200 mg/m3	
Ethanol, 2-(2-butoxyethoxy)- - Inhalable fraction and vapor.	TWA	10 ppm	US. ACGIH Threshold Limit Values, as amended (03 2013)
	TWA	10 ppm	
2-Propanone	STEL	1,000 ppm 2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	PEL	1,000 ppm 2,400 mg/m3	
	TWA	250 ppm	US. ACGIH Threshold Limit Values, as amended (03 2015)
	TWA	750 ppm 1,800 mg/m3	
	STEL	500 ppm	US. ACGIH Threshold Limit Values, as amended (03 2015)
	REL	250 ppm 590 mg/m3	
Carbon dioxide	TWA	5,000 ppm	US. ACGIH Threshold Limit Values, as amended (2008)
	STEL	30,000 ppm	
	STEL	30,000 ppm 54,000 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	REL	5,000 ppm 9,000 mg/m3	
	PEL	5,000 ppm 9,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	10,000 ppm 18,000 mg/m3	
	STEL	30,000 ppm 54,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	STEL	250 ppm 325 mg/m3	
Methanol	REL	200 ppm 260 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	200 ppm 260 mg/m3	
	TWA	200 ppm 260 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	200 ppm 260 mg/m3	

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL (03 2015)
Methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEL (03 2013)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:

Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection	
Hand Protection:	No data available.
Other:	Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. Avoid contact with eyes. When using do not smoke. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	138.4 °C
Flash Point:	> -17 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	estimated 17.8 %(V)
Flammability limit - lower (%):	Estimated 1.1 %(V)
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.

Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 51,413.88 mg/kg

Dermal

Product: ATEmix: 9,305.7 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light	LC 50: > 5 mg/l LC 50: > 20 mg/l
Ethanol, 2-(2-butoxyethoxy)-	LC 50 (Various): > 20 mg/l
2-Propanone	LC 50 (Rat): 50.1 mg/l LC 50: > 5 mg/l
Hexanedioic acid, 1,6-dimethyl ester	LC 50 (Rat): > 11 mg/l
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	LC 50: > 20 mg/l LC 50: > 5 mg/l
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	LC 50: > 5 mg/l LC 50: > 20 mg/l

Carbon dioxide LC 50: > 20 mg/l
LC 50: > 5 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study
Ethanol, 2-(2-butoxyethoxy)-	NOAEL (Rat(Female, Male), Inhalation, 90 - 120 d): 14 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Oral, 90 d): 250 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 13 Weeks): > 2,000 mg/kg Dermal Experimental result, Key study
2-Propanone	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study
Hexanedioic acid, 1,6-dimethyl ester	NOAEL (Rat(Female, Male), Inhalation): 50 mg/m3 Inhalation Experimental result, Key study NOAEL (Rat(Male), Inhalation): 10 mg/m3 Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 2 Weeks): 1,000 mg/kg Dermal Read-across based on grouping of substances (category approach), Supporting study
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	NOAEL (Rat(Male), Oral, 13 Weeks): 600 mg/kg Oral Experimental result, Key study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Experimental result, Key study
Ethanol, 2-(2-butoxyethoxy)-	in vivo (Rabbit): Not irritant Experimental result, Supporting study
2-Propanone	in vivo (Rabbit): Not irritant Experimental result, Supporting study
Hexanedioic acid, 1,6-dimethyl ester	in vivo (Rabbit): Category 2 Read-across based on grouping of substances (category approach), Supporting study in vivo (Rabbit): Not Classified Experimental result, Supporting study in vivo (Rabbit): Not irritant Experimental result, Supporting study in vivo (Rabbit): Not irritant Read-across based on grouping of substances (category approach), Key study
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	in vivo (Rabbit): Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	Rabbit, 24 - 72 hrs: Not irritating
Ethanol, 2-(2-butoxyethoxy)-	Rabbit, 24 - 72 hrs: Highly irritating
2-Propanone	Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant
Hexanedioic acid, 1,6-dimethyl ester	Rabbit, 1 hrs: Not irritating

Cyclohexene, 1-methyl-
4-(1-methylethenyl)-,
(4R)- Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Ethanol, 2-(2- butoxyethoxy)-	Skin sensitization:, in vivo (Guinea pig): Non sensitising
2-Propanone	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Hexanedioic acid, 1,6- dimethyl ester	Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s):

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated light May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Ethanol, 2-(2-butoxyethoxy)-	LC 50 (Pimephales promelas, 96 h): 2,400 mg/l Experimental result, Supporting study
2-Propanone	LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	EC 50 (Pimephales promelas, 96 h): 688 µg/l Experimental result, Key study
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 3.2 - 5 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Ethanol, 2-(2-butoxyethoxy)-	LC 50 (Daphnia magna, 48 h): +/- 1,743 mg/l QSAR QSAR, Supporting study
2-Propanone	LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study
Hexanedioic acid, 1,6-dimethyl ester	EC 50 (Daphnia magna, 48 h): 72 mg/l Experimental result, Key study NOAEL (Daphnia magna, 24 h): 120 mg/l Read-across based on grouping of substances (category approach), Supporting study LC 50 (Daphnia magna, 24 h): 180 mg/l Read-across based on grouping of substances (category approach), Supporting study LOAEL (Daphnia magna, 24 h): 140 mg/l Read-across based on grouping of substances (category approach), Supporting study
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	EC 50 (Daphnia magna, 48 h): 0.36 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.074 mg/l Experimental result, Key study
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	EC 50 (Water flea (Daphnia magna), 48 h): 1.6 - 2.5 mg/l Intoxication

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light
NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

2-Propanone
LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study
NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-
NOAEL (Freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex): 0.115 mg/l QSAR QSAR, Weight of Evidence study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s): Distillates (petroleum), hydrotreated light	61 % Detected in water. Experimental result, Supporting study
Ethanol, 2-(2-butoxyethoxy)-	85 % (28 d) Detected in water. Experimental result, Key study
2-Propanone	90.9 % (28 d) Detected in water. Experimental result, Key study
Hexanedioic acid, 1,6-dimethyl ester	100 % Detected in water. Read-across based on grouping of substances (category approach), Key study 97 % Detected in water. Read-across based on grouping of substances (category approach), Key study 87 % (28 d) Sediment Read-across based on grouping of substances (category approach), Key study 36 % (21 d) Detected in water. Read-across based on grouping of substances (category approach), Supporting study
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	80 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Key study

BOD/COD Ratio
Product: No data available.

Bioaccumulative potential
Bioconcentration Factor (BCF)
Product: No data available.

Specified substance(s): 2-Propanone	Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment Experimental result, Not specified
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	Bioconcentration Factor (BCF): 864.8 Aquatic sediment QSAR, Key study

Partition Coefficient n-octanol / water (log Kow)
Product: No data available.

Specified substance(s): Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	Log Kow: 4.34 - 4.46 25 °C No Experimental result, Supporting study
---	---

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments	
Distillates (petroleum), hydrotreated light	No data available.
Ethanol, 2-(2-butoxyethoxy)-	No data available.
2-Propanone	No data available.
Hexanedioic acid, 1,6-dimethyl ester	No data available.
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	No data available.
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	No data available.
Carbon dioxide	No data available.

Other adverse effects: Toxic to aquatic organisms.

13. Disposal considerations

Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
Contaminated Packaging:	No data available.

14. Transport information

DOT

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2.1
Label(s): –
Packing Group: –
Environmental Hazards: No
Marine Pollutant: No
Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2.1
Label(s): –
EmS No.: –
Packing Group: –
Environmental Hazards: No
Marine Pollutant: No
Special precautions for user: Not regulated.

IATA

UN Number: UN 1950
Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2.1
Label(s): –
Packing Group: –
Environmental Hazards: No
Marine Pollutant: No
Special precautions for user: Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
2-Propanone	lbs. 5000
Methanol	lbs. 5000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard
Immediate (Acute) Health Hazards
Flammable aerosol
Serious Eye Damage/Eye Irritation
Skin sensitizer
Aspiration Hazard

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Distillates (petroleum), hydrotreated light 2-Propanone		

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Distillates (petroleum), hydrotreated light	
Ethanol, 2-(2-butoxyethoxy)-	
2-Propanone	lbs. 5000
Methanol	lbs. 5000

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Distillates (petroleum), hydrotreated light	10000 lbs
Ethanol, 2-(2-butoxyethoxy)-	10000 lbs
2-Propanone	10000 lbs
Hexanedioic acid, 1,6-dimethyl ester	10000 lbs
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	10000 lbs
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	10000 lbs
Carbon dioxide	10000 lbs
Methanol	10000 lbs

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Ethanol, 2-(2-butoxyethoxy)-	N230 lbs	N230 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Methanol Developmental toxin. 03 2012

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity
Distillates (petroleum), hydrotreated light
Ethanol, 2-(2-butoxyethoxy)-
2-Propanone
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-
Carbon dioxide

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity
Distillates (petroleum), hydrotreated light
Ethanol, 2-(2-butoxyethoxy)-
2-Propanone
Carbon dioxide

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Distillates (petroleum), hydrotreated light
2-Propanone

Stockholm convention

Distillates (petroleum), hydrotreated light
2-Propanone

Rotterdam convention

Distillates (petroleum), hydrotreated light
2-Propanone

Kyoto protocol

Inventory Status:

EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision

Issue Date:	07/01/2021
Revision Information:	No data available.
Version #:	1.1
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.