

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

	Section 1 - Identification			
Product Identifier	CONKLEEN 204 Heavy Duty Concrete Cleaner			
Other means of identification	0560			
Recommended use	Alkaline cleaner.			
Recommended restrictions	For commercial and industrial use only.			
Manufacturer / Importer / Supplier / Distributor Information				
Company Name	National Chemical Laboratories of PA, Inc.			
Address	401 N. 10th Street - Philadelphia, PA 19123			
Telephone	1 (215) 922-1200			
Supplier Email	info@nclonline.com			
Contact	CHEM-TEL			
Emergency Phone	1 (800) 255-3924			

Section 2 - Hazard(s) Identification

SDS Hazards and	d Warnings are based on the undiluted product. Refer to	diluted SDS for Read	y-To-Use Hazards and V	Varnings.
	Classification	Category		
Physical Hazards	Not Classified			
Health Hazards	Serious eye damage/eye irritation	1		
	Skin corrosion/irritation	1		
	Specific target organ toxicity, single exposure	3	TARGET ORGAN: re irritation	espiratory tract
OSHA defined hazards	Not Classified.			
Label Elements				
Hazard Symbol				
Signal Word	Danger			
Hazard Statement	Causes severe skin burns and eye damage. May cause	respiratory irritation.		
Precautionary statement				
Prevention	Do not breathe mist or vapor. Wear protective gloves/ thoroughly after handling. Do not eat, drink or smoke			
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If Rinse skin with water/shower. Wash contaminated clo comfortable for breathing. If in eyes: Rinse cautiously easy to do. Continue rinsing. Immediately call a poisor	thing before reuse. If i with water for several	nhaled: Remove person	to fresh air and keep
Storage	Store locked up.			
Disposal	Dispose of contents/container in accordance with loca	l/regional/national/int	ernational regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.			
	Section 3 - Composition/Inform	ation on ingre	edients	
Mixture				
Hazardous Components	Ingredient Name		CAS #	%
	2-Butoxyethanol		111-76-2	5 - 10
	Sodium dimethylbenzenesulfonate		1300-72-7	1 - 5
	Sodium Hydroxide		1310-73-2	1 - 5
	Nonylphenol, ethoxylated		9016-45-9	1 - 5

Section 4 - First-aid Measures

Inhalation

If respiratory irritation or distress occurs, remove victim to fresh air. If breathing is difficult, give oxygen. If breathing stops, apply artificial respiration. CONSULT A PHYSICIAN.

			sh off immediately with plenty o	f water for at least 15 minutes. G	et medical	
Skin contact		-	ated clothing before reuse.		et metical	
Eye contact	Immediately flush eye	•	or at least 20 minutes, occasional	ly lifting the upper and lower eye	lids. Check ar	
ngestion	Rinse mouth thoroug anything by mouth to	hly with water. DO NOT	nduce vomiting. If victim is fully o If vomiting occurs, keep head lov	conscious, give a cupful of water. wer than the hips to help prevent		
Most Important symptoms /effects, acute and delayed	Causes skin and eye b					
ndication of immediate medical attention and special treatment	Treat symptomaticall	reat symptomatically.				
General Information	Ensure that medical p	sure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.				
	Se	ction 5 - Fire-fi	ghting measures			
Suitable extinguishing media			emical, water spray, or water fog	, ,		
Unsuitable extinguishing media	Not available.	ion resistant rount, ary cr	ernical, water spray, or water log	·		
Specific hazards arising from the chemical	None known.					
Special protective equipment and precautions for firefighters	Self-contained breath	ning apparatus and full p	otective clothing must be worn i	n case of fire.		
Fire-fighting equipment /instructions	Move containers from	n fire area if you can do i	: without risk. Use water spray to	keep fire-exposed containers co	ol.	
General fire hazards	This product is not fla	ammable or combustible				
	Sectio	on 6 - Accident	al release measures	5		
Personal precautions, protective	Isolate area. Keep un	necessary personnel awa	y. Use personal protection as rec	commended in Section 8 of the SE	S.	
equipment and emergency procedures. Methods and materials for containment and cleaning up	then place in a contai LARGE SPILLS: Absor	iner for chemical waste. b spill with vermiculite o	After removal flush contaminated other inert material, then place	ill with vermiculite or other inert d area thoroughly with water. in a container for chemical waste		
procedures. Methods and materials for	then place in a contai LARGE SPILLS: Absorl removal flush contam	iner for chemical waste.	After removal flush contaminated other inert material, then place vith water.	d area thoroughly with water.		
procedures. Methods and materials for containment and cleaning up	then place in a contai LARGE SPILLS: Absorl removal flush contam Avoid discharge into o	iner for chemical waste. b spill with vermiculite o ninated area thoroughly drains, water courses or	After removal flush contaminated other inert material, then place vith water.	d area thoroughly with water.		
procedures. Methods and materials for containment and cleaning up	then place in a contai LARGE SPILLS: Absord removal flush contar Avoid discharge into d Se Do not get in eyes, or	iner for chemical waste b spill with vermiculite o ninated area thoroughly drains, water courses or ection 7 - Hand n skin, or on clothing. Do	After removal flush contaminated other inert material, then place vith water. onto the ground. Iing and storage not breathe mist or vapor. Do no	d area thoroughly with water.	. After	
procedures. Methods and materials for containment and cleaning up Environmental precautions	then place in a contai LARGE SPILLS: Absord removal flush contam Avoid discharge into o Se Do not get in eyes, or ventilation. Wash tho	iner for chemical waste b spill with vermiculite o ninated area thoroughly drains, water courses or ection 7 - Hand n skin, or on clothing. Do	After removal flush contaminated other inert material, then place vith water. onto the ground. Ing and storage not breathe mist or vapor. Do no lise Personal Protective Equipmen	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec	. After	
procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage,	then place in a contai LARGE SPILLS: Absord removal flush contam Avoid discharge into o See Do not get in eyes, or ventilation. Wash tho Store away from inco	iner for chemical waste. b spill with vermiculite o hinated area thoroughly drains, water courses or ection 7 - Hand h skin, or on clothing. Do proughly after handling. I impatible materials. Keep	After removal flush contaminated other inert material, then place vith water. onto the ground. Iing and storage not breathe mist or vapor. Do no ise Personal Protective Equipmen container closed.	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t	. After	
procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities	then place in a contai LARGE SPILLS: Absord removal flush contam Avoid discharge into o See Do not get in eyes, or ventilation. Wash tho Store away from inco	iner for chemical waste. b spill with vermiculite o hinated area thoroughly drains, water courses or ection 7 - Hand h skin, or on clothing. Do proughly after handling. I impatible materials. Keep	After removal flush contaminated other inert material, then place vith water. onto the ground. Ing and storage not breathe mist or vapor. Do no lise Personal Protective Equipmen	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t	. After	
procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities	then place in a contai LARGE SPILLS: Absord removal flush contam Avoid discharge into d Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco	iner for chemical waste b spill with vermiculite o hinated area thoroughly o drains, water courses or ection 7 - Hand h skin, or on clothing. Do broughly after handling. U impatible materials. Keep - Exposure cor	After removal flush contaminated other inert material, then place vith water. onto the ground. Iing and storage not breathe mist or vapor. Do no ise Personal Protective Equipmen container closed.	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t	. After	
procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Dccupational exposure limits	then place in a contai LARGE SPILLS: Absord removal flush contam Avoid discharge into d Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco	iner for chemical waste b spill with vermiculite o hinated area thoroughly o drains, water courses or ection 7 - Hand h skin, or on clothing. Do broughly after handling. U impatible materials. Keep - Exposure cor	After removal flush contaminated other inert material, then place vith water. onto the ground. Iing and storage not breathe mist or vapor. Do no ise Personal Protective Equipmen container closed.	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t	. After	
procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Dccupational exposure limits US. OSHA Table Z-1 Limits for	then place in a contai LARGE SPILLS: Absord removal flush contam Avoid discharge into o See Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco	iner for chemical waste b spill with vermiculite o hinated area thoroughly o drains, water courses or ection 7 - Hand h skin, or on clothing. Do proughly after handling. I mpatible materials. Keep - Exposure cor CFR 1910.1000)	After removal flush contaminated other inert material, then place vith water. onto the ground. Ing and storage not breathe mist or vapor. Do no ise Personal Protective Equipmen container closed. trol/personal protect	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t	. After	
Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o See Do not get in eyes, or ventilation. Wash tho Store away from inco Section 8 or Air Contaminants (29 C -76-2)	iner for chemical waste. A b spill with vermiculite o hinated area thoroughly o drains, water courses or ection 7 - Hand h skin, or on clothing. Do proughly after handling. I mpatible materials. Keep - Exposure cor CFR 1910.1000)	After removal flush contaminated other inert material, then place with water. onto the ground. Ing and storage not breathe mist or vapor. Do no lise Personal Protective Equipment container closed. Itrol/personal protect	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t	. After	
Precautions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o See Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco Ar Air Contaminants (29 C -76-2) 310-73-2)	iner for chemical waste b spill with vermiculite o hinated area thoroughly of drains, water courses or ection 7 - Hand h skin, or on clothing. Do proughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA	After removal flush contaminated other inert material, then place with water. onto the ground. Ing and storage not breathe mist or vapor. Do no lise Personal Protective Equipment container closed. trol/personal protect Value 240 mg/m ³ , 50 ppm	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t	. After	
Procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 133)	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o See Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco Ar Air Contaminants (29 C -76-2) 310-73-2)	iner for chemical waste b spill with vermiculite o hinated area thoroughly of drains, water courses or ection 7 - Hand h skin, or on clothing. Do proughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA	After removal flush contaminated other inert material, then place with water. onto the ground. Ing and storage not breathe mist or vapor. Do no lise Personal Protective Equipment container closed. trol/personal protect Value 240 mg/m ³ , 50 ppm	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t	. After	
Precautions for safe handling Conditions for safe storage, Including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 133 US. ACGIH Threshold Limit V	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco Action 8 or Air Contaminants (29 C -76-2) 810-73-2) /alues	iner for chemical waste b spill with vermiculite o hinated area thoroughly drains, water courses or ection 7 - Hand n skin, or on clothing. Do broughly after handling. I mpatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA TWA	After removal flush contaminated other inert material, then place with water. onto the ground. Iing and storage not breathe mist or vapor. Do no lse Personal Protective Equipmer container closed. trol/personal protect Value 240 mg/m³ , 50 ppm 2 mg/m³ Value	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t :tion Form	. After	
Precautions for safe handling Conditions for safe storage, Including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 132 US. ACGIH Threshold Limit V Component	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o Do not get in eyes, or ventilation. Wash tho Store away from inco Section 8 or Air Contaminants (29 C -76-2) 810-73-2) /alues 810-73-2)	iner for chemical waste b spill with vermiculite o hinated area thoroughly of drains, water courses or ection 7 - Hand n skin, or on clothing. Do broughly after handling. I mpatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA TWA TWA	After removal flush contaminated other inert material, then place vith water. onto the ground. Ing and storage not breathe mist or vapor. Do no lise Personal Protective Equipmer container closed. trol/personal protect Value 240 mg/m ³ , 50 ppm 2 mg/m ³ Value	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t :tion Form	. After	
Precautions for safe handling Conditions for safe handling Conditions for safe storage, including any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 13 US. ACGIH Threshold Limit V Component Sodium Hydroxide (CAS 13	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco Store away from inco Ar Air Contaminants (29 (-76-2) 310-73-2) /alues 310-73-2) -76-2)	iner for chemical waste b spill with vermiculite o hinated area thoroughly of drains, water courses or ection 7 - Hand In skin, or on clothing. Do broughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA TWA Type Ceilin	After removal flush contaminated other inert material, then place with water. onto the ground. Iing and storage not breathe mist or vapor. Do no lse Personal Protective Equipmer container closed. trol/personal protec Value 240 mg/m ³ , 50 ppm 2 mg/m ³ Value g 2 mg/m ³	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t :tion Form	. After	
Precautions for safe handling Conditions for safe handling Conditions for safe storage, Including any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 132 US. ACGIH Threshold Limit V Component Sodium Hydroxide (CAS 113 2-Butoxyethanol (CAS 111 US. NIOSH: Pocket Guide to	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco Store away from inco Ar Air Contaminants (29 (-76-2) 310-73-2) /alues 310-73-2) -76-2)	iner for chemical waste b spill with vermiculite o hinated area thoroughly o drains, water courses or ection 7 - Hand h skin, or on clothing. Do broughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA TWA TWA Type Ceilin TWA	After removal flush contaminated other inert material, then place with water. onto the ground. Ing and storage not breathe mist or vapor. Do no lise Personal Protective Equipment container closed. trol/personal protect Value 240 mg/m ³ , 50 ppm 2 mg/m ³ Value 3 2 mg/m ³ 20 ppm	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t :tion Form	. After	
Precautions for safe handling Conditions for safe handling Conditions for safe storage, Including any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 13 US. ACGIH Threshold Limit V Component Sodium Hydroxide (CAS 13 2-Butoxyethanol (CAS 111 US. NIOSH: Pocket Guide to Components	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into a Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco Section 8 or Air Contaminants (29 (-76-2) 810-73-2) /alues 810-73-2) -76-2) Chemical Hazards	iner for chemical waste b spill with vermiculite o hinated area thoroughly of drains, water courses or ection 7 - Hand b skin, or on clothing. Do broughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA TWA Type Ceilin TWA Type	After removal flush contaminated other inert material, then place with water. onto the ground. Img and storage not breathe mist or vapor. Do no lise Personal Protective Equipmer container closed. trol/personal protect Value 240 mg/m ³ , 50 ppm 2 mg/m ³ Value 3 2 mg/m ³ 20 ppm Value	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t :tion Form	. After	
Precautions for safe handling Conditions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 132 US. ACGIH Threshold Limit V Component Sodium Hydroxide (CAS 113 2-Butoxyethanol (CAS 111 US. NIOSH: Pocket Guide to Components 2-Butoxyethanol (CAS 111	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o See Do not get in eyes, or ventilation. Wash tho Store away from inco Store away from inco Store away from inco Ar Air Contaminants (29 C -76-2) 310-73-2) /alues 310-73-2) -76-2) Chemical Hazards -76-2)	iner for chemical waste b spill with vermiculite o hinated area thoroughly of drains, water courses or ection 7 - Hand n skin, or on clothing. Do broughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA Type Ceilin TWA Type Ceilin TWA	After removal flush contaminated other inert material, then place with water. onto the ground. Img and storage not breathe mist or vapor. Do no lse Personal Protective Equipmer container closed. trol/personal protect Value 240 mg/m³ , 50 ppm 2 mg/m³ Value 3 2 mg/m³ 20 ppm Value 24 mg/m³, 5 ppm	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t :tion Form	. After	
Precautions for safe handling Conditions for safe handling Conditions for safe storage, ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 123 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 123 2-Butoxyethanol (CAS 111 US. NIOSH: Pocket Guide to Components 2-Butoxyethanol (CAS 111 US. NIOSH: Pocket Guide to Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 111 Sodium Hydroxide (CAS 111 Sodium Hydroxide (CAS 111 Sodium Hydroxide (CAS 111	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o Do not get in eyes, or ventilation. Wash tho Store away from inco Section 8 or Air Contaminants (29 C -76-2) 310-73-2) /alues 310-73-2) -76-2) Chemical Hazards -76-2) 310-73-2)	iner for chemical waste b spill with vermiculite o hinated area thoroughly of drains, water courses or ection 7 - Hand b skin, or on clothing. Do broughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA TWA Type Ceilin TWA Type	After removal flush contaminated other inert material, then place with water. onto the ground. Img and storage not breathe mist or vapor. Do no lse Personal Protective Equipmer container closed. trol/personal protect Value 240 mg/m³ , 50 ppm 2 mg/m³ Value 3 2 mg/m³ 20 ppm Value 24 mg/m³, 5 ppm	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t :tion Form	. After	
Precautions for safe handling Conditions for safe handling Conditions for safe storage, including any incompatibilities Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 13 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 13 2-Butoxyethanol (CAS 111 US. NIOSH: Pocket Guide to Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 13 2-Butoxyethanol (CAS 111	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o Do not get in eyes, or ventilation. Wash tho Store away from inco Section 8 or Air Contaminants (29 C -76-2) 310-73-2) /alues 310-73-2) -76-2) Chemical Hazards -76-2) 310-73-2)	iner for chemical waste b spill with vermiculite o hinated area thoroughly o drains, water courses or ection 7 - Hand n skin, or on clothing. Do broughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA TWA Type Ceilin TWA Type TWA Ceilin	After removal flush contaminated other inert material, then place with water. onto the ground.	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t ction Form Form	After uate he SDS.	
procedures. Methods and materials for containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 13 US. ACGIH Threshold Limit V Component Sodium Hydroxide (CAS 13 2-Butoxyethanol (CAS 111 US. NIOSH: Pocket Guide to Components 2-Butoxyethanol (CAS 111 US. NIOSH: Pocket Guide to Components 2-Butoxyethanol (CAS 111 Sodium Hydroxide (CAS 111	then place in a contai LARGE SPILLS: Absord removal flush contain Avoid discharge into o Do not get in eyes, or ventilation. Wash tho Store away from inco Section 8 or Air Contaminants (29 (-76-2) 310-73-2) /alues 310-73-2) -76-2) Chemical Hazards -76-2) B10-73-2) Exposure Indices	iner for chemical waste b spill with vermiculite o hinated area thoroughly of drains, water courses or ection 7 - Hand n skin, or on clothing. Do broughly after handling. I impatible materials. Keep - Exposure cor CFR 1910.1000) Type TWA Type Ceilin TWA Type Ceilin TWA	After removal flush contaminated other inert material, then place with water. onto the ground. Img and storage not breathe mist or vapor. Do no lse Personal Protective Equipmer container closed. trol/personal protect Value 240 mg/m³ , 50 ppm 2 mg/m³ Value 3 2 mg/m³ 20 ppm Value 24 mg/m³, 5 ppm	d area thoroughly with water. in a container for chemical waste t taste or swallow. Use with adec nt recommended in section 8 of t :tion Form	. After	

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

C	omnonents	

Fxnosure

components		ENPOSIC	
2-Butoxyethanol (CAS 1	11-76-2)	Can be absorbed though the skin.	
US.Minnesota Hazardous	Substances List (Minn. Rules 5206.04	00).	
Components		Exposure	
2-Butoxyethanol (CAS 1	.11-76-2)	Skin designation applies.	
US.NIOSH: Pocket Guide t	o Chemical Hazards		
Component		Exposure	
2-Butoxyethanol (CAS 111-76-2)		Can be absorbed though the skin.	
US.OSHA Table Z-1 Limits	for Air Contaminants (29 CFR 1910.10	00)	
Components		Exposure	
2-Butoxyethanol (CAS 1	.11-76-2)	Can be absorbed though the skin.	
US.OSHA Table Z-1-A (29)	CFR 1910.100)		
Components		Exposure	
2-Butoxyethanol (CAS 1	.11-76-2)	Can be absorbed though the skin.	
US.Rhode Island Hazardou	us Substances Right-to-Know Act (R.I.	Gen. Laws Section 28-21-1 et. seq.)	
Components		Exposure	
2-Butoxyethanol (CAS 1	.11-76-2)	Can be absorbed though the skin.	
US.Tennesee. OELs Occup	pational Exposure Limkits, Table Z1A		
Components		Exposure	
2-Butoxyethanol (CAS 1	.11-76-2)	Can be absorbed though the skin.	
Appropriate engineering	Provide adequate ventilation an	nd minimize the risk of inhalation of vapors and mists. Provide easy access to water	
controls	supply and eye wash facilities.		
ndividual protection measure	s, such as personal protective equipn	nent	
Eye/face protection	If use of product risks exposure	to contact, wear safety glasses with side shields.	
Skin protection			
Hand protection	Impervious gloves are recomme	nded for prolonged use.	
Other	If use of product risk exposure t	o contact, wear suitable protective clothing.	
Respiratory protection	Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	, ,	nygiene measures, such as washing after handling the material and before eating, drinking, n work clothing and protective equipment to remove contaminants.	
	Section 9 - Phy	ysical and chemical properties	
Appearance	Clear.		
Physical state	Liquid.		
Form	Liquid		

Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Green.
Odor	Citrus.
Odor threshold	Not available.
рН	13.5
Melting point/freezing point	Not available.
Initial boinging point and	212 °F (100 °C)
boiling range	
Flash point	> 212.0 °F (> 100.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.05 ± 0.01
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	100 % Soluble.
Partition Coefficient n-	Not available.
octanol/water	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	< 10 cP

Viscosity Temperature

75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition	Carbon monoxide. Carbon dioxide.
Products	

Section 11 - Toxicological information

Information on likely routes of e	xposure
Ingestion	May cause burns of the gastrointestinal tract if swallowed.
Inhalation	Irritating to respiratory system.
Skin contact	Causes skin burns.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin and eye burns. Causes respiratory tract irritation. Symptoms may be delayed.

Information on toxicological effects.

Acute toxicity	May cause burns.					
Components		Level	Туре	Code	Species	Results
2-Butoxyethanol (CAS 111-7	6-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
		Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
		Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
		Acute	Oral	LD50	Guinea pig	1.2 g/kg
		Acute	Oral	LD50	Mouse	1519 mg/kg
		Acute	Oral	LD50	Rabbit	0.32 g/kg
		Acute	Oral	LD50	Rat	560 mg/kg
Nonylphenol, ethoxylated (C	CAS 9016-45-9)	Acute	Oral	LD50	Mouse	4290 mg/kg, bw
Sodium dimethylbenzenesul	lfonate (CAS 1300-72-7)	Acute	Dermal	LD50	Rabbit	>2000 mg/kg
		Acute	Oral	LD50	Rat	7200 mg/kg
Sodium Hydroxide (CAS 1310	0-73-2)	Acute	Oral	LD50	Rabbit	500 mg/kg
kin corrosion/irritation	Causes skin burns.					
Serious eye damage/ eye rritation	Causes serious eye dam	nage.				
Respiratory sensitization	Not classified.					
kin sensitization	Not classified.					
erm cell mutagenicity	Not classified.					
ARC Monographs. Overall Evalua	ation of Carcinogenicity					
	Component			Result	Comment	
	2-Butoxyethanol (CAS	111-76-2)		3	Not classifiable as to	o carcinogenicity to humans.
eproductive toxicity	Not classified.					
pecific target organ toxicity - ingle exposure	Irritating to respiratory	system.				
Specific target organ toxicity - epeated exposure	Not classified.					
Aspiration hazard	Not classified.					
Chronic effects	have not been observe	d in humans.	0			d prolonged. These effects been observed in humans.

|--|

Ecotoxicity	Ecotoxicity The product contains a substance which is toxic to aquatic organisms.					
Component(s)						
Nonylphenol, ethoxylated, 901	6-45-9					
Aquatic	Aquatic					
Level Type	Code	Species	Test Results			
Acute Crustacea	EC50	Daphnia magna	65 mg/l, 48 hours			

Crustac	ea EC5	0 Water flea (Da	aphnia magna)	12.2 mg/l, 48 hours
Fish	LC5		nis macrochirus)	1 - 1.8 mg/l 96 hours
2-Butoxyethanol, 111-76-2			,	
Aquatic				
Acute Fish	LC5	0 inland silversi	de (Menidia beryllina)	1250 mg/l, 96 hours
Persistence and degradability	The product is expected to be	biodegradable.		
Bioaccumulative potential	Not known.			
Partition coeficient n-oct	anol / water log (Kow)			
Components		Results		
2-Butoxyethanol (CAS	111-76-2)	0.83		
Mobility in soil	Not available.			
Mobility in general	The product is water soluble a	nd may spread in wate	er systems.	
Other adverse effects	None known.			
	• • •	<u></u> .	• • •	
	Section 1	3 - Disposal c	onsiderations	

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT			
UN number	UN1824		
Proper shipping name	SODIUM HYDROXIDE SOLUTION		
Transport hazard class(es)	8		
Packing group	II		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
Special provisions	B2, IB2, N34, T7, TP2		
Packaging exemption	154		
Packaging non bulk	202		
Packaging bulk	242		
ΙΑΤΑ			
UN number	UN1824		
UN proper shipping name	SODIUM HYDROXIDE SOLUTION		
Transport hazard class(es)	8		
Packaging group	II		
Environmental hazards	No.		
ERG Code	8L		
Special precautions for user Other Information	Read safety instructions, SDS and emergency procedures before handling.		
IMDG			
UN number	UN1824		
UN proper shipping name	SODIUM HYDROXIDE SOLUTION		
Transport hazard class(es)	8		
Packaging group	II		
Environmental hazards	No.		
Marine pollutant			
EmS	F-A, S-B		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
Transportation in bulk	This substance/mixture is not intended to be transported in bulk.		
according to Annex II of			
MARPOL 73/78 and IBC Code			

Section 15 - Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as	defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)		Not regulated.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		Not listed.
CERCLA Hazardous Substar	nce List (40 CFR 302.4	

		SAF	ETY DATA SH	IEET		
Components			Resul	t		
Sodium Hydi	oxide (CAS 1310-73-2)	1	LISTE	D		
2-Butoxyethanol (CAS 111-76-2)		LISTE	D			
Superfund Amendment		Act of 1986 (SA		-		
Hazard Categories	Immediate Hazard	Yes	intry			
	Delayed Hazard	No				
	Fire Hazard	No				
	Pressure Hazard	No				
	Reactivity Hazard	No				
SARA 302 Extremely ha	-	Not listed.				
SARA 311/312 Hazardo		Yes				
SARA 313 (TRI reporting		Not regulate	h			
	cal name	Notregulate		CAS #	% by wt.	
2-Buto	oxyethanol			111-76-2	5 - 10	
her federal regulations						
Clean Air Act (CAA) Sec		-		Not regulated.		
Clean Air Act (CAA) Sec			tion (40 CFR 68.130)	Not regulated.		
Safe Drinking Water Ac		egulated.				
Food and Drug Adminis	tration (FDA) Not re	egulated.				
state regulations						
US.Massachusetts RTK	- Substance List		Components			
			Sodium Hydroxide (CAS	1310-73-2)		
			2-Butoxyethanol (CAS 1	11-76-2)		
US.New Jersey Worker	and Community Right	-to-Know Act	Components			
			Sodium Hydroxide (CAS	1310-73-2)		
			2-Butoxyethanol (CAS 1	11-76-2)		
US.Pennsylvania RTK -	Hazardous Substances		Components	,		
			Sodium Hydroxide (CAS	1310-73-2)		
			2-Butoxyethanol (CAS 1			
US.Rhode Island RTK			Components	11 / 0 2/		
US.KIIUUE ISIAIIU KIK			·	1210 72 2)		
			Sodium Hydroxide (CAS 1310-73-2)			
			2-Butoxyethanol (CAS 1	•		
US - California Proposition 65			-		nent Act of 1986 (Proposition 65): This Irrently listed as carcinogens or	
ternational Inventories						
Country(s) or region	Invent	ory Name			On Inventory (yes/no)	
Australia	Austr	alian Inventory	of Chemical Substances (A	ICS)	No	
Canada	Dome	Domestic Substances List (DSL)		No		
Canada	Non-I	Non-Domestic Substances List (NDSL)		No		
China		Inventory of Existing Chemical Substances in China (IECSC)		Yes		
Europe	Europ	ean Inventory o	of Existing Commercial Che	mical Substances (EINECS	No No	
Europe	Europ	ean List of Notif	fed Chemical Substances (I	ELINCS)	No	
Japan			and New Chemical Substa	nces (ENCS)	No	
Korea Existing Chemicals List		t (ECL)		No		
New Zealand	New	Zealand Invento	ry		Yes	
Philippines Philippine Inventory of		of Chemicals and Chemical	Substances	Yes		
Philippines	P		or enclinears and enclinear	Substances		

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version		
Revision date	1/17/2018	
Version #	02	
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.	