

CLEANING SUPPLIES

SPRAY NINE® CLEANER AND DISINFECTANT

- Multi-purpose cleaner, degreaser, disinfectant and deodorizer.
- Eliminates harmful viruses (30 seconds), bacteria (45 seconds) and fungi (3 minutes) from hard, non-porous surfaces.
- Helps control mold and mildew and destroys bacterial odors.
- Hospital grade EPA registered disinfectant.

PART No.	NET WEIGHT	QTY.
5560	32 oz	12
5561-4	1 gallon	6



SPRAY NINE® EARTH SOAP

- An environmentally friendly, industrial strength cleaner and degreaser.
- A bio-based, safe alternative to solvent and caustic cleaning products.
- Primary applications: vehicles, engines, lift trucks, machinery, tools, workbenches, garage floors/walls, metal/plastic parts, bathroom fixtures and more
- Lemon scent.
- pH: 9.8

PART No.	NET WEIGHT	QTY.
5563	32 oz	6



SCRUB FREE® MILDEW STAIN REMOVER WITH BLEACH

- Quickly cuts through mildew stains without scrubbing.
- Use on tile, grout, sinks, fixtures, counter tops, shower walls and doors, fiberglass tubs and sinks, vinyl curtains and no wax floors.
- Cleans and deodorizes.
- Bleaches out mildew stains without scratching.

PART No.	NET WEIGHT	QTY.
85524	32 oz	12



SNO-BOL® TOILET BOWL CLEANER

- Disinfectant reaches many germs a brush cannot reach.
- Removes tough toilet bowl stains, including stubborn rust and hard water stains.
- Industrial strength: high-acid content (HCl) - 14.5% acid level
- Safe for white and color bowls.

PART No.	NET WEIGHT	QTY.
85523	32 oz	12



See pages M11-M14 for
brooms, squeegees and other
cleaning supplies.

DRAIN OPENER

- Non-acid, non-fuming formula.
- Quickly dissolves grease, hair, soap scum and debris.
- Use in sink and floor drains.
- Do not use on aluminum.
- USDA L1 approved.

PART No.	NET WEIGHT	QTY.
85511	1 quart	12



*Gina
Dedicated Service Advisor*

Grounded...

"It comes down to understanding the real, everyday business issues my customers face. And doing something positive about it."

**Imperial
continuously
adds new
products.**

M1



PERSONAL CUSTOMER SERVICE / SAME DAY SHIPPING / NO RISK GUARANTEE



SHOP SUPPLIES

CLEANING SUPPLIES

SPRAYWAY® AMMONIATED GLASS CLEANER

- Superior spray provides uniform coverage with a clinging foam.
- Loosens soils on contact and holds them, even on a vertical surface.
- Fast-drying, film-free formula.
- Contains ammonia, does not haze or stream.

PART NO.	NET WEIGHT	QTY.
85550	19 oz	12



DISINFECTANT/DEODORANT SPRAY

- Kills germs and eliminates malodors at their source.
- Effective against microorganisms, including staph, pseudomonas and salmonella.
- Built-in odor counteractants.
- Kills HIV-1 (associated with AIDS).
- EPA registered.

PART NO.	NET WEIGHT	QTY.
85505	15 oz	12
85505-1	15 oz	6



FOAMING ALL PURPOSE CLEANER

- Environmentally safe, all natural citrus cleaner.
- For use as a spotter, cleaner, or degreaser on any water washable surface.
- Great for walls, fixtures, counter tops, appliances, ceramic, fiberglass and machinery.
- USDA Authorized Class C-1.

PART NO.	NET WEIGHT	QTY.
85508	18 oz	12
85508-1	18 oz	6



AIR FRESHENER AND MALODOR DESTROYER

- Revolutionary product controls obnoxious odors.
- Odor inhibitors change the molecular structure of odor causing substance.
- Modern fresh scent controls odors for over 24 hours.

PART NO.	NET WEIGHT	QTY.
85504	15 oz	12
85504-1	15 oz	6



STAINLESS STEEL POLISH/CLEANER

- Cleans, polishes and protects all in one product.
- Fortified with a fresh lemon fragrance.
- For stainless steel, chrome, aluminum, or any shiny surface.
- USDA Authorized Class C-1.

PART NO.	NET WEIGHT	QTY.
85500	18 oz	12
85500-1	18 oz	6



ARM & HAMMER® DEODORIZING AIR FRESHENER

- Absorbs odors with the power of baking soda.
- Has a light fresh scent.
- Eliminates odors caused by germs and smoke.

PART NO.	NET WEIGHT	QTY.
85551	7 oz	12



M2

ARM & HAMMER® TRASH CAN & DUMPSTER DEODORIZER

- Eliminates tough odors on contact, doesn't just cover them up.
- Specially formulated to quickly destroy tough odors.
- 100% active odor-fighting ingredients.
- User and environmentally friendly.

PART NO.	NET WEIGHT	QTY.
85526	42.6 oz	9



CLAIRE® METERED AIR FRESHENER

- This dry formula time mist eliminates messy fall-out on counters and floors.
- Eliminates smoke and other malodors with time interval spray.
- VOC compliant for sale in all states.
- Lasts for over 30 days.

PART NO.	SCENT	QTY.
85602	Mulberry Breeze	12
85603	Spicy Cinnamon	12
85604	Fresh Linen	12
85605	Marvelous Mango	12
85606	Dispenser	1



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

CLEANING SUPPLIES

INDUSTRIAL PLUNGER

- Industrial design works in both toilets and drains.
- Strong 25" wood handle.
- Black, 6" cup compresses for use at any angle.
- Full pressure.

PART No.	QTY.
85572	1



TOILET BRUSH

- Polypropylene bristles twisted in wire.
- Will not scratch bowl.

PART No.	LENGTH	QTY.
85570	20"	1



BOWL BRUSH

- Polypropylene bristles molded into handle.
- Bristle pattern allows under rim accessibility.
- Will not scratch bowl.

PART No.	LENGTH	QTY.
85571	15"	1



PARA TOILET BOWL RIM CAGE

- Plastic hanger has a pressure-sensitive clip to hold para block in place, even during cleaning.
- Cellophane wrapped to keep block intact, no chipping pieces to clog toilet.
- Pure paradichlorobenzene saturated with liquid deodorant.
- For use up to 30 days.

PART No.	NET WEIGHT	QTY.
85513	3-1/2 oz	12



JUMBO BIO-ENZYMATIC URINAL SCREENS

- Deodorizing action rids fixtures of urine odors and other malodors.
- Bio-enzymatic formula keeps sewer lines free of organic waste build-up.
- Bluing action shows that screen is working.
- Jumbo size last up to 90 days and is wrapped in water soluble film for maximum freshness.

PART No.	NET WEIGHT	QTY.
85507	8 oz	6



WHITE GARBAGE CAN LINERS

- Bags lay flat in box.
- Low density, white.
- Maximum Load: 110 lbs

PART No.	VOL.	SIZE	THICKNESS	TOTAL BAGS	QTY.
5209	60 gal.	38" x 60"	3 mil	100	1 box



CLEAR GARBAGE CAN LINERS

- Bags lay flat in box.
- Low density, clear.
- Maximum Load: 75 lbs
- Fits 55 gallon drums.
- Performance sealed bottom.

PART No.	VOL.	SIZE	THICKNESS	TOTAL BAGS	QTY.
5227	60 gal.	38" x 58"	1.1 mil	100	1 box



CLEAR GARBAGE CAN LINERS

- Bags on a roll.
- High density, clear.
- Maximum Load: 15 lbs
- (20) 50-bag coreless rolls per box.

PART No.	VOL.	SIZE	THICKNESS	TOTAL BAGS	QTY.
5193	16 gal.	24" x 33"	8 micron	1000	1 box



BLACK GARBAGE CAN LINERS

- Bags on a roll.
- Low density, black.
- Maximum Load: 75 lbs
- (5) 20-bag coreless rolls per box.

PART No.	VOL.	SIZE	THICKNESS	TOTAL BAGS	QTY.
5194	33 gal.	33" x 39"	1 mil	100	1 box
5196	45 gal.	40" x 46"	1 mil	100	1 box
5197	60 gal.	38" x 58"	1.4 mil	10	1 box



CLEAR GARBAGE CAN LINERS

- Bags on a roll.
- High density, clear.
- Maximum Load: 75 lbs
- (10) 25-bag coreless rolls per box.

PART No.	VOL.	SIZE	THICKNESS	TOTAL BAGS	QTY.
5199	33 gal.	30 x 40"	16 micron	250	1 box



SHOP SUPPLIES

TOWELS AND DISPENSERS

CENTER PULL TOWEL DISPENSER

- Hands free dispensing.
- Easy to load, wall mountable unit.

PART NO.	DISPENSER DIMENSIONS	QTY.
85546	10-1/8" W x 12-1/3" H x 10 1/8" D	1



CENTER PULL HAND TOWEL

- Scrim reinforced.
- 600 feet per roll, 12" perforated sheet.

PART NO.	SIZE	DIA.	COLOR	QTY.
85545	12" X 600'		White	6 rolls



MULTI-FOLD/C-FOLD TOWEL DISPENSER

- Can be used with either Multi-Fold or C-Fold towels.
- Double latch key for safety.
- Transparent plastic front.
- Dispenses towels in various sizes up to 10-1/4" L x 4" W.

PART NO.	DISPENSER DIMENSIONS	QTY.
5185	11-1/4" W x 15-1/4" H x 5" D	1



MULTI-FOLD TOWELS

- Super absorbent.
- 250 sheets/pack.
- Use with dispenser, Part No. 5185.

PART NO.	SIZE	COLOR	QTY.
5183	9.4" x 9.3"	Natural	16 pkg
5207	9.4" x 9.3"	White	16 pkg



LEVER TOWEL DISPENSER

- Heavy gauge steel with key lock. Key included.
- Meets ADA requirements.
- Plastic exterior.
- Dispenses non-perforated towels up to 8" dia. x 8" W with core sizes of 1-1/2" to 2".

PART NO.	DISPENSER DIMENSIONS	QTY.
5285	10-1/2" W x 15-3/4" H x 8-3/4" D	1



FULLY EMBOSSED ROLL TOWELS

- 2" core.
- Use with dispenser, Part No. 5285.

PART NO.	SIZE	DIA.	COLOR	QTY.
5184	8" x 350'	5-1/2"	Natural	12 rolls
5195	8" x 800'	7-1/2"	Natural	6 rolls
5189	8" x 350'	5-1/2"	White	12 rolls



TOILET TISSUE AND DISPENSERS

TWO-ROLL TOILET TISSUE DISPENSER

- Heavy gauge metal back with transparent plastic front.
- Easy access to reserve roll.
- Double latch key lock for safety.
- Dispenses universal rolls with diameter up to 5.30" and roll widths up to 4.50".

PART NO.	DISPENSER DIMENSIONS	QTY.
5187	6" W x 13-1/4" H x 6" D	1



TWO-PLY TOILET TISSUE

- Individually wrapped.
- White tissue.
- Sheet size: 4-1/2" W X 4-3/8" L

PART NO.	SIZE	QTY.
5180	500 Sheets/roll	96 rolls
5180-1	500 Sheets/roll	24 rolls

Additional shipping charges may apply.



JUMBO 9" TOILET TISSUE DISPENSER

- Premium quality, single roll dispenser.
- Durable, high impact resistant, smoke gray plastic construction.
- Double latch key lock for safety.
- Dispenses all universal brands of 9" tissue with cores from 2-1/4" to 3-3/8".

PART NO.	DISPENSER DIMENSIONS	QTY.
5182	11" W x 11-3/4" H x 5-3/8" D	1



JUMBO 9" 2-PLY TOILET TISSUE

- Premium embossed roll tissue.
- White tissue.

PART NO.	SIZE	QTY.
5181	1,000 ft/roll	12 rolls



M4

See pages M11-M14 for brooms, squeegees and other cleaning supplies.



Bill
Field Service

*Customer
satisfaction...*

"Our customers are always pleasantly surprised. We work hard to exceed customer's expectations."



MISCELLANEOUS SUPPLIES

PRECUT TOWEL DISPENSER KEY

- This key unlocks towel dispensers:
» Part No. 5182, 5185, 5187 and 85546

PART No.	QTY.
37706	5



PAPER TOWELS

- Perforated.
- (30) 85-sheet rolls per box.

PART No.	SIZE	COLOR	TOTAL SHEETS	QTY.
5190	9" x 11"	White	2550	1 case



Note: May include an oversize shipping surcharge.

FACIAL TISSUE

- Facial tissue that is soft, yet absorbent.
- 2-ply.
- Color: White
- 100 sheets per box.

PART No.	SIZE	QTY.
5201	8" x 8"	1 box



GOJO® GREEN CERTIFIED LOTION HAND CLEANER

- A mild, biodegradable formula certified by Green Seal™ and EcoLogo™ to meet their joint standard (GS-41/CCD-104) for hand cleaners and hand soaps.
- Type: Tabletop Bottle

PART No.	SIZE	QTY.
4218	7.5 fl oz	6



PURELL® SANITIZING WIPES

- Durable, non-linting wipe.
- Textured for superior cleaning.
- Sanitizes hands while wiping away light soils and dirt.
- Kills 99.9% of most common germs that may cause illness.

PART No.	SIZE	QTY.
4028	175 Wipes	6



PURELL® HAND SANITIZER

- Kills 99.9% of most common germs that may cause illness.
- Works in as little as 15 seconds.
- No water or towels needed.
- Specially formulated with moisturizers to leave hands feeling soft and refreshed.

PART No.	SIZE	QTY.
4044	8 oz	12



TOUCHLESS HAND DRYER

- Automatically shuts off when you remove your hands.
- Painted cast aluminum.
- Approximate drying time of 30 seconds.
- Dryer delivers 150 CFM.
- Sound Level: 64dB
- Operation power: 1800 W
- Amps: 20, Volts: 120

PART No.	DRYER DIMENSIONS	QTY.
5291	11-3/16" W x 9-3/4" H x 8" D	1



TOILET SEAT COVER

- Disposable and biodegradable.
- Provides a shielded, sanitary surface.
- Half-fold.

PART No.	COUNT	QTY.
5178	250/pack	4 packs



TOILET SEAT COVER DISPENSER

- Easy to install.
- Material: Plastic
- Color: Smoke Gray
- Wall mounted.
- Use Toilet Seat Cover Sheets, Part No. 5178.

PART No.	QTY.
5179	1



GOJO® FAST WIPES®

- 130 count heavy-duty hand cleaning towels in a bucket.
- Pre-moistened with GOJO® Orange hand cleaning formula.
- High-absorbency towel quickly soaks up grease, grime and dirt.
- Eliminates many trips to wash stations.

PART No.	SIZE	QTY.
4019	130 wipes	1
4019-4	130 wipes	4



PERMATEX® FAST ORANGE® HAND CLEANER WIPES

- Removes the toughest grease, tar, grime, ink, paints, sealants, adhesives and other difficult soils.
- Each pre-moistened wipe has a textured surface on one side that is ideal for cleaning heavy-duty soils from hands, tools and work areas.
- Also has a smooth side for general cleaning.

PART No.	SIZE	QTY.
4020-4	72 wipes	6



PERMATEX® FAST ORANGE® HAND BAR SOAP

- Fresh-smelling, natural citrus soap with fine pumice.
- Fortified with aloe, lanolin, glycerin and other skin conditioners.
- Petroleum, solvent-free and contains no harsh chemicals, mineral oils, or ammonia.
- Good for removing resins, oil, grease, tar, grime, soil, printer's ink, epoxies, paint, rubber cement, gasket material and tile cements.

PART No.	SIZE	QTY.
4017	5.75 oz bar	24



SHOP SUPPLIES

HAND CLEANERS AND DISPENSERS

GOJO® PRO™ 5000 DISPENSER

- High capacity.
- Large display window shows the refill inside.
- Made of high-impact ABS plastic with black textured finish.
- ADA compliant, one-hand push operation.
- Lifetime guarantee.

PART NO.	DISPENSER DIMENSIONS	SIZE	QTY.
3811	20.8" H x 9.1" W x 7" D	5,000 ml	1



GOJO® PRO™ 2000 DISPENSER

- Large display window shows the refill inside.
- Made of high-impact ABS plastic with black textured finish.
- ADA compliant, one-hand push operation.
- Lifetime guarantee.

PART NO.	DISPENSER DIMENSIONS	SIZE	QTY.
3813	16.5" H x 6.9" W x 5.75" D	2,000 ml	1



GOJO® NATURAL ORANGE™ HAND CLEANER

- Great for moderate grease and medium soils.
- Fine Italian pumice added for enhanced cleaning.
- Petroleum-free citrus formula.

PART NO.	SIZE	QTY.
4024	2,000 ml	4
4124	5,000 ml	2



GOJO® MULTI GREEN® HAND CLEANER

- The best choice for light to medium dirt and soil removal.
- Petroleum free with scrubbing particles.
- Excellent choice for plant-wide use.
- Contains aloe and vitamin E.

PART NO.	SIZE	QTY.
4026	2,000 ml	4
4126	5,000 ml	2



GOJO® SUPRO MAX™ HAND CLEANER

- Lotion hand cleaner removes the toughest, stickiest soils and adhesives while remaining gentle on the skin.
- Unique blend of cleaners and gentle scrubbers makes it ideal where the most difficult soils are encountered.
- Simply apply to dry hands, then rinse.

PART NO.	SIZE	QTY.
4027	2,000 ml	4
4127	5,000 ml	2



GOJO® RICH PINK™ ANTIBACTERIAL LOTION SOAP

- High quality, floral smelling, gentle lotion soap that's great for hands, face and body.
- Ideally suited for situations where washing with normal soap may not be sufficient.

PART NO.	SIZE	QTY.
4036	2,000 ml	4
4136	5,000 ml	2



GOJO® CHERRY GEL PUMICE HAND CLEANER

- Gel-style heavy duty hand cleaner with pumice scrubbers.
- Quickly cleans heavy dirt, grease and oil.
- Provides a quick, complete rinse and leaves skin refreshed.

PART NO.	SIZE	QTY.
4031	2,000 ml	4
4131	5,000 ml	2



GOJO® POWER GOLD® HAND CLEANER

- Quickly removes motor oils, asphalt, pitch, tar, sealants, anti-seize compounds, or any kind of grease, sludge, or grime.
- The new standard for heavy-duty hand cleaners.
- Cleans thoroughly without harsh solvents.
- Washes off quickly leaving no oily residue.
- Contains emollients, conditioners, vitamin E and aloe.

PART NO.	SIZE	QTY.
4025	2,000 ml	4
4125	5,000 ml	2



GOJO® NFX™ SPACE SAVER™ DISPENSER

- Compact design optimizes wall space.
- Black with glossy finish.
- Fully ADA depth and push compliant.
- Lifetime guarantee.

PART NO.	DISPENSER DIMENSIONS	SIZE	QTY.
3826	10" H x 5" W x 3.75" D	1000 ml	1



GOJO® TFX™ TOUCH FREE DISPENSER

- Touch-free, trouble-free performance.
- Three C-size alkaline batteries included.
- Black with matte finish.
- Fully ADA compliant, UL/CE registered.

PART NO.	DISPENSER DIMENSIONS	SIZE	QTY.
3816	10.5 H x 6" W x 4" D	1200 ml	1



GOJO® GREEN CERTIFIED LOTION HAND CLEANER

- A mild, biodegradable formula certified by Green Seal™ and EcoLogo™ to meet their joint standard (GS-41/CCD-104) for hand cleaners and hand soaps.
- Bag-in-box system.

PART NO.	SIZE	QTY.
4219	1000 ml	8



GOJO® PREMIUM FOAM ANTIBACTERIAL HAND WASH

- Sealed refill helps lock out germs, snaps in place with audible click.
- Kills germs on hands while providing a rich, luxurious lather.
- Gentle on hands.
- Contains vitamin E and aloe.
- Great for general restrooms in any industry.

PART NO.	SIZE	QTY.
4034	1200 ml	2



HAND CLEANERS AND DISPENSERS

GOJO® HAND MEDIC® ANTISEPTIC SKIN TREATMENT

- Conditions, protects and restores the skins natural moisture level and elasticity it needs to stay healthy.
- Gentle, yet powerful antiseptics kill germs.
- Helps prevent dry, chapped hands and maintain the health and well-being of employees.
- Use before or after work to restore and maintain the skins natural barrier against harmful substances.

PART No.	SIZE	QTY.
4041	500 ml refill	2
4043	2 fl oz bottle	12



GOJO® HAND MEDIC® DISPENSER

- For use with GOJO® Hand Medic® Antiseptic Skin Treatment Soap, Part No. 4041.
- Color: Black

PART No.	DISPENSER DIMENSIONS	SIZE	QTY.
3820	11" H x 5.5" W x 5" D	500 ml	1



GOJO® BATH, BODY, & HAIR SHAMPOO

- Gently cleans body and hair.
- Leaves skin soft and smooth.
- Floral fragrance, luxurious lather.

PART No.	SIZE	QTY.
85533	1 gallon	4
85547	Dispenser	1



TOUCH® PINK LIQUID SOAP

- Viscous, lotionized hand cleaner.
- Can be dispensed through conventional soap dispensers.
- Almond scent.

PART No.	SIZE	QTY.
85596	1 gallon	4
85547	Dispenser	1



LIQUID SOAP DISPENSER

- Curved top prevents bacteria growth.
- For use with a wide variety of soaps and lotions.
- Not for use with items that contain pumice.
- Push-bar meets ADA requirements.

PART No.	SIZE	QTY.
85547	30 oz	1



MICRELL® ANTIBACTERIAL LOTION SOAP

- Luxurious, gentle soap combined with a quick acting antimicrobial agent.
- Formulated for frequent hand washing with aloe and conditioners.
- Kills 99.9% of most common disease causing germs on hands.
- Great for general restrooms in any industry.

PART No.	SIZE	QTY.
4033	800 ml	6



MICRELL® ANTIBACTERIAL SOAP DISPENSER

- For use with Antibacterial Lotion Soap, Part No. 4033.
- Adhesive backing.
- Color: White

PART No.	DISPENSER DIMENSIONS	SIZE	QTY.
3821	11" H x 5.5" W x 5" D	800 ml	1



GOJO® HAND CLEANER

- Original formula is for general clean-up needs and contains no pumice.
- For use with dispenser, or open the lid and scoop the cream by hand.
- Lemon hand cleaner contains pumice.

PART No.	DESCRIPTION	SIZE	QTY.
4021	Original Formula	4.5 lb	6
4022	Lemon	4.5 lb	6



GOJO® CREME STYLE DISPENSER

- Use with GOJO® hand cleaner plastic cartridges.

PART No.	DISPENSER DIMENSIONS	QTY.
4035	6" H x 10" W x 5" D	1



POWDERED SOAP

- Won't clog drains and harm fixtures.
- Contains no phosphates and is 100% soluble.
- Gentle on hands.

PART No.	SIZE	QTY.
85538	5 lb	10



POWDERED SOAP DISPENSER

- Holds up to 40 oz of powdered soap.
- Wall mountable.

PART No.	DISPENSER DIMENSIONS	QTY.
85544	5-1/4" H x 4-3/4" D x 10" H	1



SHOP SUPPLIES

HAND CLEANERS AND BRACKET

PERMATEX® FAST ORANGE® CITRUS HAND CLEANER WITH FINE PUMICE

- Waterless formula.
- Solvent-free, contains no petroleum distillates.
- Biodegradable, pH balanced.
- Cleans hands and refreshes them with the scent of oranges.
- Pump included.

PART No.	SIZE	QTY.
4211	15 bottle	12
4212	1 gallon	4



PERMATEX® TROUNCE® PUMICE HAND CLEANER

- Professional strength, fast acting formula that won't irritate hands or leave a greasy residue.
- Pleasantly scented.
- Fine ground pumice for deep scrubbing.
- Will remove oil, grease, tar, grime, soil, resins, printer's ink, epoxies, paints, tile cement and stains.
- Pump included.

PART No.	SIZE	QTY.
4210	1 gallon	4



PERMATEX® FAST ORANGE® DRY SKIN FORMULA HAND CLEANER

- Developed specifically for professional automotive technicians.
- Lotion formula in one gallon container with pump.
- Helps reduce the symptoms of dry, cracked skin.
- Leaves hands feeling smoother, while it quickly and gently deep cleans the toughest dirt.
- Biodegradable.
- Petroleum, solvent free and non-toxic.

PART No.	SIZE	QTY.
4220	1 gallon	4



ULTRA ZAPPER™ HAND CLEANER

- Safe and effective removal of paints, sealants and adhesives, especially urethane-based soils.
- Contains six skin conditioners and pumice for extra cleaning power.
- Rinses thoroughly with no unpleasant odor or sticky after-feeling.
- Cleans soils effectively without harsh chemical solvents.

PART No.	SIZE	QTY.
4217	1 gallon	4



PERMATEX® ULTRA CHERRY® HAND CLEANER

- Heavy-duty, made to handle your dirtiest jobs.
- Fine pumice lotion removes the oils, grease, tar, asphalt and adhesives without greasy or irritated hands.
- No water required.
- Does not contain kerosene, phosphates or petroleum odor.

PART No.	SIZE	QTY.
4215	7.5 oz.	1
4216	102.4 oz	4



WALL BRACKET FOR GALLON CONTAINER

- Convenient wall-mounted wire bracket for out-of-the-way storage of your favorite gallon hand cleaner.
- Fits Part No. 4216 and 4220 only.

PART No.	QTY.
3812	1



HAND AND NAIL BRUSH

- Great for cleaning grease off hands or from under fingernails.
- Smooth sanded and waxed hardwood block.
- 5/8" white plastic trim.

PART No.	QTY.
82226	2



BOTTLE PUMP

- Works with 1 gallon containers.
- Delivers 1 oz. of product per stroke.
- 11" dip tube.
- Polypropylene with stainless steel spring.
- Excellent for soaps, lotions, chemical concentrates.
- Color: White

PART No.	QTY.
72568	1



Paper towels available.
See pages M4 and M5.

M8



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

HAND CLEANERS AND DISPENSERS

PAINT & RESIN REMOVING HAND CLEANER

- A safer alternative to harsh solvents and thinners.
- Contains no harsh mineral spirits.
- Non-toxic, non-flammable.
- Biodegradable according to 40 CFR 796.3240.
- Won't clog drains.
- Complete with pump.
- Specially formulated with DBE solvent to cut through the toughest of soils.

PART No.	COLOR	FRAGRANCE	SIZE	QTY.
4214	Gray	Floral	60 oz	4



SOCK-IT™ EXTRA HEAVY DUTY WITH PUMICE HAND SOAP

- Super duty mineral solvent and pumice based formula with mineral oil, aloe and vitamin E.
- Cleans tough soils without over-drying skin.

PART No.	COLOR	FRAGRANCE	SIZE	QTY.
4247	Green	Lemon Lime	1 gal	4



SUPER SCRUB WITH SCRUBBERS HAND CLEANER

- Multi-purpose heavy duty hand cleaner.
- A combination of mineral solvent, citrus solvent, surfactants and plastic scrubbers to remove all soils.

PART No.	COLOR	FRAGRANCE	SIZE	QTY.
4248	Lt Green	Citrus	1 gal	4



RED BLAST HEAVY DUTY HAND CLEANER WITH SCRUBBERS

- Heavy duty formula to remove tough grease and dirt.
- Contains plastic scrubbers.
- Mild to hands with a pleasant cherry smell.
- Solvent free.

PART No.	COLOR	FRAGRANCE	SIZE	QTY.
4251	Red	Cherry	1 gal	4



PC-25 PROTECTIVE CREAM SOLVENT RESISTANT

- Thick cream reduces skin irritation and chapping.
- Solvent resistant formula.
- Apply protective cream to skin prior to coming into contact with contaminants, which helps suspend the contaminants above the skin so they can be washed away more easily.

PART No.	COLOR	FRAGRANCE	SIZE	QTY.
4253	White	Lemon	8 oz	4



FOAMING HAND WASH

- Dispenses 0.75 ml of rich foam per push, doubling the average number of washings per 1000 ml bag.
- Dispensing system has large view window and is guaranteed leakproof.
- Dispenser is ADA compliant.



4221, 4222,
4223, 4224



3830

PART No.	DESCRIPTION	COLOR	FRAGRANCE	SIZE	QTY.
4221	Enriched Moisture Wash	Green	Jasmine	1000 ml	6
4222	Instant Hand Sanitizer	Clear	Linen	1000 ml	6
4223	Antibacterial Hand Soap	Amber	Citrus	1000 ml	6
4224	Luxury Hand Soap	Pink	Tropical	1000 ml	6
3830	EZ Hand Hygiene™ Foam Dispenser	Gray	—	—	1

DURAVIEW HAND CLEANERS

- Replaceable cartridge and durable dispenser combination.
- Soap product comes already attached inside the waterproof PVC cartridge.
- To refill, remove empty cartridge and insert the new one.
- Looks great and window shows when ready for soap refill.



4229, 4231,
4233, 4235



3831

PART No.	DESCRIPTION	COLOR	FRAGRANCE	SIZE	QTY.
4229	Sock-It™ Extra Heavy-Duty	Green	Lemon Lime	4500 ml	2
4231	Super Scrub Medium-Duty	Lt Green	Citrus	4500 ml	2
4233	Regal Extra Mild Heavy-Duty	Tan	Neutral	4500 ml	2
4235	Pink Lotion Skin Cleaner	Pink	Fresh	4500 ml	2
3831	Duraview® Dispenser	Black	—	—	1



Jay
Senior Product Manager

Knowledgeable...

"Training and experience give our team the ability to find just the right solution for you."

M9



SHOP SUPPLIES

SHOP TOWELS

SELLARS® TOOLBOX® BIG GRIP® BUCKET

- Perfect for jobs outside or wet work sites as it is designed to keep your towels clean and dry until they are needed.
- Works like cloth, low lint.
- Ideal for heavy-duty wiping applications.
- Up to 400% more absorbent than most red rental rags.
- Center-pull disposable wipers are made with 25% recycled cellulose fibers.



TOOL BOX® SHOP CLOTH REFILL

- Use as a refill for the Blue Shop Towel Big Grip® Bucket or as a stand alone center-pull dispenser.

PART No.	STYLE	COLOR	SHEET SIZE	PACKAGE	TOTAL SHEETS	QTY.
5287	DRC	Red	9.9" x 13.1"	Dispenser	280	2 rolls
5292	DRC	Red	9.9" x 13.1"	Refill/Dispenser	840	6 rolls

BLUE SHOP TOWEL BIG GRIP® BUCKET

- Perfect for jobs outside or wet work sites as it is designed to keep your towels clean and dry until they are needed.
- "Works like Cloth" at a fraction of the cost.
- Ideal for your general shop and industrial applications.
- Dirt hiding blue color doesn't show grease, dirt and grime like the normal white towels allowing for extended use before discarding.
- Made with 40% Post-Consumer recycled fibers and 10% Post-Industrial recycled fibers, meeting the EPA Comprehensive Procurement Guidelines.



BLUE SHOP CLOTH REFILL

- Use as a refill for the Blue Shop Towel Big Grip® Bucket or as a stand alone center-pull dispenser.

PART No.	STYLE	COLOR	SHEET SIZE	PACKAGE	TOTAL SHEETS	QTY.
5289	DRC	Blue	9.9 x 13.1"	Dispenser	400	2 rolls
5293	DRC	Blue	9.9 x 13.1"	Refill/Dispenser	1200	6 rolls

SPILFYTER® WIPES

- An economical alternative to shop rags.
- For general cleaning and wiping.
- Wiping liquids or lubricants.
- Janitorial and maintenance wiping.
- Vehicle and equipment clean-ups.
- Low lint glass cleaning and wiping.



PART No.	STYLE	COLOR	SHEET SIZE	PACKAGE	TOTAL SHEETS	QTY.
5237	Scrim	White	13" x 13"	Box Dispenser	900	6 box
5238	DRC	White	13" x 13"	Box Dispenser	750	6 box
5242	DRC	White	10.5" x 15"	Box Dispenser	750	6 box

DIRTGOBBLER DISPOSABLE HAND TOWELS

- Super absorbent, large sheets.
- Nylon reinforced for extra strength.
- With four-ply scrim.
- Convenient dispenser box.
- Economical and virtually lint free.



PART No.	STYLE	COLOR	SHEET SIZE	PACKAGE	TOTAL SHEETS	QTY.
5224	Scrim	White	13" x 13"	Box Dispenser	500	1 box
5225	Scrim	White	13" x 13"	Box Dispenser	1500	1 box

NATURE'S LINEN® SPUNLACE INDUSTRIAL WIPES

- Provides superior absorbency, lint free, biodegradable, cloth-like feeling with added strength.
- Solvent resistant, ideal for cleaning up chemicals.
- Box allows easy access to wipes.



PART No.	STYLE	COLOR	SHEET SIZE	PACKAGE	TOTAL SHEETS	QTY.
5228	Spunlace	White	9.5" x 17"	Box Dispenser	125	1 box
5228-4	Spunlace	White	9.5" x 17"	Box Dispenser	1125	9 box

QUARTER FOLD SHOP WIPES


- White shop wipes.
- 12 packs of 75 wipes in a package.
- Thickness: 1-ply



PART No.	STYLE	COLOR	SHEET SIZE	PACKAGE	TOTAL SHEETS	QTY.
5243-4	DRC	White	12.5 x 13"	Shrink Wrap	900	12 pack

RED SHOP TOWELS

- Absorbent, soft cotton, low lint.
- Sewn edges prevent unraveling.
- New (unused) fabric free of contaminants.



PART No.	STYLE	COLOR	SHEET SIZE	PACKAGE	TOTAL SHEETS	QTY.
5241	Cloth	Red	13" x 14"	Shrink Wrap	50	1 pack

JUMBO ROLL WIPES

- Hydro-entangled wipes are extremely durable and have a soft, cloth-like feel.
- Perforated roll.
- Thickness: 1-ply



PART No.	STYLE	COLOR	SHEET SIZE	PACKAGE	TOTAL WIPES	QTY.
5273	Spunlace	White	12" x 14.5"	Shrink Wrap	500	1 roll

GLOSSARY

Scrim—Strong, durable and lint free. Reinforced tissue offers a great economic wiping tool with extra scrub strength and superior wipe-dry properties. Ideal for glass and smooth surfaces or as general wiper. "Best general wiper ever made".

Double Re-creped Cellulose (DRC)—Non-woven wiper made of wood pulp and binders for extra durability and strength, softness and wipe-dry properties. Medium lint. Excellent absorbency in grease and oil. Ideal for automotive and janitorial applications.

Spunlace—Superior absorbency. Lint free. Biodegradable. Cloth like feel and strength. Solvent resistant which is great for cleaning up chemicals.



CLEANING SUPPLIES

UTILITY PAD HOLDER

- Has a threaded socket to accept any standard threaded handle.
- Swivels in all directions to clean hard to reach areas.
- Use with handle Part No. 82221.
- Use with tapered handle.

PART No.	SIZE	QTY.
85585	Utility pad holder	1
82221	Handle 15/16"	1



UTILITY PADS

- Brown pads are designed for aggressive cleaning of floors, baseboards and corners.
- White pads are designed for delicate surfaces and light clean-ups such as sinks, tiles and windows.
- Blue pads are design for scuffs and finishes requiring more than a light pad.
- Removes old finishes and wax build-up.
- Size: 4" x 10" pads

PART No.	SIZE	COLOR	QTY.
85582	Light Duty	White	20
85583	Medium Duty	Blue	20
85584	Heavy Duty	Brown	20



10" SQUEEGEE WITH TELESCOPING HANDLE

- Zinc plated head.
- Handle telescopes to a length of 7'.
- 10" pliable rubber blade.
- Includes a "bug removing" sponge.

PART No.	DESCRIPTION	QTY.
70446	10" Squeegee with Telescoping Handle	4



SPEED-CHANGE WET MOP HANDLE

- High-impact plastic head features a side release gate for fast mop changes.
- 54" fiberglass handle for durability and chemical resistance.
- Thumb wheel adjustment.

PART No.	SIZE	QTY.
82180	54"	2



Note: May include an oversize shipping surcharge.

4-PLY COTTON WET MOP

- Use with handle Part No. 82180.

PART No.	SIZE	QTY.
82185	Medium	2
82186	Large	2



SQUEEGEE HEAD WITH ACME THREADS

- Nylon net covered sponge.
- Pliable rubber blade.
- Acme thread compatible.

PART No.	WIDTH	QTY.
70448	8"	1



STAINLESS STEEL SPONGES

- Scrubs and scours.
- Easy to use and soft to the touch.
- Heavy-duty, all stainless steel sponge will not rust, shred, or splinter.
- Durable through dozens of scrubbing.
- Retains its shape and lasts longer than ordinary metal pads.



PART No.	QTY.
73278	72

FLOOR SQUEEGEES

- Designed for rough, heavy use.
- Order compatible Tapered Handle, Part No. 82219, separately.

PART No.	LENGTH	BLADE MATERIAL	FRAME MATERIAL	QTY.
82217	24" Straight	Neoprene	Steel	1
82200	36" Curved	Neoprene	Steel	1
82197	24" Refill	Neoprene	—	1
82198	36" Refill	Neoprene	—	1
82316	22" Straight	Foam Rubber	Steel	1
82317	24" Straight	Foam Rubber	Galvanized Steel	1
82318	30" Straight	Dual Foam	Steel	1



MOSS RUBBER SQUEEGEE WITH 2-PIECE HANDLE

- Works well on smooth or textured surfaces.
- Double bladed squeegee dramatically reduces floor drying time.
- Blades are made of a closed cell foamed material commonly called "moss".
- Includes sturdy 59" x 1" two-piece handle.

PART No.	WIDTH	QTY.
82222	36"	1



Ryan
IT Support Specialist

Committed...

"My job is to make the ordering process fast, simple and accurate. Our customers expect it, and I make it happen."

M11



SHOP SUPPLIES

BROOMS AND HANDLES

FLOOR BROOMS

- Broom handles must be ordered separately.

PART NO.	COMPATIBLE HANDLE	DESCRIPTION	BLOCK MATERIAL	HOLES	BLOCK SIZE	BRISTLE LENGTH	BRISTLE MATERIAL	BRISTLE COLOR	APPLICATIONS	QTY.
82266	82225	Shop Brush	Structural Foam	2	24"	3"	Poly	Brown/Red	All-Purpose Sweeping	1
82215	82213, 82221	Shop Brush	Lacquered Hardwood	2	24"	3"	Tampico	Black	Medium Sweeping	1
82228	82213, 82221	Shop Brush	Lacquered Hardwood	2	24"	3"	Synthetic	Brown/Red	Coarse Sweeping	1
82212	82213, 82221	Shop Brush	Lacquered Hardwood	2	24"	4"	Palmyra	Brown	Coarse Sweeping	1
82248	82213, 82221	Shop Brush	Lacquered Hardwood	2	36"	4"	Palmyra	Brown	Coarse Sweeping	1
82187	82224	Wash Brush	Black Poly	1	24"	2.25"	Synthetic	Yellow	Washing	1
82224	82225	Wash Brush	Black Poly	1	10" x 3"	2.125"	Synthetic	Gray	Washing	1
82255	82225	Wash Brush	Black Poly	1	8" x 3"	2.5	Nylex	Green	Washing	1
82227	82225	Wash Brush	Tan Poly	1	14" x 3"	2.5	Nylon	Green	Washing	1
82279	82219	Wash Brush	Hardwood	1	8.25 x 3"	1.25"	Tampico	Yellow	Washing / Acid	1



BROOM HANDLES

PART NO.	LENGTH X DIAMETER	END STYLE	COMPATIBLE BRUSHES	QTY.
82225	5' x 15/16	Fountain Tube	82224	2
82219	5' x 1-1/8	Tapered	82200, 82217	4
82213	5' x 1-1/8	Threaded	82212, 82215	4
82221	5' x 15/16	Threaded	82266, 82228	6
82196	5' x 15/16	Metal Thread	82248	4

Threaded
#82213 & #82221



Tapered
#82219



Metal Threaded
#82196



Fountain Tube
#82225



TELESCOPING FIBERGLASS POLE

- Heavy-duty construction with acme threads.
- Use with floor brushes and paint roller frames.

PART NO.	OVERALL LENGTH	QTY.
82194	4-8"	1



EXTENDABLE METAL POLE

- Acme thread with optional tapered tip (not shown).
- Triangular tube designed for added strength.
- Eight-stop extendable pole.

PART NO.	OVERALL LENGTH	QTY.
82184	4.5' to 8'	1



M12

STEEL BRACE

- Fits all wooden handles.
- Reinforces and locks handle to block.
- Use with handle Part No. 82219

PART NO.	QTY.
82214	2



Note: Handle must be ordered separately.

STEEL BRACE

- Heavy-duty steel brace attaches to broom block.
- Fits all handle sizes and brooms over 18" wide.
- Increase broom life by providing extra support.

PART NO.	QTY.
82199	1



Note: Handle must be ordered separately.



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

CLEANING SUPPLIES

METAL DUST PAN

- Heavy duty, one piece construction.
- Baked-on black enamel finish.
- Made from 20 gauge steel.

PART No.	SIZE	QTY.
85607	12" W x 14" H	1



PLASTIC DUST PAN

- 12" black, plastic pan.
- For industrial use.

PART No.	QTY.
85581	1



WHISK BROOM

- Whisks dust, lint and fine dirt in office, factory, or home.

PART No.	FILL MATERIAL	OVERALL LENGTH	FACE WIDTH	QTY.
82201	Corn Wisk	12"	3-1/2"	2



COUNTER DUSTER

- Mixed grey horsehair reinforced with nylon, picks up fine dust as well as heavy dirt.

PART No.	FILL MATERIAL	TYPE OF BRUSHING	BRUSH LENGTH	TRIM LENGTH	QTY.
82211	Horsehair	Fine	8"	2-1/8"	1



WAREHOUSE SWEEP BROOM

- Made of best quality broom corn and fibre.
- Sewed four times and reinforced with a wire band.
- Heavy-duty handle.
- Designed for sweeping smooth or rough surfaces.

PART No.	QTY.
82229	2



PLASTIC SPREADERS


- Made of flexible plastic.
- Reusable.
- Color: Yellow

PART No.	SIZE	QTY.
82292	3" x 4"	5
82293	3-1/4 x 5"	5
82294	3-1/2 x 6"	5



SCRUB BRUSHES

- Excellent for cleaning fenders, wheels, grills and spokes.
- Durable handle.



#82216



PART No.	FILL MATERIAL	TRIM LENGTH	OVERALL LENGTH	QTY.
82216	Synthetic	2"	10"	1
82218	Synthetic	2"	21-1/2"	1

DELUXE CONTOURED TIRE BRUSH

- Non slip comfort grip handle.
- Super stiff contoured bristles.
- Size: 7-3/4" x 5-3/4 x 5"
- Black bristles with black handle.

PART No.	QTY.
82271	1



WHEEL DETAIL BRUSH

- Non slip comfort grip handle.
- Safe for all wheels.
- Size: 11-3/4" x 2-1/2" x 2-1/2"
- Black bristles with black handle.

PART No.	QTY.
82272	1



SQUEEGEE

- Comes complete with textured handle and built-in bug remover.
- An 8" nylon net-covered sponge makes short work of windshield bugs and dirt.
- Wipes window clean with an 8" pliable rubber blade.
- Handle is available in various lengths.



PART No.	DESCRIPTION	HANDLE LENGTH	QTY.
70440	8" Rubber Squeegee	20"	1
70442	8" Rubber Squeegee	42"	1
70445	Replacement Head	—	1
70447	Plastic Handle	20"	1
70449	Aluminum Handle	42"	1

PARTS CLEANING BRUSH

- Stiff nylon bristles are chisel trimmed for good cleaning action.

PART No.	DIAMETER	BRISTLES	LENGTH	QTY.
82210	1"	Nylon	2-3/4"	1



M13



SHOP SUPPLIES

CLEANING SUPPLIES

WIRE BRUSHES

- Professional quality brushes.
- Excellent for removing rust scale, paint, solder, etc.
- Also good for cleaning threads, files, metal parts and castings.
- Available in steel, carbon steel, or stainless steel wire.

PART No.	STYLE	FILL MATERIAL	No. OF ROWS	BLOCK SIZE	TRIM LENGTH	BRUSH PART LENGTH	QTY.
82203	Curved Handle Scratch Brush	Carbon Steel	4 x 19	13-3/4 x 5/8	1-3/16	6-1/4	2
82303	Curved Handle Scratch Brush	Stainless Steel	3 x 19	13-3/4 x 5/8	1-3/16	6-1/4	1
82204	Shoe Handle Scratch Brush	Carbon Steel	4 x 16	10-1/4 x 1-1/8	1-3/16	5"	2
82304	Shoe Handle Scratch Brush	Stainless Steel	4 x 16	10-1/4 x 1-1/8	1-3/16	5"	1
82305	Wire Brush with Scraper	Carbon Steel	4 x 16	10-1/4 x 1-1/8	1-3/16	5"	1
82310	Mini Wire Brush	Stainless Steel	3 x 7	7-1/2 x 1/2	1/2	1-1/2	5
82311	Mini Wire Brush	Brass	3 x 7	7-1/2 x 1/2	1/2	1-1/2	2

#82203, #82303



#82204, #82304



#82305



#82310, #82311



DOUBLE HEADED SCRATCH BRUSH

- Small scratch brushes come in a variety of block types and filaments.
- Great for small area cleaning such as welding applications and inspections.



PART No.	FILL MATERIAL	No. OF ROWS	BLOCK SIZE	TRIM LENGTH	QTY.
82319	Brass Wire, Nylon	3 x 7	7-1/4 x 1/2	1/2	1

PUTTY KNIFE

- 3" flexible metal blade.
- Plastic handle.

PART No.	QTY.
82287	1



FLUE BRUSH

- Double spiral, double stem.
- Tempered wire.



PART No.	DESCRIPTION	SIZE	WIRE SIZE	QTY.
82306	Brush	4" Diameter	0.0181	1
82307	Handle	3' Length	—	1

STAINLESS STEEL PLUMBING FITTING BRUSHES

- Single spiral 2-ply wire construction.
- Tear drop wire handle.
- Overall length: 6.25"

PART No.	I.D. SIZE	QTY.
82300	1/2	4
82301	3/4	4
82302	1"	4



M14



*Bill
Dedicated Service Advisor*

Loyal...

"I work for my customers. That's how I look at it, because it's true. I have a role to play in their success."

**Imperial
continuously
adds new
products.**



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

AIR HOSE

RUBBER SHOP AIR HOSE

- High-strength rubber cover provides maximum abrasion resistance.
- Remains flexible in extreme cold.
- Pre-assembled with male fittings on both ends, includes bend guards.
- Tube designed to handle oil-laden air.
- Suitable for agricultural spray applications.
- High-tensile reinforcement for extended life.
- Excellent service for all commercial applications.



PART No.	I.D.	O.D.	WORKING PRESSURE	COVER COLOR	REINFORCEMENT	MALE PIPE	QTY. FEET
95939	1/4	5/8	250 lbs.	Red	1 Braid	1/4 NPT	12
95930	1/4	5/8	250 lbs.	Red	1 Braid	1/4 NPT	25
95931	1/4	5/8	250 lbs.	Red	1 Braid	1/4 NPT	50
95932	3/8	23/32	200 lbs.	Red	1 Braid	1/4 NPT	25
95933	3/8	23/32	200 lbs.	Red	1 Braid	1/4 NPT	50
95934	1/2	29/32	300 lbs.	Red	2 Braids	1/2 NPT	25
95935	1/2	29/32	300 lbs.	Red	2 Braids	1/2 NPT	50
95937	1/4	5/8	250 lbs.	Red	1 Braid	—	300
95938	3/8	23/32	200 lbs.	Red	1 Braid	—	300

Male fittings not included with bulk air hose.
See Barb-Tite Fittings, Part No. 92100, 92103 and 92104.

RETRACTABLE AIR HOSE REELS

- One-year manufacturer warranty.
- Heavy-duty all-steel construction.
- Mount on a wall, floor, or ceiling.
- Includes three-foot inlet feeder hose.
- Includes rubber hose.
- Valve assembly handles up to 250 psi.
- Use hose with air and water.



PART No.	HOSE DIA.	WORKING PRESSURE	COVER COLOR	MALE PIPE	QTY. FEET
95996	3/8	250 psi	Red	3/8 NPT	25
95997	3/8	250 psi	Red	3/8 NPT	50
95998	1/2	250 psi	Red	1/2 NPT	50

PVC SHOP AIR HOSE

- PVC covered hose for better oil and abrasion resistance compared to rubber shop air hoses.
- Kink proof construction.
- Comes with bend restrictors.



PART No.	I.D.	O.D.	WORKING PRESSURE	COVER COLOR	MALE PIPE	QTY. FEET
96021	3/8	21/32	300 psi	Yellow	1/4 NPT	25
96022	3/8	21/32	300 psi	Yellow	1/4 NPT	50

NITROGEN AIR HOSE

- Green for identification for use with nitrogen only.
- Features a medium-high, oil resistant tube.
- Cover is made resistant to oil, abrasion, weathering and ozone with a heavy duty four spiral reinforcement.
- Kink resistant and flexible.



PART No.	I.D.	O.D.	WORKING PRESSURE	COVER COLOR	MALE PIPE	QTY. FEET
96023	3/8	.680 - .740"	300 psi	Green	1/4 NPT	25
96024	3/8	.680 - .740"	300 psi	Green	1/4 NPT	50

FLEXEEL® REINFORCED POLYURETHANE SHOP AIR HOSE

- Retains flexibility in subzero temperatures from -40° F to 165° F
- Resistant to lubricating oils, grease and abrasion.
- UV stabilized for longer outdoor service life.
- Will last 4 to 5 times longer than standard rubber shop air lines under normal use.
- 1/3 the weight of rubber shop air hose.



PART No.	I.D.	O.D.	WORKING PRESSURE	COVER COLOR	MALE PIPE	QTY. FEET
95915	3/8	9/16	200 psi	Blue	1/4 NPT	25
95916	3/8	9/16	200 psi	Blue	1/4 NPT	50
95918	1/2	45/64	200 psi	Blue	1/2 NPT	50

AIR HOSE WHIP

- Style: Straight hose.
- Comes assembled with 1/4 MPT swivel fittings.
- Hose is made from Flexeel hose.
- Resistant to lubricating oils, grease and abrasion.
- Use in conjunction with air tools to reduce the wear and tear on the quick couplers.



PART No.	I.D.	O.D.	COVER COLOR	MALE PIPE	QTY. FEET
95999	3/8	—	Blue	1/4	3

POLYURETHANE SHOP AIR HOSE ASSEMBLIES

- Lightweight and lasts 10 times longer than other hoses.
- Because of polyurethane toughness, spring guards are not needed.
- All hose assemblies have 1/4" NPT swivels to make it easier to install.
- Resistant to most oils and fuels. Neon-green color for safety.
- Will not kink or lose its memory.
- Replacement fittings available.



PART No.	I.D.	O.D.	COVER COLOR	QTY. FEET
95980	5/32	1/4	Green	15'
95983	1/4	3/8	Green	3'
95984	1/4	3/8	Green	15'
95985	1/4	3/8	Green	25'

TECHNICAL INFORMATION

SIZE O.D. x I.D.	APPROXIMATE BURST PRESSURE PSI @VACUUM RATING				VACUUM RATING HG @ 75°F
	75°F	100°F	125°F	150°F	
1/4 x .160	370	290	1/4 x 5/32	370	290
3/8 x 1/4	380	320	3/8 x 1/4	380	320

Experience our dedicated customer service.



SHOP SUPPLIES

AIR HOSE ACCESSORIES

BARB-TITE BRASS REPLACEMENT HOSE ENDS FOR SHOP AIR HOSE

HOSE TO MALE PIPE

PART No.	HOSE I.D.	PIPE THREAD	QTY.
92100	1/4	1/4	10
92101	5/16	1/4	5
92103	3/8	1/4	10
92104	3/8	3/8	10
92105	3/8	1/2	10
92106	1/2	3/8	10
92107	1/2	1/2	10
92130	5/8	3/8	5
92109	5/8	1/2	10



HOSE MENDER

PART No.	HOSE I.D.	PIPE THREAD	QTY.
92128	1/8	—	5
92129	3/16	—	5
92110	1/4	—	10
92111	5/16	—	10
92112	3/8	—	10
92113	1/2	—	10



HOSE TO FEMALE PIPE

PART No.	HOSE I.D.	PIPE THREAD	QTY.
92124	3/8	1/4	10



THREE BARB TEE SPLICER

PART No.	HOSE I.D.	PIPE THREAD	QTY.
92131	3/8	—	5



FITTINGS FOR POLYURETHANE COILED AIR TUBING

- Use on polyurethane tubing only.
- Pre-applied Vibraseal® to seal and lock threads.
- All fittings have swivels.
- Brass construction.



PART No.	HOSE O. D.	PIPE SIZE	QTY.
95990	1/4	1/4 NPT	2
95991	3/8	1/4 NPT	2

FLEXEEL® REPLACEMENT END

- Fitting for polyurethane coiled air tubing.
- Use on polyurethane tubing only.
- Pre-applied Vibraseal® to seal and lock threads.
- Fitting has swivels.
- Brass construction.



PART No.	O.D.	NPT	QTY. FEET
95917	3/8	1/4	2

MANUAL AIR HOSE REEL

- Reel can be mounted horizontally or vertically.
- All-steel construction.
- Includes a solid brass 1/4" NPT swivel fitting.
- Maximum working pressure: 250 psi
- Air hose not included.

PART No.	CAPACITY	NPT	QTY.
95995	3/8 x 100'	1/4	1

Note: Color of reel may vary.



M16

QUICK COUPLER

- Push button safety coupler.
- Double click to engage properly. First click locks coupler and plug. Second click engages the air pressure.
- To disconnect, push button twice. First push relieves the air pressure. Second push allows the coupler to be disconnected.

PART No.	NPT	INDUSTRIAL STYLE	MAX INLET PRESSURE	MAX TEMP.	AIR FLOW	QTY.
97417	1/4" Female	M	—	—	—	1
97418	1/4" Male	M	225 psi	-60 to 140° F	Air flow: 36 CFM at 90 lbs	1

#97417



#97418



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

HEAVY DUTY QUICK CONNECT COUPLERS & PLUGS

HEAVY-DUTY QUICK DISCONNECT COUPLERS AND PLUGS

- Manufactured of high-grade alloy steel.
- Corrosion resistant finish.
- Case hardened plugs.
- Stainless steel springs.
- Maximum air pressure 300 psi.
- Protective collar ensures against accidental disconnect.
- For low pressure pneumatic lines primarily used for air.

♦ Milton Brand



**COUPLER BODY
LOCK-ON BARB**

PART No.	BODY SIZE	HOSE BARB	QTY.
97392	1/4	1/4	2
97394	3/8	1/4	2
97398	3/8	3/8	2



**COUPLER PLUG
LOCK-ON BARB**

PART No.	BODY SIZE	HOSE BARB	QTY.
97391	1/4	1/4	2
97393	3/8	1/4	2
97399	3/8	3/8	2

INDUSTRIAL DESIGN



**COUPLER BODY
FEMALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97350	1/4	1/4	2
97423 ♦	1/4	1/4	2
97376	1/4	3/8	2
97341	3/8	1/4	2
97353	3/8	3/8	1
97357	1/2	1/2	1



**COUPLER PLUG
FEMALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97360	1/4	1/4	2
97409 ♦	1/4	1/4	2
97377	1/4	3/8	2
97363	3/8	3/8	2
97372	1/2	1/2	2



**COUPLER BODY
MALE PIPE THREAD**

PART No.	BODY SIZE	MALE NPT	QTY.
97351	1/4	1/4	2
97424	1/4	1/4	2
97352	3/8	3/8	1
97359	1/2	1/2	1



**COUPLER PLUG
MALE PIPE THREAD**

PART No.	BODY SIZE	MALE NPT	QTY.
97361	1/4	1/4	2
97410 ♦	1/4	1/4	2
97342	3/8	1/4	2
97362	3/8	3/8	2
97375	1/2	3/8	2
97370	1/2	1/2	2

LINCOLN DESIGN



**COUPLER BODY
FEMALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97355	1/4	1/4	1



**COUPLER PLUG
FEMALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97365	1/4	1/4	2



**COUPLER BODY
MALE PIPE THREAD**

PART No.	BODY SIZE	MALE NPT	QTY.
97354	1/4	1/4	1



**COUPLER PLUG
MALE PIPE THREAD**

PART No.	BODY SIZE	MALE NPT	QTY.
97364	1/4	1/4	2

AUTOMOTIVE (TRU-FLATE) DESIGN



**COUPLER BODY
FEMALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97380	1/4	1/4	2
97419 ♦	1/4	1/4	2
97389	3/8	1/4	1
97388	3/8	3/8	1
97368	1/2	3/8	1



**COUPLER PLUG
FEMALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97381	1/4	1/4	2
97407 ♦	1/4	1/4	2
97397	3/8	1/4	2
97400	3/8	3/8	2
97358	1/2	1/2	1



**COUPLER BODY
MALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97390	1/4	1/4	2



**COUPLER PLUG
MALE PIPE THREAD**

PART No.	BODY SIZE	MALE NPT	QTY.
97382	1/4	1/4	2
97408 ♦	1/4	1/4	2
97387	3/8	1/4	2
97386	3/8	3/8	2
97369	1/2	3/8	2
97371	1/2	1/2	2

ARO DESIGN



**COUPLER BODY
FEMALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97385	1/4	1/4	2
97406 ♦	1/4	1/4	2



**COUPLER PLUG
FEMALE PIPE THREAD**

PART No.	BODY SIZE	FEMALE NPT	QTY.
97383	1/4	1/4	2



**COUPLER BODY
MALE PIPE THREAD**

PART No.	BODY SIZE	MALE NPT	QTY.
97396	1/4	1/4	2



**COUPLER PLUG
MALE PIPE THREAD**

PART No.	BODY SIZE	MALE NPT	QTY.
97384	1/4	1/4	2



COUPLER CROSS REFERENCE CHART

SORT ORDER BY IMPERIAL PART NUMBER

IMPERIAL	AMFLO	ARO	FOSTER	HANSEN	LINCOLN	MILTON	SCHRADER	TRU-FLATE	PARKER
97341	C26-22	23103-002	4104	400/ 4000	642004	1833			
97342	CP25-02	23903-210	40-4	40	640104	1839			
97350	C20	23102-200	3003	1000/ 3000	612004	715	5138-12	13-234	23
97351	C21	23102-012	3103	1100/ 3100	611004	716	5139-12	13-224	22
97352	C25	23103-013	4304	430/ 4300	641006	1836		13-526	24
97353	C26	23103-300	4204	420/ 4200	642006	1835	3541	13-536	25
97354	C27							13-424	
97355	C28				815	790	3528	13-434	73
97357	C10	23104-400	5205	5200	865	1815	3512	13-712	17
97358	CP10					1818	3514	12-712	3F
97359	C9	23104-014	5305	5300	651008	1816	3511	13-704	16
97360	CP20	23902-200	11-3	11	630204	728	5139-11	12-234	H3C
97361	CP21	23902-210	10-3	10	630104	727	5138-11	12-224	H2C
97362	CP25	23903-310	42-4	42	640106	1837	3542	12-526	H2E
97363	CP26	23903-300	43-4	43	640206	1838	3543	12-536	H3E
97364	CP27		LN11		11659	791	3531	12-424	L2C
97365	CP28		LN12		11661	792	3532	12-434	L3C
97368	C10-23	23104-3	5005	500		1813		13-710	17E
97369	CP9-03	23104-13	5105	510		1814			16E
97370	CP17	23904-410	54-5	54	13314	1857		12-752	H2F
97371	CP9					1817	3513	12-704	
97372	CP18	23904-400	55-5	55	13370	1858		12-762	H3F
97376	C20-23	23102-003	3203	3200/ 1200	612006/ 632006	718	5263-12		23E
97377	CP20-23	23902-003	15-3	15	630206	732	5263-11		H3C-E
97380	C2		TF3003			785	3504	13-134/ 13-104	13
97381	CP2		TF-11			784	3507	12-134/ 12-132	3C
97382	CPI		TF-10			783	3506	12-12M/ 12-122	
97383	CP38	2609	210-11		13331	778	3530	12-334	
97384	CP37	2608	210-10		13329	777	3529	12-324	
97385	C38		210-3003		862	775	3526	13-334	
97386	CP5		TF42			1807	3517	12-604	
97387	CP7		TF40			1809	3519	12602	
97388	C6					1805	3516	13-612	
97389	C8					1803	3521		13-610
97390	C1		Tf10			786	3503		13-124 13-102

M18



WASH HOSE AND COUPLING PRODUCTS

HIGH PRESSURE BLUE WASH HOSE ASSEMBLY WITH FACTORY CRIMPED COUPLINGS

- Specifically designed for high pressure, hot water spraying.
- Resistant to the normal damaging properties of hot water.
- Smaller inside/outside diameter ratios, makes hose lighter and more flexible than standard wire braid hoses.
- Blue cover contains no carbon black and will not mar the finish of vehicles.
- Best choice for pressure wash applications.
- Factory crimped couplings.
- 3/8" NPT Swivel x 3/8" Rigid Pipe
- Maximum Water Temperature: 275°F



PART No.	I.D.	O.D.	COLOR	MIN. BEND RADIUS	WORKING PRESSURE	MIN. BURST PRESSURE	QTY. FEET
93525	3/8	.650	Blue	2-1/2	3000 psi	12,000 psi	50
93526	3/8	.650	Blue	2-1/2	3000 psi	12,000 psi	100

COMMERCIAL DUTY WASH RACK HOSE

- A rugged professional quality hose for fleet owners, garages and other users who require the absolute highest quality.
- Tough E.P.D.M. tube and cover provide maximum abrasion resistance.
- Double-braided reinforcement with free flow inner core.
- Heavy-duty solid brass couplings with octagonal female swivels.
- Good low temperature flexibility.
- Maximum Water Temperature: 160°F



PART No.	I.D.	O.D.	COLOR	MIN. BEND RADIUS	WORKING PRESSURE	MIN. BURST PRESSURE	QTY. FEET
95959	3/4	1-5/32	Black	4.5"	150 psi	600 psi	50

HEAVY-DUTY RUBBER WASH HOSE

- Double spiral reinforcement.
- Spun brass couplings on each end.
- Ribbed abrasion resistant cover.



PART No.	I.D.	O.D.	COLOR	MIN. BEND RADIUS	WORKING PRESSURE	MIN. BURST PRESSURE	QTY. FEET
95956	5/8	0.94	Black	3.75"	150 psi	300 psi	50

UNIVERSAL PNEUMATIC BRASS COUPLER

- Fits the three most popular types: Aro 210, Tru-Flate and Industrial Interchange
- Features an automatic push-to-connect mechanism and a built-in sleeve guard to protect from accidental discharge and damage to the sleeve.
- Constructed from corrosion resistant, solid brass.
- Specifications:
 - » Temperature Range: -40° F to 250° F
 - » Locking Device: 4 Balls
 - » Vacuum Service: Not recommended



PART No.	BODY STYLE	MAX PRESSURE	QTY.
97395	1/4	150 psi	2

COUPLER REPLACES THE FOLLOWING COUPLERS

MILTON	AMFLO	SCHRADER	TRU-FLATE	ARO	PARKER
715	C20	5141-R	13-234	23102-200	23
785	C2B	3504	13-134/13-104	—	UC304F4
775	C38	3536	13-334	210	—

MANIFOLD COUPLING

- Increases number of air outlets without adding more air lines.

PART No.	NPT	QTY.
97366	1/4 x 1/4	2
97367	3/8 x 1/4	2



STANDARD HOSE CRIMPER

- Comes with five dies for crimping 1/4" braid to 3/8" double-braided hose.
- Provides a production style crimp.
- Used to crimp brass ferrules.

PART No.	QTY.
92059	1



BRASS FERRULES

- For use with hose barb fittings.
- Provides a production style crimp.
- Use with Standard Hose Crimper, Part No. 92059.



PART No.	FITS HOSE O.D.	QTY.	PART No.	FITS HOSE O.D.	QTY.
92125	.527	25	92066	.687	25
92126	.562	25	92063	.718	25
92127	.593	25	92065	.750	10
92061	.625	25	92067	.825	25
92062	.656	25	92068	.937	25

AIR REGULATOR

- Tamper proof fixed pressure setting. Preset at the factory.
- Can be installed with safety in mind.
- Regulator inlet rating 400 PSI.
- Unit only delivers line pressure.
- Delivery pressure is a function of flow.
- Can be restricted for low flow requirements.
- Easy to install. No brackets or special tools required.
- Anodized for corrosion protection, also color coded.
- High strength aluminum alloy.
- Regulator will function in any position.
- PSI: 40 lbs

PART No.	NPT	QTY.
75769	1/4	1



SHOP SUPPLIES

PRESSURE WASHING

COUPLER BODY

- Material: Stainless Steel
- Use couplings to attach male spray nozzles to lances.



PART No.	DESCRIPTION	MAX PSI	QTY.
93829	1/4 x 1/8	3,000	1
93844	1/4	3,000	1

QUICK COUPLER BODY

- Material: Stainless Steel



PART No.	DESCRIPTION	MAX PSI	QTY.
93830	1/4 FPT	6,700	1
93831	1/4 MPT	6,700	1
93832	3/8 FPT	5,500	1
93833	3/8 MPT	5,500	1

QUICK COUPLER NIPPLE

- Material: Stainless Steel



PART No.	DESCRIPTION	MAX PSI	QTY.
93834	1/4 FPT	6,700	1
93835	1/4 MPT	6,700	1
93836	3/8 FPT	6,700	1
93837	3/8 MPT	6,700	1

HIGH PRESSURE SWIVEL

- Material: Stainless Steel
- Max Temperature: 320°F
- Live swivel at full pressure.
- Resistant to harsh chemicals.



PART No.	DESCRIPTION	MAX PSI	MAX FLOW	QTY.
93838	1/4 MPT x 1/4 FPT	5,600	10.5 GPM	1
93839	3/8 MPT x 1/4 FPT	5,600	10.5 GPM	1

BALL BEARING SWIVEL

- Material: Stainless Steel
- Max Temperature: 180°F
- Nitrile Buna seals.
- Ball bearing design ensures free swivel action under pressure.



PART No.	DESCRIPTION	MAX PSI	MAX FLOW	QTY.
93840	1/4 MPT x 1/4 NPT	3,500	6.8 GPM	1
93841	3/8 MPT x 3/8 NPT	3,500	10.6 GPM	1
93842	1/2 MPT x 1/2 NPT	3,500	27.0 GPM	1

QUICK CONNECT GENERAL SPRAY NOZZLE

- Material: Hardened stainless steel
- Fits most 1/4" quick couplers.
- Max PSI: 4,000



PART No.	ORIFICE	NOZZLE DEGREE	COLOR	QTY.
93913	3.0	25°	Green	1
93914	3.5	25°	Green	1
93915	4.0	25°	Green	1
93916	4.5	25°	Green	1
93917	5.0	25°	Green	1
93918	5.5	25°	Green	1
93919	6.0	25°	Green	1
93920	6.5	25°	Green	1
93921	7.0	25°	Green	1
93922	7.5	25°	Green	1
93923	8.0	25°	Green	1
93924	8.5	25°	Green	1
93925	9.0	25°	Green	1
93926	10.0	25°	Green	1

PART No.	ORIFICE	NOZZLE DEGREE	COLOR	QTY.
93927	3.0	40°	White	1
93928	3.5	40°	White	1
93929	4.0	40°	White	1
93930	4.5	40°	White	1
93931	5.0	40°	White	1
93932	5.5	40°	White	1
93933	6.0	40°	White	1
93934	6.5	40°	White	1
93935	7.0	40°	White	1
93936	7.5	40°	White	1
93937	8.0	40°	White	1
93938	8.5	40°	White	1
93939	9.0	40°	White	1
93940	10.0	40°	White	1
93941	4.5	15°	Yellow	1

SPRAY NOZZLE

- Use Reducing Coupler, Part No. 93829, to attach nozzles to the lance.
- Orifice is recessed for protection.
- Max PSI: 4000



PART No.	MPT	ORIFICE	NOZZLE DEGREE	QTY.
93816	1/8	2.0	0°	1
93817	1/8	4.0	0°	1
93818	1/8	5.0	0°	1
93819	1/8	2.0	15°	1
93820	1/8	4.0	15°	1
93821	1/8	5.0	15°	1
93822	1/8	2.0	25°	1
93823	1/8	4.0	25°	1
93824	1/8	5.0	25°	1
93825	1/8	8.0	25°	1
93826	1/8	8.0	40°	1
94158	1/4	2.0	25°	1
94159	1/4	2.5	25°	1
94160	1/4	3.0	25°	1
94161	1/4	3.5	25°	1
94162	1/4	4.0	25°	1
94163	1/4	4.5	25°	1
94164	1/4	5.0	25°	1
94165	1/4	5.5	25°	1
94166	1/4	6.0	25°	1
94167	1/4	6.5	25°	1
94168	1/4	7.0	25°	1

PART No.	MPT	ORIFICE	NOZZLE DEGREE	QTY.
94169	1/4	7.5	25°	1
94170	1/4	8.0	25°	1
94171	1/4	8.5	25°	1
94172	1/4	9.0	25°	1
94173	1/4	10.0	25°	1
94174	1/4	2.0	40°	1
94175	1/4	3.0	40°	1
94176	1/4	3.5	40°	1
94177	1/4	4.0	40°	1
94178	1/4	4.5	40°	1
94179	1/4	5.0	40°	1
94180	1/4	5.5	40°	1
94181	1/4	6.0	40°	1
94182	1/4	6.5	40°	1
94183	1/4	7.0	40°	1
94184	1/4	7.5	40°	1
94185	1/4	8.0	40°	1
94186	1/4	8.5	40°	1
94187	1/4	9.0	40°	1
94188	1/4	10.0	40°	1
94197	1/4	30.0	40°	1
94198	1/4	40.0	40°	1

SOAP SPRAY NOZZLE

- Material: Brass
- Fits most 1/4" quick couplers.
- Ideal for low pressure chemical applications.
- Max Pressure: 4,000 psi.



PART No.	ORIFICE	NOZZLE DEGREE	COLOR	QTY.
93843	40	65°	Black	1

M20



CALL 1-800-558-2808 / FAX 1-800-553-8769 / www.IMPERIALSUPPLIES.com

PRESSURE WASHING

DUAL LANCE

- Light-weight stainless steel lance with nozzle guard.
- Side handle/Valve actuator.
- Viton® Seal.
- Maximum Water Temperature: 200°F



PART No.	GRIPS	LENGTH	CONNECTOR ENDS	MAX PSI	QTY.
93805	Double	36"	1/4 MPT x 1/4 FPT	4,000	1

INSULATED LANCE WITH GRIP

- Zinc-plated high pressure tubing.
- Round daisy grip.
- Better heat dispersion.
- Reduced weight.
- Maximum Water Temperature: 300°F



PART No.	GRIPS	LENGTH	CONNECTOR ENDS	MAX PSI	QTY.
93810	Single	36"	1/4 MPT x 1/4 MPT	4,000	1
93811	Double	48"	1/4 MPT x 1/4 MPT	4,000	1
93813	Triple	72"	1/4 MPT x 1/4 MPT	4,000	1

PIVOT NOZZLE LANCE

- Professional grade tool designed for dependability and durability.
- Stainless steel shaft.
- Fits 1/4" power wash guns.
- Twist grip control allows the user to pivot the nozzle 90° to direct the spray where you need it.
- Non-slip grip for less fatigue and more control.



PART No.	GRIPS	LENGTH	CONNECTOR ENDS	MAX PSI	QTY.
93812	Double	40"	1/4 MPT	4,000	1

PRESSURE WASHER TRIGGER GUN

- Stainless steel outlet.
- Gallons Per Minute: 10
- Maximum Water Temperature: 300°F



PART No.	CONNECTOR ENDS	MAX PSI	QTY.
93801	3/8 FPT x 1/4 FPT	5,000	1

Vehicle Detailing Chemicals available. See pages L18-L20.

LANCE HANDLE

- Use on all 1/4" lances.
- Easily positioned without removal of nozzle.



PART No.	QTY.
93815	1

Vehicle Washing Supplies can be found on page M22.

M21

LANCE NOZZLE PROTECTOR

- Size: 1-1/2" flared end
- Slip fits standard lances.
- Use on all 1/4" dual lances.



PART No.	QTY.
93814	1



SHOP SUPPLIES

GENERAL WASHING / GARDEN HOSE FITTINGS

GRIP-IT SUPERIOR CLEANING TOOLS

- Made of millions of tiny split polyester and nylon strands.
- Micro-woven to achieve an ultra-absorbent material.
- Traps dirt particles and grease deep inside leaving little or no residue behind.



PART NO.	DESCRIPTION	QTY.
5748	Polishing Mitt	1
5749	Chenille Mitt	1
5751	Sponge With Bug Scrubber	1
5752	Polishing Cloth (3-Pack)	1
5753	Cleaning Cloths (8-Pack)	1
5754	Wax and Protectant Applicators (4-Pack)	1
5833	Glass Cleaning Cloths (2-Pack)	1

METAL TRIGGER WASH NOZZLE

- Adjustable spray pattern.
- Easy on/off control of handle.

PART NO.	GARDEN THREAD	QTY.
92521	3/4"	1



BRASS TWIST SPRAY NOZZLE










- Made of rust resistant solid rod brass, 3-1/4" long.
- Fully adjustable flow rate from fine mist to full stream.
- Positive shut-off.

PART NO.	GARDEN THREAD	QTY.
92520	3/4"	1



HEAVY-DUTY UTILITY AND GARDEN HOSE FITTINGS

- Designed to be used with standard hose clamps.
- All female swivel fittings are shipped assembled with a washer.

	STYLE	PART NO.	HOSE I.D.	PIPE THREAD	QTY.
	Male Garden Hose Fitting	92500	1/2	—	2
		92501	5/8	—	2
		92502	3/4	—	2
	Female Garden Hose Fitting	92503	1/2	—	2
		92504	5/8	—	2
		92505	3/4	—	2
	Male Hose To Male Hose	92506	—	—	2
	Male Hose To Male Pipe	92507	—	3/8	5
		92508	—	1/2	5
		92509	—	3/4	5
	Replacement Gasket/Washer	92510	—	—	10
	Female Hose x Female Pipe	92511	—	1/2	2
		92512	—	3/4	2
	Female Hose x Female Hose	92513	—	—	2
	Hose Mender	92515	1/2	—	5
		92516	5/8	—	5
		92517	3/4	—	5
		92518	3/4	—	1
	Galvanized Hose Mender	92526	1"	—	1
		92527	1-1/4	—	1
		92528	1-1/2	—	1
		92529	2"	—	1

WATER NOZZLE

- Bend the nozzle to activate the water flow, release it and the water stops.
- Helps conserve water while washing vehicles, filling radiators or watering lawns.
- Easy one hand operation.

PART NO.	GARDEN THREAD	QTY.
92519	3/4"	1



RADIATOR FILLER

- 1/4" NPT female.
- Flexible polyurethane hose.
- Immune to oil and grease.
- Sturdy brass stem.
- Self-adjusting U-Cup eliminates leakage.

PART NO.	NPT THREAD	QTY.
92525	1/4"	1



Vehicle Detailing Chemicals
available. See pages L18-L20.

M22



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

CLEANERS

CONCENTRATED ALL-PURPOSE CLEANER

- All-purpose cleaner with highest active content.
- Safe, heavy-duty, lemon odor, with neutral range pH, buffered builders and synthetic detergent system.
- Highly concentrated for use on any surface without fear of damage.
- USDA Authorized Class A-1.

PART No.	NET WEIGHT	QTY.
85509	1 gallon	1
85509-4	1 gallon	4



HEAVY-DUTY CONCRETE FLOOR CLEANER

- Water-based penetrating cleaner with powerful water soluble solvents.
- Removes grease and soil from concrete easily.
- Can be used on rubber burn marks, in automatic scrubbers, or with other cleaning equipment.
- USDA Authorized Class A-4.

PART No.	NET WEIGHT	QTY.
85501	1 gallon	1
85501-4	1 gallon	4



CHEM-EEZ® HEAVY-DUTY DEGREASER CLEANER

- Potent, yet safe, degreaser/cleaner with superior detergents, safe solvents and high alkaline builders.
- Works great as a multi-purpose floor cleaner.
- Non-flammable and fast acting.
- USDA Authorized Class A-1, Kosher approved.

PART No.	NET WEIGHT	QTY.
85506	1 gallon	1
85506-4	1 gallon	4



ALL-VEHICLE WASH CONCENTRATE

- Controlled foam formula can be used on trucks, buses and tractor trailers safely and effectively.
- Super concentrated, instant acting and free rinsing.
- For use with all cleaning methods.
- USDA Authorized Class A-4.

PART No.	NET WEIGHT	QTY.
85502	1 gallon	1
85502-4	1 gallon	4



INDUSTRIAL DEGREASER CLEANER CONCENTRATE

- A powerful high active, water soluble, degreaser cleaner concentrate that is formulated for extremely tough industrial and commercial cleaning applications.
- Water based, noncorrosive.
- Safe for use on all ferrous and non ferrous surfaces.
- Designed for hand and mechanical applications including high pressure washing (foamer, dip tank, ultrasonic cleaners).

PART No.	NET WEIGHT	QTY.
85531-4	1 gallon	4



SPRAYWAY® FOAMING RUG & UPHOLSTERY CLEANER

- Use for any setting where rugs and upholstery requires deep cleaning.
- Releases ground-in dirt from rugs, carpets and upholstery including velour.
- Perfect for spot-cleaning, spills and spot pickup.
- Not for use on silk upholstery.
- Clean fresh scent.

PART No.	NET WEIGHT	QTY.
85548	19 oz	12



SPRAYWAY® FURNITURE POLISH

- Designed for industrial and commercial use on wood and other surfaces that require special care.
- Dusts, cleans and polishes in one step.
- Removes stains, smudges and fingerprints.
- Protects fine furniture, woodwork, formica, plastic, chrome, marble, porcelain and leather.
- Contains lemon oil.

PART No.	NET WEIGHT	QTY.
85549	19 oz	12



SPRAYWAY® BASEBOARD CLEANER & WAX STRIPPER

- Removes wax and clean baseboards where a floor machine can not reach.
- Penetrating foam easily removes soil and wax buildup.
- Quick and easy to use, adheres to vertical surfaces.
- Cleans within minutes of application.

PART No.	NET WEIGHT	QTY.
85530	19 oz	12
85530-1	19 oz	6



HURRAH CAR WASH CONCENTRATED DETERGENT

- High foaming, pH neutral detergent for automatic drive-thru car wash facilities.
- Streak-free, lubricates brushes.
- Safe for all car finishes.
- Freight not included.

PART No.	NET WEIGHT	QTY.
820001	55 gallon	1



ORANGE CONCRETE FLOOR CLEANER

- Economical powder concrete cleaner.
- Formulated for clean up of grease and oil from sealed concrete floors.

PART No.	NET WEIGHT	QTY.
85597	50 lbs	1



M23



SHOP SUPPLIES

EXTENSION CORDS

IMPERIAL® HEAVY-DUTY ALL-WEATHER EXTENSION CORDS

- All-weather cord with blue rubber-like jacket for increased flexibility in cold weather.
- Female outlet lights up with power to cord.
- Temperature rating: -58°F to 167°F
- Three conductors with grounded plug.

PART No.	WIRE SIZE	AMPS	WATTS	CORD DIA.	LENGTH	QTY.
73904	14/3	13	1,625	.315	25'	1
73905	14/3	13	1,625	.315	50'	1
73906	12/3	15	1,875	.410	25'	1
73907	12/3	15	1,875	.410	50'	1



IMPERIAL® HEAVY-DUTY ALL-WEATHER EXTENSION CORDS

- Outer jacket resists deterioration from moisture, abrasion and extended exposure to sunlight.
- Designed for use in cold environments, stays flexible to -58° F.
- Meets all OSHA requirements. SJTW-A blue UL listed.
- Volts: 125, Color: Blue

PART No.	WIRE SIZE	AMPS	WATTS	CORD DIA.	LENGTH	QTY.
71099	16/3	13	1,625	.310	15'	1
73794	16/3	13	1,625	.310	25'	1
73792	14/3	13	1,625	.390	100'	1



IMPERIAL® OUTDOOR EXTENSION CORDS

- Solid molded plugs.
- Won't mark floors or walls.
- Meets all OSHA requirements. SJTW-A orange UL listed.
- Volts: 125, Color: Orange

PART No.	WIRE SIZE	AMPS	WATTS	CORD DIA.	LENGTH	QTY.
73797	16/3	13	1,625	.310	15'	1
73796	16/3	13	1,625	.310	25'	1
73795	16/3	13	1,625	.310	50'	1



IMPERIAL® HEAVY-DUTY EXTENSION CORDS

- Meets all OSHA requirements. SJTW-A orange UL listed.
- Volts: 125, Color: Orange

PART No.	WIRE SIZE	AMPS	WATTS	CORD DIA.	LENGTH	QTY.
71676	14/3	15	1,875	.390	25'	1
71677	14/3	15	1,875	.390	50'	1



YELLOW JACKET® POWER CORDS

- Durability, weather resistance and flexibility at -58° F to 140° F.
- Three times the abrasion resistance of rubber cords.
- 30-50% more flexible than regular cords.
- PowerLite™ indicator plug glows when cord has power.
- Extra heavy, clear molded plugs are rugged and durable.
- 125 volt; 15 amp; 1,875 watt.
- SJTW-A yellow, OSHA approved.

PART No.	WIRE SIZE	LENGTH	QTY.
71642	12/3	25'	1
71643	12/3	50'	1



YELLOW JACKET® LOCK-JAW LOCKING PLUG

- Locking plug keeps tools and cords plugged in.
- Meets or exceeds NEC, ASTM, ANSI/UL, CSA and NOM specifications.
- Works with two and three-conductor tools.
- 125 volt, 15 amp, 1,875 watt.
- Full lifetime guarantee.

PART No.	WIRE SIZE	LENGTH	QTY.
71137	12/3	50'	1
71138	12/3	100'	1



HEAVY-DUTY TRIPLE TAP RETRACTABLE METAL REEL

- Polarized plug with three 10 amp grounded receptacles.
- Includes wall and ceiling mounting bracket.
- LED power status light.

PART No.	WIRE GAUGE	CORD LENGTH	QTY.
81730	16/3	30'	1



PROFESSIONAL MULTI TAP RETRACTABLE PLASTIC REEL

- Polarized plug with multiple grounded receptacles.
- Includes wall and ceiling mounting bracket.
- LED power status light.

PART No.	WIRE GAUGE	CORD LENGTH	AMP	No. TAPS	QTY.
81731	14/3	50'	13	3	1
81732	12/3	50'	15	4	1



THREE OUTLET POWER CENTER

- Molded, three outlet plug.
- Reduces clutter of running multiple cords.
- Meets all OSHA requirements.
- SJTW-A orange UL listed.
- Volts: 125, Color: Orange

PART No.	WIRE SIZE	AMPS	WATTS	CORD DIA.	LENGTH	QTY.
73799	14/3	13	1,625	.390	100'	1



If you can't find the products you are looking for, call us and we will find it for you.

M24



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

EXTENSION CORDS ACCESSORIES

HOSPITAL GRADE PLUG AND CONNECTOR

- High strength polycarbonate face and body.
- Solid brass plug blades firmly embedded into body.
- Verified by UL to latest federal specifications.
- Plug and connector terminals separated by insulating barriers, captive, speed-screw assembly.
- UL File 15012 AXUT plugs CSA approved 2081.

PART No.	TYPE	QTY.
71686	Male	1
71687	Female	1



SPECIFICATION GRADE PLUG AND CONNECTOR

- 15 amp, 125 V NEMA 5-15.
- Solid brass plug blades are firmly embedded in body.
- Terminal screw clamps are designed to contain wire and prevent binding.
- Terminals in individual chambers to positively insulate conductors.


PART No.	TYPE	QTY.
81692	Male	1
81693	Female	1



INDUSTRIAL GRADE PLUG AND CONNECTOR

- Solid brass plug blades are firmly embedded in body.
- High impact-resistant thermoplastic housings with easy-grip grooves.
- Assembly screws are speed-threaded and captive, reducing installation time.
- See-through terminal cover allows inspections of connections.
- 15 amp, 125 volt NEMA 5-15.

PART No.	TYPE	QTY.
81690	Male	1
81691	Female	1



YELLOW JACKET® WITH GROUND FAULT CIRCUIT INTERRUPTERS (GFCI)

- Right angle male plug and circuit interrupter.
- Provides maximum safety against dangerous ground faults.
- PowerLite™ female plug glows when the cord has power.
- Meets or exceeds NEC, ASTM, ANSI/UL, CSA and NOM specifications.
- Full lifetime guarantee.

PART No.	WIRE SIZE	CORD LENGTH	VOLTS	AMP	WATT	QTY.
71093	12/3	2' w/GFCI	125	15	1,875	1



CUBE ADAPTER - 3 WIRE

- Multiple outlet adapter converts a single outlet into three grounded outlets.

PART No.	QTY.
71713	2



MAGNETIC ENGINE BLOCK HEATER

- Allows faster, easier cold weather starting.
- 300° F to 400° F surface temperature.
- Non-metallic grip.
- Applications: oil pan, intake manifold, battery holder or engine block

PART No.	WATTS	SIZE	CORD LENGTH	QTY.
5992	300	4" x 5"	4'	1



REPLACEMENT BULBS

SAFETY-COATED LIGHT BULBS

- Identical to rough service/heavy-duty construction.
- Durable plastic coating for additional protection:
 - » Resists moisture and oil
 - » Withstands outdoor weather extremes
 - » Prevents loose glass hazards
- Designed for safety and performance, recommended for trouble lights.

PART No.	WATTS	VOLTS	LUMEN	QTY.
82005	60	130	12	
81616	75	120	663	12
81617	100	120	1140	12



ROUGH SERVICE LIGHT BULBS

- Full-power, high lumen output.
- Special seven support filament.
- Withstands vibration, resists shock.
- Withstands variable current and power surges.
- Outperforms all other rough service bulb.

CLEAR PART No.	FROSTED PART No.	WATTS	VOLTS	LUMEN	QTY.
—	81919	50	12	6	
—	81620	50	120	360	12
—	81910	60	120	12	
81611	81621	75	120	663	12
81612	81622	100	120	1140	12



COMPACT FLORESCENT BULBS

- Energy star bulb.
- Color Temp 2700 K
- Base: Medium Screw (E26)
- Average Life: 10,000 hours

PART No.	WATTS	VOLTS	LUMEN	QTY.
81990	13	120	900	2
81991	19	120	1,200	2
81992	23	120	1,600	2



UV BULB

- Used with Lightrite™ headlamp restoration kit, Part No. 9188
- Can be used to cure any product which requires a UV light.

PART No.	WATTS	STYLE	QTY.
82004	200	Clear	1



ROUGH SERVICE APPLIANCE LIGHT BULB

- Withstands vibration, resists shock.
- Withstands variable current and power surges.

PART No.	WATTS	STYLE	QTY.
81909	60	Clear	12



SHOP SUPPLIES

WORK LIGHTS

IMPERIAL® TROUBLE LIGHT

- Grounded metal cage.
- Built-in switch and outlet.
- Cord is SJTW-A, UL approved.

PART NO.	LENGTH	WIRE	OUTLET	SWITCH	QTY.
71675	50'	16/3	Yes	Yes	1



TROUBLE LIGHT

- Grounded metal cage.
- Built-in switch and outlet.
- Cord is SJTW-A, UL approved.

PART NO.	LENGTH	WIRE	OUTLET	SWITCH	QTY.
71674	25'	16/3	Yes	Yes	1



TROUBLE LIGHT

- No switch or receptacle.
- Unpainted metal guard.

PART NO.	LENGTH	WIRE	OUTLET	SWITCH	QTY.
71672 ★	25'	16/3	No	No	1
71673 ★	50'	16/3	No	No	1
71695	50'	16/3	No	Yes	1

★ OSHA 1910.399 compliant.



YELLOW JACKET® WORK LIGHT

- Coated wrap-around wire cage keeps the hot reflector from skin or upholstery.
- Heat-resistant bulb collar.
- Grounded metal guard.
- 13 amp grounded receptacle in handle.
- Patented dual hook system.
- 13A/125V rating UL Listed.
- Wire Gauge: 16/3 SJTW-A

PART NO.	DESCRIPTION	QTY.
71091	Light with 25' Cord	1



12V TROUBLE LIGHT WITH CLIPS

- Heavy duty handle with switch.
- Use 50 watt rough service bulb, Part No. 81919
- 4.2 amp draw.
- Wire Gauge: 18/2

PART NO.	DESCRIPTION	QTY.
81676	Light with 20' Cord	1



TROUBLE LIGHT REPLACEMENT PARTS

- For use with most trouble lights.
- Use maximum 75 watt light bulb with replacement handle.

PART NO.	DESCRIPTION	QTY.
71690	Metal Guard	2
81618	Replacement Handle	2



INCANDESCENT TROUBLE LIGHT REEL

- Heavy duty metal retractable reel with flame retardant handle.
- Switch and 10 amp plug in handle.
- Galvanized metal lamp shield with hang hook.
- Use up to 75 watt incandescent bulb.
- Wire Gauge: 16/SJT

PART NO.	DESCRIPTION	QTY.
81698	Reel Light 50' Cord	1



INCANDESCENT LIGHT ECONOMY REEL

- Push through on/off switch.
- Seven amp convenience outlet in handle.
- Seven amp circuit breaker.
- Wire Gauge: 18/3 SVT

PART NO.	DESCRIPTION	QTY.
82159	Reel Light 50' Cord	1



4-IN-1 WORK LIGHT

- Includes spring clamp, magnetic base, reflector head and guard head.
- Base allows 360° swivel.
- Wire Gauge: 18/2 SJTW

PART NO.	DESCRIPTION	QTY.
81640	Light with 18' Cord	1



CLAMP LIGHT

- 8-1/2" clamp light with aluminum reflector.
- Spring steel clamp with scratch resistant vinyl sleeve.
- Adjustable ball joint for easy positioning.
- Rated up to 150 watt incandescent (bulb not included).
- Wire Gauge: 18/2

PART NO.	DESCRIPTION	QTY.
71635	Light with 6' Cord	1



M26



*Greg
Dedicated Service Advisor*

Creative...

"Sometimes you've got several options you can pursue. My customers love it. A little out-of-the box thinking."



WORK LIGHTS

FLUORESCENT WORK LIGHT REEL

- Functions as a work light or a spot light.
- Heavy duty metal retractable reel.
- Clear chemical resistant lamp protector.
- Push on/off switch.
- 10 amp grounded receptacle in handle.
- Wire Gauge: 16/3 SJT

PART NO.	DESCRIPTION	QTY.
81696	Light with 40' Cord	1
81631	Replacement Bulb	1
81696-1	Replacement Lens	1
81818	Replacement Head	1



HEAVY DUTY REEL FLUORESCENT WORK LAMP

- Ten amp circuit breaker to protect tools and reel from current overload.
- Unbreakable housing, double wall construction.
- Recessed rocker switch and outlet on handle.
- Adjustable magnetic holder.
- 13 watt fluorescent rough service bulb included.
- Wire Gauge: 16/3 SJTW-A

PART NO.	DESCRIPTION	QTY.
81625	Light with 50' Cord	1
81631	Replacement Bulb	1



FLUORESCENT COMPACT WORK LAMP

- Microswitch in reel automatically turns light on or off as the cord is extended or retracted.
- OSHA compliant, 1910.399.
- 13 watt fluorescent rough service bulb included.
- Wire Gauge: 18/2 SJTOW-A

PART NO.	DESCRIPTION	QTY.
81626	Light with 50' Cord	1
81626-1	Replacement Head	1
81630-1	Replacement Lens	1



FLUORESCENT REEL DROP LITE

- Reel casing made from high impact, fire resistant plastic.
- Compact design with a 50 foot reel.
- 60 watts of light from 13 watt bulb.
- Wall mounted ballast.
- Hangs both vertically and horizontally.
- Wire Gauge: 18/2

PART NO.	DESCRIPTION	QTY.
71636	Light with 50' Cord	1
81631	Replacement Bulb	1
81630-1	Replacement Lens	1



FLUORESCENT WORK LAMP

- 15 watt rough service fluorescent bulb included.

PART NO.	DESCRIPTION	WIRE	QTY.
71679	Work Light with 25' Cord	18/2	1
81614	Replacement Bulb	—	1

THE ANGLE LIGHT™ FLUORESCENT WORK LAMP

- Unbreakable housing, double wall construction.
- Doubles as extension cord with 10 amp power outlet.
- 360° swivel hook.
- Adjustable magnet holder.
- Recessed rocker switch and outlet on handle.
- 13 watt fluorescent rough service bulb included.

PART NO.	DESCRIPTION	QTY.
81627	Light with 25' cord	1
81628	Light with 50' cord	1
81628-1	Replacement Lens	1
81631	Replacement Bulb	1

12V FLUORESCENT WORK LIGHT

- High impact lamp protector, flame retardant handle.
- Recessed rocker switch.
- Includes double hang hook.
- Operate using attached 12 volt cigarette lighter adapter.
- 13 watt fluorescent bulb included.

PART NO.	DESCRIPTION	WIRE	QTY.
81686	Light with 20' cord	18/2	1
81702	Replacement Bulb	—	1

RECHARGEABLE FLUORESCENT WORK LIGHT

- One hour charge time.
- Includes a charging cord and hanging hook.
- 90 minutes of light on a fully charged battery.

PART NO.	DESCRIPTION	QTY.
81714	Work Light Fluorescent	1
81702	Replacement Bulb	1

OSHA FLUORESCENT WORK LIGHT

- Meets OSHA requirements. (No receptacle or metal, OSHA approved on-off switch).
- Enclosed polypropylene ballast in cord.
- High-impact, chemical-resistant, clear lamp protector.
- Thermoplastic insulated 25' 18/2 cord.
- 13 watt fluorescent bulb included.

PART NO.	DESCRIPTION	QTY.
81735	OSHA Fluorescent Work Light	1
81631	Replacement Bulb	1



Check out Extension Cords on page M24.

M27



SHOP SUPPLIES

WORK LIGHTS

OSHA FLUORESCENT LIGHT ROVER

- No switch or plug.
- Any extension cord provides 60 watts of light from a 13 watt fluorescent bulb.
- Unbreakable body and lens.
- 360° swivel hook.
- Fits single head extension cords up to 10 gauge.
- Compact design and heavy-duty end caps.
- "No-Pull-Out" cord stop, three prong plug.
- Easy bulb replacement.
- OSHA compliant, 1910.399.

PART NO.	DESCRIPTION	QTY.
81629	Work Light Fluorescent	1
81631	Replacement Bulb	1



ROUGH DUTY FLUORESCENT SPOT WORK LIGHT

- Functions as a work light or a spot light.
- High impact lamp protector, flame retardant handle.
- 13 watt fluorescent bulb included.
- Recessed rocker switch with 12 amp grounded receptacle.
- Includes double hang hook.

PART NO.	DESCRIPTION	QTY.
81682	Light with 25' Wire 16/3	1
81729	Light with 50' Wire 16/3	1
81694	Fluorescent Magnet	1
81631	Replacement Bulb	1



LED DROP LIGHT

- Practically indestructible work light.
- Each LED is rated up to 70,000 hours.
- Compact 1-1/4" diameter for access to tight areas.
- Convenient push button on/off switch.

PART NO.	DESCRIPTION	QTY.
81697	LED Light with 25 ft Cord	1



RECHARGEABLE LED WORK LIGHT

- Spotlight with 17 LEDs in end lens.
- Floodlight with 60 LEDs along the body.
- Anti-roll handle allows light to be placed on flat surfaces.
- 3-way switch: spot, off, flood.
- Provides 4-hour flood or 10-hour spot run time.
- 3-hour charge time.
- Plug-in recharger on bottom of light.
- Red LED light indicates charger is properly charging.
- Built in sensors prevent overcharging.
- Wall and DC chargers included.

PART NO.	DESCRIPTION	QTY.
81695	LED Work Light	1



M28

HALOGEN CLAMP WORK LIGHT

- Functions as a work light or a spot light.
- Tempered glass lens with wire safety cage.
- Adjustable head with hang hook and heavy duty clamp.
- Foam grip handle with on/off rocker switch.
- 1 foot 18/3 SJTW cord.
- Includes spare halogen bulb.

PART NO.	DESCRIPTION	QTY.
81683	Light with 1' Cord	1
81719	Replacement Bulb	1



CORDLESS RECHARGEABLE SPOTLIGHT

- Cordless rechargeable handheld spotlight.
- 55-watt quartz halogen bulb for maximum beam power and distance.
- Built-in overcharge protection prevents 110 volt charger from damaging the battery.
- 6 volt; 4 amp battery.
- Charge or operate from any 12 volt power source using the 12 volt charging cord.
- 1,000,000 candle power.

PART NO.	DESCRIPTION	QTY.
81113	Cordless Spotlight	1
81606	Replacement Bulb	1



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

FLASHLIGHTS & BULBS

INDUSTRIAL FLASHLIGHT

- High-impact ribbed plastic casement of polypropylene for long-lasting durability.
- Switch guard helps reduce accidental lighting in pocket.
- Tuflexx lens of virtually unbreakable polycarbonate material for toughness.
- Buttress threads for sure grip fit on lens ring and end cap.
- PR-2 bulb gives superior light output.
- Positive on/off switch action helps prevent inadvertent lighting.
- Spare bulb compartment makes bulb replacement easy and convenient.
- Requires (2) D batteries, not included.



PART No.	DESCRIPTION	QTY.
5001	Flashlight	1
81520	Replacement Bulb PR-2	10

FLASHLIGHT WITH MAGNET

- Anti-roll.
- Magnetic.
- Flip ring for hanging.
- Requires (2) D batteries, not included.



PART No.	DESCRIPTION	QTY.
5803	8" Flashlight	1
81492-3	Replacement Bulb	12

DURACELL® HEAVY DUTY RUBBER FLASHLIGHT

- Soft rubber body makes light shock absorbent and water resistant.
- Bright Krypton bulb.
- Lanyard with quick break-off release.
- Requires (2) D batteries, not included.



PART No.	DESCRIPTION	QTY.
5805	Large Flashlight (Use two D batteries)	1
5806	Small Flashlight (use two AA batteries)	1
81438	Replacement Bulb KPR104	10

WATERPROOF FLASHLIGHT

- Waterproof.
- Color-coded in safety orange.
- Spare bulb compartment makes bulb replacement easy and convenient.
- Ring hanger for easy storage.
- ASTM & MSHA approved.
- Requires (2) D batteries, not included.



PART No.	DESCRIPTION	QTY.
5807	Flashlight	1
81520	Replacement Bulb PR-2	10

SAFETY FLASHLIGHT

- Color-coded in safety orange.
- Switch guard helps with accidental lighting.
- Spare bulb holder.
- Ring hanger for easy storage.
- Mine Safety and Health Administration (MSHA).
- Underwriters Laboratories-Class 1, Group D.
- Requires (2) D batteries, not included.



PART No.	DESCRIPTION	QTY.
5002	Flashlight	1
81520	Replacement Bulb PR-2	10

4" LED MINI FLASHLIGHT

- Nine superbright LEDs give this pocket light plenty of power.
- 90,000 micro candela (mcd) output.
- Compact, rugged construction.
- Attached lanyard.
- Lamp life up to 100,000 hours.
- Includes the required three AAA batteries.



PART No.	DESCRIPTION	QTY.
5016	9 LED Flashlight	1
5263	AAA-Cell Duracell Procell	12

KRYPTON REPLACEMENT BULBS

- Brighter than standard bulbs.
- Can be used in any standard bulb application.



PART No.	BULB No.	FLASHLIGHT TYPE	QTY.
81492	KPR-2	Use in flashlights with 2 "D" cells.	10
81492-3	KPR-2	Use in flashlights with 2 "D" cells.	12
81493	KPR-3	Use in 3 "D" cell flashlights.	10
81494	KPR-13	Use in 6 V lanterns.	10
81438	KPR-104	Use in 5805, 5806	10

REPLACEMENT BULBS



PART No.	BULB No.	FLASHLIGHT TYPE	QTY.
81520	PR-2	Use in 2 "D" cell flashlights.	10
81520-3	PR-2	Use in 3 "D" cell flashlights.	10
81522	PR-13	Use in 6 V lanterns (15 hour, 2.0 CA)	10
81521	PR-3	Use in 3 cell flashlights (15 hour, 1.5 CA)	10

MINI MAGLITE® AA FLASHLIGHT BULB

- Use in Mini Maglite® AA flashlight.
- Cross reference: LM2A001
- Average lumens: 15.2
- Peak beam candle power: up to 2,952



PART No.	QTY.
81447	2

Visit the Imperial website.
www.imperialsupplies.com



SHOP SUPPLIES

BATTERIES

DURACELL® PROCELL® BATTERY

- For professional applications.
- Meets the high standards of durability and longevity professional users expect.
- Dependable even after seven years of storage.
- Does not contain mercury.
- Date coded to ensure freshness.

PART NO.	DESCRIPTION	QTY.
5260	D alkaline	12
5261	C alkaline	6
5262	AA alkaline	12
5263	AAA alkaline	12
5264	9 V alkaline	6
5265	AAAA alkaline	12



HEAVY-DUTY INDUSTRIAL BATTERIES

- Capable of five year storage with less than 15% loss of power.
- Formulated for industrial use.
- Sealed in steel for longer storage life.
- Carbon zinc.

PART NO.	DESCRIPTION	QTY.
5013	Size C	6
5000	Size D	12
5014	9 V	6
5014-4	9 V	12
5008	6 V Lantern	2



NI-MH RECHARGEABLE BATTERIES


- New technology provides unsurpassed battery power in today's high drain devices.
- Charges up to 1,000 times, making it the most economical battery power source.
- Nickel metal hydride for high energy and high performance.
- For use with Battery Charger, Part No. 5094.

PART NO.	DESCRIPTION	QTY.
5120	AAA Rechargeable	4
5099	AA Rechargeable	4
5011	9 V Rechargeable	6



BATTERY CHARGER

- Universal charger for both NiMH and NiCd batteries.
- Charges AA, AAA, C, D and 9 V.
- LED indicator makes it easy to see when batteries are fully charged.
- Automatic reverse cell protection.



PART NO.	QTY.
5094	1

Experience our dedicated customer service.

LITHIUM BATTERIES

- Lithium manganese dioxide (LiMnO₂) chemistry ensures long shelf life.
- Individually wrapped to ensure optimal performance.
- Consistent voltage in wide range of discharge conditions and in extreme temperatures.
- Long life and less battery replacement.

PART NO.	DESCRIPTION	QTY.
5259	AAA Lithium	4
5150	AA Lithium	8
5266	9 V Lithium	1



LITHIUM COIN-SIZE BATTERIES

- Battery commonly found in keyless vehicle remotes.

PART NO.	CROSS REF.	DESCRIPTION	VOLTS	QTY.
5269	2032	Lithium	3	1
5119	1220	Lithium	3	5
5271	1616	Lithium	3	6
5272	2016	Lithium	3	6
5275	123	Lithium	3	10
5276	2025	Lithium	3	6
5277	1632	Lithium	3	6



ALKALINE BATTERIES

- Battery commonly found in garage door openers.

PART NO.	CROSS REF.	DESCRIPTION	VOLTS	QTY.
5270	A23	Alkaline	12	1



LITHIUM SPECIALTY BATTERIES

- Lithium batteries are longer lasting than standard batteries.

PART NO.	CROSS REF.	DESCRIPTION	VOLTS	QTY.
5268	BR2/3A	Lithium	3	1



RECHARGEABLE SPECIALTY BATTERIES

- Replaces any primary Lithium CR123A.
- Rating: 750mAh super high capacity.
- Up to 1,000 time cycles.
- Use with Charger Part No. 5279.

PART NO.	CROSS REF.	DESCRIPTION	VOLTS	QTY.
5278	RC123	LiFePO ₄ 3.0V RCR123A	3	1



RECHARGEABLE CR123A BATTERY KIT

Kit Contains:

- (2) RC123 rechargeable batteries, Part No. 5278
- (1) Battery Charger

- (1) 110-240C AC support plug
- (1) 12V car lighter plug

Built-in intelligent IC protection.

PART NO.	QTY.
5279	1



M30



CALL 1-800-558-2808 / FAX 1-800-553-8769 / www.IMPERIALSUPPLIES.com

RECEPTACLES & ACCESSORIES

LIQUID TIGHT NON-METALLIC STRAIN RELIEF COMPRESSION FITTING

- Provides ratchet cable enclosing, eliminating loosening caused by vibration.

PART NO.	INT. DIA. RANGE	NPT THREAD	QTY.
84500	.545" - .709"	3/4	50
84500-2	.545" - .709"	3/4	5
84501	.197" - .472"	1/2	5



CAST ALUMINUM SINGLE GANG ELECTRICAL BOX

- Includes detachable lugs, two closure plugs and ground screws already installed.
- Use as weatherproof junction boxes to install receptacles, switches and GFCIs.
- Powder-coated finish and reinforced connector outlets promote maximum durability, weather protection and scratch resistance.

PART NO.	THREADED OUTLETS	QTY.
71608	Size: 3/4, Ends: 1-1, Back 1	2
71637	Size: 1/2, Ends: 1-1, Back 1	2



CAST ALUMINUM DOUBLE GANG WEATHERPROOF BOX

- Includes detachable lugs, two closure plugs and ground screws already installed.
- Use as weatherproof junction boxes to install receptacles, switches and GFCIs.
- Powder-coated finish and reinforced connector outlets promote maximum durability, weather protection and scratch resistance.
- 2" deep

PART NO.	THREADED OUTLETS	QTY.
72795	1/2" NPT 2 EA side, 1 bottom	2



SHOCK ENTRY GFCI RECEPTACLE

- Ground fault circuit interrupter protects against ground fault leakage or shock.
- Super Spec device features rugged steel plated metal strap.
- Indicator lights show available power on portable.
- GFCIs include matching decorator wall plate.
- UL File GFCIs E60120 KCXS.
- Trip and reset buttons for easy monthly inspection.

PART NO.	AMP	VOLT	GROUNDING	COLOR	QTY.
71931	20	125	NEMA 5-20R 2P3W	Ivory	1
71945	15	125	NEMA 5-15R 2P3W	Ivory	1



STRAIGHT BLADE RECEPTACLE


- 15 amp 125 volt NEMA 5-15R.
- Large head terminal screws take up to #10 wire.
- Compact design provides more wiring space in outlet box.
- UL File E 150 58 RTRT.

PART NO.	AMP	VOLT	GROUNDING	COLOR	QTY.
71688	15	125	—	White	1



WEATHERPROOF BOX COVER

- Used when an outdoor outlet requires weatherproof protection.
- Covers have a versatile installation that can be both device and box mounted.
- Rugged die-cast construction.
- Innovative powder-coated finish that promotes maximum durability, weather protection and scratch resistance.
- Device covers have self-closing lids protecting the receptacle when it is not in use.
- Installation hardware and gasket included.



PART NO.	STYLE	COLOR	QTY.
72797	1 GFI, 1 Duplex Receptacle	Silver	2
72798	2 GFCI Receptacle	Silver	2
72796	2 Duplex Receptacle	Silver	2
72794	30A Receptacle	Silver	2
72799	30-60A Receptacle, 220V	Silver	2

SINGLE GANG GFCI VERTICAL COVER

- Vertical protective metal cover for GFCI receptacles.
- Die cast aluminum.
- Gaskets and screws included.

PART NO.	STYLE	COLOR	QTY.
71940	2 GFI Receptacle	Silver	1



PROTECTIVE RECEPTACLE COVER

- For Shock Entry GFCI Receptacles.


PART NO.	DESCRIPTION	MATERIAL	COLOR	QTY.
71942	Vertical	Plastic	Gray	1
71943	Horizontal	Plastic	Gray	1
71944	Vertical	Metal	Gray	1
71948	Horizontal	Metal	Gray	1



SINGLE GANG GFCI CLEAR PLASTIC VERTICAL COVER

- Seals out moisture, sheds water, ice and snow.
- UV resistant, non-corrosive, non-conductive.
- Two exit ports accept up to 12/3 gauge cords.
- Lockable by padlock for lockout/tagout requirements.

PART NO.	QTY.
71932	1



SHOP SUPPLIES

SPECIALTY BULBS

QUARTZ HALOGEN BULBS

- Double ended style.
- Rated at 120 volt.
- Average lamp life is 2000 hours.
- Produces brighter, more vibrant light when compared with standard incandescent bulb.
- Used in lamps with RSC base.

PART NO.	WATTS	LENGTH	DIA.	QTY.
84700	300	4.63	.50	12
84701	500	4.63	.50	12



REDHEAD LED EXIT SIGN LAMP - RED

- Candelabra base with adapters for bayonet and intermediate base Exit fixtures.
- Recommended for use in High Lite, Lithonia, Mule and Pathway Exit Fixtures.
- For use with exit legend not exceeding 6" in height.
- 40 diodes, 120 volt, 2.81 watts, .024 amps.
- Not for use in damp or wet locations, recessed enclosures, where temperatures fall below 32° F, or in exit fixtures containing batteries, fixtures connected to a DC power supply, or fixtures connected to more than one source of power.
- Lamp life: 25 years

PART NO.	QTY.
84702	2



ELECTRICAL TAPE

IMPERIAL® ELECTRICAL TAPE

- UL listed, CSA certified.
- Suitable for use at not more than 600 volts and not more than 80° C (176°F).
- Resistant to oil, water, wear, chemicals, and solvents.
- Withstands severe conditions.
- Flame retardant.

PART NO.	COLOR	ROLL SIZE	QTY.
71668	Black	3/4" x 60'	10



3M™ TEMFLEX™ COTTON FRICTION TAPE

- Provides high-grade abrasion protection for splices and connections insulated with rubber electrical tape.
- High break strength and low stretch making it ideal as heavy-duty binding and harnessing tape.

PART NO.	CROSS REF.	COLOR	LENGTH	QTY.
71648	1755	Black	3/4 x 60'	1



SCOTCH® SUPER 33+™ VINYL ELECTRICAL TAPE

- Premium grade vinyl electrical insulating tape.
- Flexible PVC backing.
- Aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not melt in high temperatures.
- Electrical insulating properties provide primary electrical insulation for splices up to 600V.
- Resistant to abrasion, corrosion, and UV wear.
- Inhibits corrosion of electrical conductors.
- Size: 3/4" W x 66' L

PART NO.	CROSS REF.	COLOR	LENGTH	QTY.
71639	06132	Black	3/4 x 66'	10



SCOTCH® ELECTRICAL MOISTURE SEALANT ROLL

- Protects against common elements.
- Replaces tape and moisture-proof connections.
- All-season, all-weather protection; resists salt water.
- Economical roll form makes up to 60 splices.
- Adds strain relief to the splice.
- Tough vinyl backing prevents abrasion.
- Tested: -30° F. to heat pressure of steam cleaning.
- Application: Wire repair, sealing lights, terminal block protection, and hundreds of other uses.

PART NO.	SIZE	QTY.
71267	2-1/2 x 10' roll	2



3M™ TEMFLEX™ GENERAL USE VINYL ELECTRICAL TAPE

- Excellent resistance to abrasion, moisture, alkalis, acid, copper corrosion and varying weather conditions (including sunlight).
- PVC tape that has a high wet dielectric strength.
- Flame-retardant and conformable.
- Provides excellent mechanical protection with minimum bulk.
- UL Listed and CSA certified.

PART NO.	CROSS REF.	COLOR	LENGTH	QTY.
7099	50650	Black	3/4 x 66'	10



M32



Steve
Distribution Director

Expectations...

"We strive to not only meet but exceed your expectations in product quality, speed of delivery and service."



CALL 1-800-558-2808 / FAX 1-800-553-8769 / www.IMPERIALSUPPLIES.com

FOAM TAPE

3M™ AUTOMOTIVE ACRYLIC PLUS ATTACHMENT TAPE

- Medium-density, black acrylic foam tape.
- High performance acrylic adhesives on both sides and a red release liner.
- This tape is a stronger, higher stress handling product than other automotive attachment tapes.
- Offers a more robust performance to a wide variety of automotive substrates.
- Uses automotive OEM approved acrylic foam core and adhesive technology.



PART No.	CROSS REF.	SIZE	THICKNESS	COLOR	QTY.
8022	06386	1/4 x 20 yd	.045"	Black	1
71662	06384	1/2 x 5 yd	.045"	Black	1
7997	06382	1/2 x 20 yd	.045"	Black	1
87998	06395	7/8 x 10yd	.060"	Black	12
71617	06383	7/8 x 20 yd	.045"	Black	12
71617-1	06383	7/8 x 20 yd	.045"	Black	6
71617-2	06383	7/8 x 20 yd	.045"	Black	2

3M™ ACRYLIC PLUS TAPE PT 1100

- Double-coated acrylic foam tape designed for the attachment of automotive exterior trim parts such as body side moldings and claddings.
- Superior adhesion to automotive paint surfaces, excellent wet out, improved bond line quality and easy-liner release.
- Cold temperature impact resistance.
- High strength core with low elongation properties.
- Easy liner release.
- High conformity.



PART No.	SIZE	THICKNESS	COLOR	QTY.
7630	2" x 144 yd	.045"	Black	1

3M™ 4611 VHB™ FOAM TAPE

- Double coated .045" (1.1 mm) pressure-sensitive adhesive tape for bonding metals and other high surface energy materials.
- Durable and high temperature resistant.
- Strength to replace mechanical fasteners and spot welds in many applications.



PART No.	COLOR	SIZE	QTY.
7668	Gray	1-1/4 x 36 yd	2
7669	Gray	1-1/2 x 36 yd	2

3M™ 4920 VHB FOAM TAPE

- Double coated acrylic foam tape with a 15 mil white, closed-cell acrylic carrier.
- Used for cushioning, damping and impact resistance.
- High strength.



PART No.	COLOR	SIZE	QTY.
7666	Clear	1-1/4 x 72 yd	2
7667	Clear	1-1/2 x 72 yd	2

3M™ 4950 VHB FOAM TAPE

- 45 mil thick white closed cell acrylic foam carrier with all purpose acrylic adhesive and paper liner.
- Excellent cushioning, sound dampening and impact resistance.
- Works well to bond aluminum skin to steel support of truck.
- High strength.



PART No.	CROSS REF.	COLOR	SIZE	QTY.
7661	63383	White	2" x 36 yd	2
7689	18092	White	1" x 36 yd	1

WEATHER STRIPPING

- Self-adhesive on one side.
- Black soft neoprene.
- Various widths to cover most applications.



PART No.	THICKNESS	SIZE	LENGTH	QTY.
5081	5/16	3/8	25'	2
5080	5/16	1/2	25'	2
5084	5/16	3/4	25'	2
5083	1/2	7/16	25'	2
5085	1/8	1"	50'	2
5086	1/4	1"	25'	2
5082	1/2	1"	25'	2

Imperial continuously adds new products.



Ed Buyer

Accurate...

"A mistake can cost customers time and money. And, in my mind, that's unacceptable."

M33



SHOP SUPPLIES

SPECIALITY TAPES

SCOTCH® PERFORMANCE MASKING TAPE 233+

- Highly conformable, provides the best adhesive transfer resistance, hugs curves and contours and provides outstanding paint lines.
- Goes on quickly and easily, sticks at a touch and stays put.
- Perfectly balanced to give outstanding masking results.

PART No.	CROSS REF.	COLOR	SIZE	QTY.
7639	26334	Green	18mm x 55m	1
7685	26336	Green	24mm x 55m	1
7644	26340	Green	48mm x 55m	1



GENERAL PURPOSE MASKING TAPE

- Professional quality, peels clean up to 150° F.

PART No.	SIZE	QTY.
71664	3/4 x 60 yd	4
71692	1" x 60 yd	4



3M™ SQUEAK REDUCTION TAPE

- Used in the automotive industry to help control squeaks and rattles due to vibration or wear of metal and plastic materials.
- Provides excellent abrasion resistance.
- Adhesive Material: Acrylic
- Thickness: 7 mil (0.18 mm)

PART No.	CROSS REF.	COLOR	SIZE	QTY.
8023	06356	Transparent	1" x 3 yd	1



3M™ SMOOTH TRANSITION TAPE

- Tape leaves a smooth paint transition - no hard edge line for body/collision repair painting.
- Virtually eliminates hard paint lines from doors, fenders and quarter panel jambs.
- (5) 30' rolls per box plus dispenser.

PART No.	CROSS REF.	COLOR	SIZE	QTY.
8024	06800	Transparent	1/4 x 30' roll	5



3M™ TRIM MASKING TAPE

- Works well on flush mount windshield and back glass molding.
- The firm strip of this tape is slid under the molding.
- The liner on the remaining adhesive side is then removed and the tape is folded over and adhered to the glass, actually lifting up the molding and allowing paint to flow under it.
- Saves time, labor and the cost of removing and installing new moldings, plus the removal of paint lines on existing moldings.
- Size: 2" x 10.95 yd (50.8mm x 10m)

PART No.	CROSS REF.	ADHESIVE WIDTH	QTY.
8025	06439	10mm	1
8048	06345	5mm	1
8049	06347	7mm	1
8050	06348	15mm	1



3M™ NAMEPLATE REPAIR TAPE

- Medium-density gray foam tape with high performance acrylic adhesives on both sides and a red release liner.
- Acrylic adhesive provides an excellent barrier to water and road dirt.

PART No.	CROSS REF.	COLOR	SIZE	QTY.
71813	06385	Gray	.236 x 5 yd	1



PACKAGING TAPE

CARTON SEALING TAPE

- Polypropylene tape used for sealing packages and cartons for shipping.
- Meets UPS and US Postal Service Requirements.
- All rolls are 2" W x 55 yards L.

PART No.	THICKNESS	TEMPERATURE RANGE	QTY.
7623	1.8 mil	40° F to 120° F	4
7623-4	1.8 mil	40° F to 120° F	36
7624	2.0 mil	32° F to 200° F	4
7624-4	2.0 mil	32° F to 200° F	36



SCOTCH® PREMIUM HEAVY DUTY PACKAGING TAPE

- Resists center seam splitting, assures reliable closures.
- Seals out moisture, dust and dirt.

PART No.	SIZE	QTY.
7629	48mm x 55m roll	2



HEAVY DUTY PACKAGING TAPE

- Premium PVC 2.2 mil tape.
- High tack natural rubber adhesive.


PART No.	SIZE	QTY.
87999	2" x 55 yd roll	1



CARTON SEALING TAPE DISPENSER

- Heavy-duty pistol grip dispenser for 2" wide carton sealing tape.

PART No.	QTY.
7625	1



M34



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

DUCT TAPE

INDUSTRIAL GRADE DUCT TAPE

- Cloth duct tape with excellent adhesion to a wide variety of surfaces.
- Highly conformable.


PART No.	COLOR	SIZE	THICKNESS	QTY.
7621	Silver	2" x 60 yd	11 mil	1
7621-4	Silver	2" x 60 yd	11 mil	24
7684	Silver	2" x 60 yd	9 mil	1
7622	Black	2" x 60 yd	11 mil	1
7622-4	Black	2" x 60 yd	11 mil	24



HEAVY DUTY INDUSTRIAL DUCT TAPE

- Made of the woven material found in high quality tapes.
- Adhesive backing is extremely durable and long lasting.

PART No.	COLOR	SIZE	QTY.
7797	Red	2" x 60 yd	1
7798	Green	2" x 60 yd	1



WATERPROOF SILVER DUCT TAPE

- High tack adhesive that tears straight and easy.
- Seals out moisture.

PART No.	STYLE	SIZE	QTY.
71670	PVC	2" x 60 yd	1
71671	Cloth	2" x 60 yd	1



ALUMINUM FOIL TAPE

- High tack adhesive provides excellent adhesion.
- Outstanding weathering ability.
- Extra heavy foil tape.
- Resists high heat.

PART No.	SIZE	QTY.
71666	2" x 50 yd	1



CLOTH DUCT TAPE

- Polyethylene film with a polyester/cotton blend and cloth carrier.
- High tack adhesive.
- Waterproof.
- Tears straight, easy and practical to use.
- Designed for industrial, carpet, plumbing, HVAC, sealing, water proofing, patching and asbestos abatement.

PART No.	COLOR	SIZE	QTY.
71700	Orange	2" x 60 yd	1



Visit the Imperial website.
www.imperialsupplies.com

SEALANT TAPES

3M™ SCOTCHRAP™ ALL-WEATHER CORROSION PROTECTION TAPE

- PVC-based tape with a high-tack adhesive provides a corrosion and impact resistant seal for all-weather protection on pipes, conduit and fittings, both above and below the ground.
- Excellent UV resistance.
- Temperature rating of 176°F (80°C).
- Applies over a wide temperature range and is resistant to impact, abrasion and punctures.

PART No.	CROSS REF.	COLOR	LENGTH	QTY.
7098	10638	Black	2" x 100'	10



COLD SHRINK TAPE

- Shrinks around and seals an object without heat, no need for open flame or a heat gun.
- Ideal for areas where heat or open flame might be hazardous.
- Dielectric strength of 69,000 volts, water absorption 1/2%.
- Excellent for high-voltage insulating applications for utilities and general MRO as well as automotive and well as automotive and plumbing.
- Tape has a liner and shelf life of 5 years.

PART No.	SIZE	QTY.
71660	1" x 10'	2



COAX-SEAL

- Quickly and effectively seals all types of coax fittings of all shapes.
- Disconnect fittings and re-seal them with same materials by reforming plastic.
- Stays flexible at temperatures from -35° F to 135° F for many years.
- Ensures moisture-proof connections.

PART No.	SIZE	QTY.
71618	1/2 x 12' roll	4



PTFE TAPE

- Fast and easy to apply.
- Economical to use.
- Seals all threaded connections.
- Waterproof and corrosion proof.

PART No.	SIZE	QTY.
72710	1/4 x 520" roll	4
71665	1/2 x 520" roll	4
71699	3/4 x 520" roll	2



M35



SHOP SUPPLIES

MISCELLANEOUS ITEMS

NON-SKID ABRASIVE TAPE

- Made from water-proof material.
- Adhesive is compatible with most clean surfaces for long life.
- Use on stairs, ramps, floors and foot pedals.
- Maximum temperature: 150°F
- Color: Black

PART NO.	GRIT	SIZE	QTY.
71701	80	1" x 60'	1
71702	80	2" x 60'	1
71703	80	4" x 60'	1
72709	80	6" x 60'	1



3M™ AUTOMIX™ EZ FIX FLEXIBLE PATCH.

- Flexible repair patch kit.
- No sanding needed for adhesion.
- No cure time delay to proceed to front side repair.
- Effective on many plastics where reinforcement is needed.
- Kit Contains:
 - » (6) Flexible TPO Patches
 - » (6) Adhesion Promoter Packets

PART NO.	COLOR	SIZE	QTY.
7745	Black	4" x 8"	3



More Slip Protection Products
can be found on Page L22.

FLOOR MARKING TAPE

- For marking traffic patterns on aisles, floors, etc.
- Adhesive backing.
- Highly visible black and yellow stripes.

PART NO.	SIZE	QTY.
7620	2" x 54'	1



3M™ STRIP-CAULK

- Black, soft, non-hardening caulking material in one-foot lengths for use in all types of seams, joints and openings.
- Ideal for under-dash repairs to reduce noise, rattles and vibration.
- Will not crack, dry out or shrink and is waterproof.
- Adheres to metal, paint, glass, rubber and plastic.



PART NO.	CROSS REF.	DESCRIPTION	QTY.
7619	08578	(60) 1' Strips per box	1 box

FLAGGING TAPE

- Orange fluorescent.
- A perfect way to mark problem areas.
- Bright color permits clear visibility.

PART NO.	SIZE	QTY.
71661	1-3/16" x 150'	12



HOOK & LOOP FASTENER ROLLS

- Pressure sensitive adhesive backing.
- Hook side and loop side are sold separately.



PART NO.	DESCRIPTION	COLOR	SIZE	QTY.
7805	Loop Side Dispenser	Black	1' x 25 yards	1 box
7806	Hook Side Dispenser	Black	1' x 25 yards	1 box

POST-IT™ REMOVABLE LABELING TAPE

- Use for bin and shelf marking, package identification and correction.

PART NO.	CROSS REF.	COLOR	SIZE	QTY.
7628	06951	White	2" x 108'	1



3M™ SCOTCHMATE™ HOOK AND LOOP FASTENING SYSTEM

- Comprised of two non-woven nylon strips, one of hook material and one of loop material.
- Premium performance adhesive system.
- Mated strips.

PART NO.	CROSS REF.	COLOR	SIZE	QTY.
7807	06480	Black	1" x 12"	12



Imperial offers a complete
line of Personal Protective
Equipment Products.

M36



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

TRUCK REPAIR KITS

REFRIGERATED TRAILER WALL EMERGENCY REPAIR KIT

- Fastest and safest way to patch holes in the interior panels of refrigerated trailers without carrying bulky materials.
- Carry on the road, in convenient 12-1/2" x 12-1/2" x 2-1/2" box.
- No mixing of chemicals or cutting fiberglass to fit.

Kit Components:

- » (1) 12" x 12" patch
- » (2) 6" x 12" patch
- » (4) 6" x 6" patches
- » (6) sets of insulation inserts
- » (1) tube of 50ml sealer
- » (6) mixers
- » (10) cleaning pads
- » (1) wire brush
- » (1) scissors



PART No.	QTY.
7725	1

REFRIGERATED TRAILER WALL REPAIR PATCH KIT


- Fastest and safest way to patch holes in the interior panels of refrigerated trailers without carrying bulky materials.
- No mixing of chemicals.
- No more cutting of fiberglass to fit.
- Creates a moisture barrier.
- No need to rivet the patch.
- Will not come off once product is cured.
- Cure time of 20 minutes.
- Everything you need is in one box.




COMPONENT	PART No. 7726	PART No. 7727	PART No. 7728
Foam Rounds	20	40	60
Tube of Sealer, 180 ml	1	2	3
Scissors	1	1	1
Wire Brush	1	1	1
Static Mixers	20	30	40
20' x 12" Patch Roll	1	—	—
40' x 12" Patch Roll	—	1	—
60' x 12" Patch Roll	—	—	1

WALL REPAIR KITS

BEFORE



AFTER



- ✓ No hand mixing dangerous chemicals.
- ✓ No more cutting fiberglass to fit.
- ✓ Patch comes in a roll so each patch can be cut to size—no waste.
- ✓ All tools and supplies in one box.
- ✓ Complete the job in 10 minutes or less.

M37



SHOP SUPPLIES

TRAILER REPAIR ACCESSORIES

REFRIGERATED TRAILER WALL REPAIR PATCH ROLL

- Fastest and safest way to patch holes in the interior panels of refrigerated trailers without carrying bulky materials.

PART NO.	SIZE	QTY.
7729	20' x 12"	1
7730	40' x 12"	1
7739	40' x 24"	1
7731	60' x 12"	1
7738	100' x 3"	1



REFRIGERATED TRAILER WALL REPAIR SEALER

- Replacement sealer for refrigerated trailer wall repair kits, Part No. 7726, 7727 and 7728.
- One year shelf life.
- Cure time of 20 minutes.

PART NO.	NET WEIGHT	QTY.
7732	180 ml	1
7732-4	180 ml	12



REFRIGERATED TRAILER WALL REPAIR MIXER

- Replacement component for refrigerated trailer wall repair kits, Part No. 7726, 7727 and 7728
- Use with Refrigerated Trailer Wall Repair Sealer, Part No. 7732 and 7732-4.


PART NO.	QTY.
7733	10



REFRIGERATED TRAILER WALL REPAIR FOAM ROUNDS

- Replacement component for refrigerated trailer wall repair kits, Part No. 7726, 7727 and 7728.
- Contains:
 - » (1) 1" Foam Round
 - » (1) 1/2 Foam Round

PART NO.	QTY.
7743	1



BULKHEAD REPAIR TAPE FOR VINYL

- Extreme temperature repair tape for bulkhead surface damage repair.
- Dimensions: 16" x 10'

PART NO.	QTY.
7742	1



TRAILER REPAIR TAPE (100 MPH TAPE)

- Seals and patches holes in trailers or any metal siding.
- Butyl adhesive backing for tight seal.
- One sided patch tape available in aluminum foil or white Tedlar®.
- Works great for instant patching on the road.


PART NO.	COLOR	SIZE	QTY.
7656	White	3" x 50'	1
7615	White	4" x 50'	1
7616	White	6" x 50'	1
7657	Aluminum/Foil	3" x 50'	1
7617	Aluminum/Foil	4" x 50'	1
7618	Aluminum/Foil	6" x 50'	1



FIBERGLASS REPAIR PATCHES

- Self adhesive, no mixing of chemicals.
- Can be drilled, sanded and painted after hardening.
- Cut to size, save the unused portion for future use.
- Cures (hardens) by sun or UV light.
- Permanent fix, weather resistant.
- Resists temperatures up to 392° F.

PART NO.	SIZE	QTY.
7654	3" x 6"	2
7660	12" x 12"	1



ALUMINUM TRAILER REPAIR PATCHES

- Patches are self-adhesive.
- No metal cutting or messy sealant.
- Patches can be painted.
- Provides instant waterproof protection with superior adhesion.
- Made of rigid 40 mil aluminum with 445 psi tensile strength.
- Reduces installation cost by 60% and saves 57% of installation time.

PART NO.	SIZE	COLOR	QTY.
7650	6" x 6"	Aluminum	3
7651	6" x 6"	White	3
7652	12" x 12"	Aluminum	3
7653	12" x 12"	White	3
7746	12" x 24"	Aluminum	3
7747	12" x 24"	White	3



ALUMINUM TRAILER REPAIR PATCH

- Made of rigid 20 mil aluminum.
- Provides instant waterproof protection with superior adhesion.
- Works great on corners and bends.
- Self-adhesive and paintable.
- No metal cutting or messy sealant.
- Reduces installation cost by 60% and saves 57% of installation time.

PART NO.	SIZE	COLOR	QTY.
7740	6" x 6"	White	3
7741	12" x 12"	White	3



Cut costs by reducing your vendors. Imperial's Specialty Programs can help.



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

TIRE PRESSURE GAUGE

DIGITAL TIRE PRESSURE GAUGE

- Straight on dual foot.
- Reads 10 lbs. to 150 lbs.
- Reads psi, Bar, kPa and kgf/cm².
- Swivel head design enables tire valves to be reached from multiple directions.

PART No.	DESCRIPTION	QTY.
73599	Tire Pressure Gauge	1
73599-1	Replacement LR44 Battery	2



PRESSURE GAUGE FOR AIR/LIQUID FILLED TIRES

- For air and liquid filled tires.
- Four-sided nylon bar calibrated 5 to 50 lbs in 1 lb units.
- Brass construction, fully chromed.
- Handy pocket clip.
- Designed for easy cleaning and maintenance.

PART No.	QTY.
72063	1



POCKET TYPE TIRE GAUGE

- Dual head pocket gauge.
- For dual wheels and other hard to reach places.
- Handy pocket clip.
- Calibrated 20 to 120 psi.

PART No.	QTY.
97374	1



HEAVY-DUTY TIRE GAUGE

- Heavy-duty gauge with dual chuck.
- Calibrated 10 to 150 psi in two psi increments.
- Chromed gauge with nylon bar for best rust protection.

PART No.	QTY.
72090	1



HEAVY-DUTY TRUCK AND BUS TIRE GAUGE

- Reverse 30° dual foot head makes it easy to read pressure on inner dual wheels.
- Calibrated 10 to 150 psi in two psi increments.
- Chrome finish on gauge.

PART No.	QTY.
72097	1



RADIAL RUNOUT GAUGE

- Precision gauge for measuring radial tire runout.

PART No.	QTY.
73612	1



MASTER TEST TIRE GAUGE

- Designed and calibrated to check the accuracy of tire gauges and meters.
- Chrome plated with dual foot chuck and knurled ridge on indicator bar end.
- Four-sided white indicator bar calibrated in both psi and kPa.
- Limited lifetime warranty for life and will clean free of charge annually.


PART No.	QTY.
73611	1



CALIBRATABLE TIRE GAUGE

- Gauge may be calibrated without disassembling the gauge.
- Bar is marked 10 to 150 psi in 2 psi increments.
- Straight back dual foot head.
- Set screw for calibration in the base of the readout stem.

PART No.	QTY.
73780	1



CALIBRATABLE TIRE GAUGE

- Gauge may be calibrated without disassembling the gauge.
- Bar is marked 10 to 150 psi in 2 psi increments.
- Reverse 30 dual foot head makes it easy to reach valve stems.
- Set screw for calibration in the base of the readout stem.

PART No.	QTY.
73610	1



HEAVY-DUTY CALIBRATABLE TIRE GAUGE

- Gauge may be calibrated for accuracy.
- Bar is marked 10 to 150 psi in 2 psi increments.
- Chrome finish with metal bar.
- Reverse 30° dual foot head makes it easy to read pressure on dual wheels.

PART No.	QTY.
73598	1



CALIBRATABLE TIRE GAUGE

- 10 to 130 lbs adjustable service gauge.
- Can be easily calibrated ($\pm 5-1/2$ PSI) without any disassembly.
- Easy to read four-sided nylon indicator bar, calibrated in both PSI and kPa.
- Brass construction with black polyurethane finish.

PART No.	QTY.
73607	1



M39




SHOP SUPPLIES

TIRE INFLATORS & AIR CHUCKS

DUAL FOOT EXTENSION AIR CHUCKS

- Plated for maximum corrosion protection.
- All extension chucks have 1/4" female NPT connection to be used on hoses with 1/4" male NPT fittings.
- Use a closed check air chuck when using an air chuck on a "live" air line for "non-gauged" inflation of a tire.
- When using an in-line air gauge to control the air flow into a tire, use an open check air chuck.

PART NO.	OVERALL LENGTH	CHUCK	DESCRIPTION	QTY.
72070	6"	Open Check	Standard Design	1
72069	6"	Closed Check	Standard Design	1
72072	6"	Closed Check	Straight-on with 30° Reverse Angle Design	1
72073	6"	Closed Check	Straight-on with 30° Reverse Angle Design; Tilt-Lok	1
73609	12"	Closed Check	Straight-on with 30° Reverse Angle Design;	1



TIRE INFLATOR GAUGE

- Equipped with magnifying lens for full view scale.
- Scale Increments: 10 lbs to 160 lbs
- Five foot hose with dual head straight foot chuck and lock on threads.
- Built in deflator to relieve excess pressure.

PART NO.	HOSE LENGTH	QTY.
73605	5'	1



SWIVEL DUAL FOOT CHUCK INFLATOR

- Solid brass bar.
- Calibrated 10 to 90 psi in two psi increments.
- Use on vehicles with smaller dual wheels.

PART NO.	HOSE LENGTH	QTY.
73600	12"	1



SAFETY INFLATOR WITH CLIP ON CHUCK

- Rubber hose includes brass bleeder valve and ball air chuck with clip.
- Calibrated 10 to 120 psi in two psi increments.
- Solid brass bar.

PART NO.	HOSE LENGTH	QTY.
73601	36"	1



SAFETY INFLATOR WITH CLIP ON CHUCK

- Chrome plated zinc body.
- Brass internal components.
- Calibrated 10 to 120 psi in 2 psi increments.
- Rubber hose includes brass bleeder valve and ball air chuck with clip.

PART NO.	HOSE LENGTH	QTY.
73634	72"	1



AIR CHUCK - FEMALE

PART NO.	FEMALE NPT	QTY.
97378	1/4	1



AIR CHUCK - STRAIGHT LOCK ON

- For use on "live" air line only.
- Securely locks on to valve stem.
- To release pull back on collar.


PART NO.	FEMALE NPT	QTY.
73621	1/4	1



AIR PRESSURE POP OFF VALVE FOR PNEUMATIC TOOLS

- Bleeds off compressed air in excess of 90 psi to protect pneumatic tools.
- Air Outlet: 1/4" NPTM thread
- Air Inlet: 1/4" NPTF
- Case hardened head for extra durability.
- Ball check in the head prevents dirt and grit.
- Heavier wall thickness for extra strength.
- Stress relieved and tempered carbon steel spring.
- Individually inspected and batch tested at 5,000 psi.
- Thread rolled taper threads.
- Unique riveting process fully locks in the spring.
- Meets specifications as per SAE J-534.

PART NO.	QTY.
72612	1



BALL AIR CHUCK WITH CLIP

- Has an air check for use on a "live" air line for "non-gauged" inflation of a tire.
- The clip allows the chuck to be fastened to the valve.
- Has a 1/4" female NPT connection for use on hoses with a 1/4" male NPT fitting.


PART NO.	QTY.
72449	1



INFLATOR GAUGE

- Straight dual-foot head.
- Lock-on threads.
- 10 lbs to 120 lbs in 2 lbs increments.
- Reading visible through window.
- Hose Length: 15"

PART NO.	DESCRIPTION	QTY.
73613	Inflator Gauge	1
73614	Replacement Hose Whip	1



M40



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

BLOW NOZZLES AND ACCESSORIES

SAFETY BLOW GUN

- Conforms with title 41 and OSHA standards.
- Chrome plated lever-type blow gun.
- Nozzle pressure reduced to 30 psi with inlet pressure of 150 psi.
- Safety tip has side ports for air exhaust if tip is plugged.
- Individually boxed.



PART No.	DESCRIPTION	QTY.
72068	Blow Gun	1
72052	Replacement Tip	1
72053	Blow Gun, Permanent Tip	1

BLOW GUN WITH RUBBER TIP

- Made with a rubber tip, a plastic body and a built-in hang-up hook.
- Maximum working pressure: 110 psi, SCFM 13 at 90 psi
- Equipped with 1/4" NPT brass air inlet.
- Adjustable air flow.
- Has a 4" extension.



PART No.	FEMALE NPT	QTY.
72476	1/4	1

BLOW GUN WITH COILED HOSE

- Repairs and reconditions, inside and outside valve threads; inserts and removes cores.
- Brass fittings for both ends of coil.
- Lever-type blow gun with safety tip.
- Compression tee to splice into existing air line
- Electroplated, rust-resistant.
- Heavy-duty 1/4" OD.
- 11-1/2" hose.



PART No.	QTY.
72415	1

Note: The air line is spliced into the line running to the drivers seat. Then the blow gun can be used to blow out the interior of the cab.

TYPHOON® BLOW GUN


- Meets or exceeds OSHA regulations.
- Variable flow trigger for controlled air release.
- Maximum flow for easy clean-up of even the heaviest shavings and chips.
- Includes one high flow tip.
- Light-weight and ergonomic.



PART No.	THRUST	CFM	FEMALE NPT	QTY.
72448	2.1 lb	34/125psi	1/4	1

24" EXTENSION

- Male threads on both ends of extension.
- Will NOT work with high flow tip sold with gun.
- May be used with Typhoon® Blow Gun, Part No. 72448 and Multi-Jet Nozzle, Part No. 72419.



PART No.	QTY.
72418	1

MULTI-JET TIP

- Designed for true heavy-duty clean-up and blow-off.
- Tip comes with 2" extension.
- Use with Typhoon® Blow Gun, Part No. 72448 and the 24" Extension, Part No. 72418.



PART No.	DESCRIPTION	THRUST	CFM	QTY.
72419	Multi-Jet Tip	3.1 lbs	51/125psi	1

FEMALE THREADED NOZZLE TIP

- High flow tip.
- Must use with 24" extension, Part No. 72148.



PART No.	DESCRIPTION	QTY.
72477	Female Threads	1

MALE THREADED NOZZLE TIP

- High flow tip.
- Use with Typhoon® Blow Gun, Part No. 72448.



PART No.	DESCRIPTION	QTY.
72417	Male Threads	1

If you can't find the products you are looking for, call us and we will find it for you.




SHOP SUPPLIES

HAND OILERS

PISTOL PUMP OILERS

- All steel body—double seamed base.
- Flared or wide base for added stability.
- Zinc die-cast high-pressure pump with a heavy-duty precision-ground piston.
- High volume of fluid delivered with each stroke.
- Oiler stays primed for instant use.

PART No.	SPOUT	SIZE	QTY.
72600	Rigid	6 oz	1
72603	Flex	6 oz	1
72602	Rigid	10 oz	1
72604	Flex	20 oz	1



SPRING BOTTOM OILERS

- Spring steel bottoms are double seamed.
- Filler openings are rolled thread for leak-proof body.

PART No.	DESCRIPTION	QTY.
72607	12 oz Rigid Spout	1



SPRAY TIP OILER

- Nozzle adjusts from a fine mist spray to a thin stream.
- Used for covering wide and hard to reach areas.
- Remains primed and ready to use.
- Sprays all solvents: insecticides, light lubricants
- Wide base.


PART No.	SPOUT	SIZE	QTY.
72605	Rigid	10 oz	1



INDUSTRIAL PUMP OILERS

- Drawn steel container with a double seamed base.
- Zinc die cast, high pressure pump with ruggedly constructed precision ground piston.

PART No.	DESCRIPTION	QTY.
72610	12 oz Rigid Spout	1
72611	12 oz Flex Spout	1



PUMPS

PLEWS® T-HANDLE BARREL PUMP

- Can be used with oil-based fluids and solvents.
- Die cast head with garden hose threads.
- 18 gauge steel cylinder.
- Fits 30 to 55 gallon drums.
- Comes complete with a curved metal spout and bung adapter to fit standard barrels.

PART No.	CROSS REF.	QTY.
72525	55-017	1



BARREL PUMPS

- Fits 15 through 55 gallon drums with 2" bung opening.
- This zinc plated pump has steel pistons and brass piston rings.
- Pump is designed for lighter liquids.
- Curved discharge spout has male garden hose threads.
- Included with the pump is a telescoping suction tube with neoprene seals.
- Not suitable for water-based products.

PART No.	QTY.
72520	1



MANUAL BARREL PUMPS

- Polypropylene pump without hose
- Fits 15 through 55 gallon drums with 2" bung opening.
- Constructed of polypropylene and nickel plated steel.
- Includes bung adapter and discharge spout.
- Dispenses approximately 8 oz per stroke.
- Use Part No. 72522 for weak acids, anti-freeze, detergents and windshield washer fluid.
- Use Part No. 72523 for paint thinner and general solvents.

PART No.	CONSTRUCTION	QTY.
72522	Polypropylene and nickel plated steel	1
72523	Nylon and nickel plated steel	1



ROTARY HAND PUMP

- Heavy cast iron pump.
- One complete rotation dispenses one quart.
- Rack and pinion design allows for easy calibration.
- Includes swing return drain tube and telescoping suction pipe.

PART No.	QTY.
72544	1



M42

PAIL PUMP

- Includes pump, pail cover and 4 feet of clear vinyl hose with curved discharge nozzle.
- Variable stroke handle delivers 1 to 2.3 ounces per stroke.
- Recommended for oil and gear lube up to 140 lbs.

PART No.	FITS	QTY.
72521	5 to 6-1/2 gallon pail	1



PLEWS® HAND ROTARY BARREL PUMP

- For transferring non-corrosive petroleum based fluids, of light to medium viscosity, at a rate of approximately one gallon per 18 revolutions with SAE 10 oil.
- Single direction, two valve pump.
- Use with oil-based fluids.
- Cast iron housing and 4211 steel suction pipe.

PART No.	CROSS REF.	QTY.
72524	55-303	1



BARREL ACCESSORIES

V PACKER

- Quick connect feature makes different grease transfer jobs such as filling grease guns or packing bearings fast and easy.
- Designed for 35 lbs pails.
- Includes universal grease gun filler nipple to fit all grease gun models.
- Bearing packer holds bearings up to 6" in diameter and includes dust cover.

PART No.	QTY.
72563	1



BARREL PUMP THREAD ADAPTER

- Bung thread to buttress thread.
- Convert 2" bung adapters to fit on plastic drums or pails.
- Use with plastic drums.
- Made of chemical resistant material.


PART No.	QTY.
72571	1



BARREL FAUCET

- Polyethylene bung faucet.
- Fits 3/4" NPT bung opening.
- Chemical resistant.
- Instant on/off control.

PART No.	QTY.
72572	1



BARREL FAUCET

- Polyethylene bung faucet.
- Fits 2" opening.
- Chemical resistant.
- Empties 55 gallons in three minutes.
- Instant on/off control.

PART No.	QTY.
72573	1



DRUM WRENCH

- Durable aluminum construction permits use with hazardous materials.
- Can be used on either plastic or metal bungs - 3/4" to 2".
- Lightweight.

PART No.	QTY.
87900	1



OILY WASTE CAN

- Heavy-duty galvanized steel with hands-free foot lever operated cover.
- Meets UL and Factory Mutual specs.
- Safety container for oily rags and other combustible materials.
- Convenient top carrying handle.

PART No.	DESCRIPTION	QTY.
72558	10 gallons	1



PLEWS® DRIP PAN

- Rugged galvanized, sheet metal construction.
- Protects driveways and shop floors from fluid drips.
- Rust-resistant.
- Rolled edges for extra strength.
- Size: 17-1/2" W x 25-3/4" L x 1" D

PART No.	CROSS REFERENCE	QTY.
72556	75-755	2



PLEWS® DRAIN PAN

- 3-1/2 gallon capacity.
- Seamless, full drawn galvanized steel.
- Rolled and ribbed bottom for extra strength.
- 16" diameter x 4" high.

PART No.	CROSS REFERENCE	QTY.
72557	75-751	2



UNIVERSAL DRUM FUNNEL

- Allows 24 hour draining of oil filters to meet various state and local regulations.
- Color: Bright Safety Yellow
- High walls allow six gallons to drain at a time.
- Lightweight construction, polyethylene seamless mold is chemical resistant.
- Zig-Zag channeled level surface diffuses splashing and allows oil filters, paint cans, coolant buckets and bottles to remain upright while draining.
- Spouts fits snugly into 2" bung of drum.
- Fits closed or open head 55 and 30 gallon drums.
- Optional snap on cover available to keep out dirt.

PART No.	DESCRIPTION	QTY.
72554	Drum Funnel	1
72555	Drum Funnel Cover	1



Sorbents are available.
See pages M47-M48

M43



SHOP SUPPLIES

FUNNELS & FILLERS

METAL FUNNEL

- Transmission funnel filter.
- Rugged epoxy finish.
- Offset design.
- 17" flexible extension.
- Includes fine mesh strainer screen.
- Overall Length: 28"

PART No.	FUNNEL DIAMETER	CAPACITY	QTY.
72601	7"	2 quart	1



PLASTIC RADIATOR CAN

- 2.5 gallon capacity.
- Impervious to oil, gasoline and antifreeze.
- Durable polyethylene material won't damage automotive finishes.
- Unique spout design helps prevent spillage.

PART No.	CROSS REFERENCE	QTY.
72594	LX-1624	1



PLASTIC FUNNEL WITH REMOVABLE FLEX SPOUT STRAINER

- Resistant to oil and most chemicals.
- Funnel Depth: 6"
- Includes detachable flex spout and removable brass strainer.

PART No.	FUNNEL DIAMETER	CAPACITY	QTY.
72552	6"	1.5 qt	1



SYRINGE BATTERY FILLER

- Ideal for all fluids, including battery acid.
- Rubber bulb remains pliable in cold weather.
- 6" flexible spout.

PART No.	CAPACITY	QTY.
72574	6 oz	1



PLASTIC FUNNEL WITH STRAINER

- Resistant to oil and most chemicals.
- Funnel Depth: 6"
- Includes removable steel strainer.

PART No.	FUNNEL DIAMETER	CAPACITY	QTY.
72551	6"	1.5 qt	1



MEASURER WITH FLEXIBLE SPOUT

- Transparent polyethylene.
- Use with water, oil, mild acids, or solvents.
- Comes with rigid and flexible spout.

PART No.	CAPACITY	QTY.
72595	1 quart	1
72596	2 quart	1
72597	1 gal	1



PLASTIC FUNNEL

- Resistant to oil and most chemicals.
- Funnel Depth: 3-3/4"
- No strainer.

PART No.	FUNNEL DIAMETER	CAPACITY	QTY.
72550	4"	8 oz	2



GALVANIZED STEEL MEASURE

- Double-Seamed.

PART No.	CAPACITY	QTY.
72613	1 quart	1



M44

Sorbents are available.
See pages M47-M48

See pages K1-K6 for
Gloves and Hand Protection.

Think safety first. Always.
Imperial offers a wide
range of Safety Products.



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

AIR HAMMERS & HAMMER TOOLS

HEAVY-DUTY AIR HAMMER

- Has a built-in regulator for precise speed control.
- Ideal for practically every automotive repair job.
- Features a durable, lightweight nylon handle.
- Safety-lock style retainer.



PART NO.	SIZE	QTY.
75780	.401 Shank	1

BLOWS/ MINUTE	SHANK OPENING	WEIGHT	LENGTH	BORE DIAMETER	AIR INLET	REC. AIR PRESSURE	STROKE LENGTH
2,600	0.401	3-1/4 lb	7-1/2	11/16	1/4	90 psi.	2-3/4

ROCKFORD® MEDIUM BARREL AIR HAMMER

- Sturdy all-metal body and handle.



PART NO.	QTY.
75779	1

BLOWS/ MINUTE	SHANK OPENING	WEIGHT	LENGTH	BORE DIAMETER	AIR INLET	REC. AIR PRESSURE	STROKE LENGTH
3,500	0.401	3-1/4 lb	7"	11/16	1/4	90 psi.	2-5/8

AIR HAMMER SPECIALTY TOOLS

- These tools have a .401 shank.
- Use with Air Hammer, Part No. 75780.

PART NO.	DESCRIPTION	QTY.
75772	Chisel, Straight Punch	1
75773	Chisel, Tapered Punch	1
75774	Valve Guide Driver	1
75775	5/16 Full Brazier Head Set	1
75776	5/16 Modified Brazier Head Set	1
75777	5/16 Universal Head Set	1
75788	Rivet Cutter	1
75789	Panel Cutter	1
75792	Punch, Tapered	1
75791	Chisel, 3/4 Blade Flat	1
75793	Smoothing Hammer	1
75768 ♦	Spring Retainer	1
75781 ★	Retainer Chuck	1
75790	1/4 Semi-tubular Rivet Tool	1
75795	Chisel, Muffler Cutter	1
75796	Chisel, Claw Ripper	1
75797	Chisel, Bushing Splitter	1
75798	Chisel, Wide and Scraper	1
75799	Chisel, V/Spot Weld Breaker	1

♦ Use with #75779

★ Use with #75780



#75768



#75781

#75772, #75775, #75776
#75777, #75790



#75773



#75774



#75788



#75789



#75792



#75791



#75796



#75793



#75795



#75798



#75799



#75797



M45

Check out the Safety Glasses
on page K6-K10

See pages K1 - K11 and K13 for
Ear Plugs, Safety Glasses and
Mechanics Gloves.



SHOP SUPPLIES

SNOW BRUSHES

42" TELESCOPIC SNOWBRUSH WITH ICE CHISEL SCRAPER

- Handle extends from 32" to 42".
- Foam grip handle for cushion and warmth.
- Ice chisel blade for thick ice removal.
- Ideal for larger vehicles and trucks.
- Durable aluminum shaft.

PART No.	QTY.
82259	12
82259-2	3



22" SUPER DELUXE SNOWBRUSH WITH SCRAPER

- Chip resistant, Bear Claw® blade.
- Strong and lightweight.
- Durable, locked-in brush.
- Hang tab for easy storage.

PART No.	QTY.
82258	12



SNOW BRUSH

- Fixed head and foam grip handle.
- Overall Length: 26"
- Brush Length: 9-1/4"
- Scraper Blade Width: 4"


PART No.	QTY.
82273	3
82273-4	12



SNOW RAKE

- Narrow squeegee-like edge contours the vehicle surface.
- Quickly slices through deep or wet snow.
- Clears tight spots like around the grill, wipers and bumpers.
- Certified for use on Class A finishes and received the highest ratings possible from an independent testing lab for non-abrasiveness, free resistance and durability.
- Aluminum telescoping handle with nylon acme threads.

PART No.	HEAD SIZE	HANDLE	QTY.
82291	16-3/4" W x 6-1/4" H	27-1/2" to 48"	1




COVERS & FLOOR MATS

LARGE STEERING WHEEL COVER

- For semi-truck type vehicles.
- Quality plastic with elastic edging keeps the steering wheel cover in place.
- Avoid customer complaints about grease on the steering wheel.
- Comes in a handy dispenser box.

PART No.	QTY.
70441	250



VEHICLE FLOOR MATS

- Heavy-duty stock for high absorption and ultimate protection.
- 14" x 20" paper size fits all vehicles.
- Recyclable.

PART No.	QTY.
70439	500



VEHICLE SEAT COVERS FOR SEMI TRUCKS OR CARS

- Non-slip seat covers eliminate personal injuries.
- 1.0 mil thick vs other brands that are .7 mil provides greater tear resistance.
- Dispenser box of individual seat covers instead of the roll style reduces the tearing of plastic covers when dispensing.
- 35" W x 56" L is wider than most brands for larger seat diversity.

PART No.	QTY.
70438	200



VEHICLE FLOOR MATS

- Plastic roll floor mat.
- Size: 21" x 24"
- Two layer construction.
- Color: White

PART No.	QTY.
38700	250



VEHICLE FLOOR MATS

- Plastic roll floor mat.
- Size: 21" x 24"
- Two layer construction.
- Color: Clear
- Use with Dispenser Rack, Part No. 38701

PART No.	QTY.
38701	175



SEAT COVERS ON A ROLL

- Special blend of plastic eliminates slipping and sliding.
- Resists tears and punctures.
- Medium weight 1.25 mil thickness.
- 300 seat covers per roll.

PART No.	QTY.
70444	1 roll



M46



CALL 1-800-558-2808 / FAX 1-800-553-8769 / www.IMPERIALSUPPLIES.com


SORBENTS

GENERAL PURPOSE SORBENTS


- Absorbs oil based liquids and non-aggressive water based liquids such as oils, anti-freeze and solvents.
- Absorbs up to 16 times their weight.
- For general and preventive maintenance in the workplace. Use around equipment and under machinery to promote a clean and safe workplace.
- Bonded material for strength.

PART NO.	SHAPE	DESCRIPTION	SIZE	QTY.
5201-4	Rectangle	Premium Pads	16" x 18"	100
5191	Rectangle	Economy Pads	16" x 18"	50
5191-4	Rectangle	Economy Pads	16" x 18"	100
5211	Circle	Drum Tops	22"	25
5207-4	Circle	Economy Drum Tops	22"	25

#5191
#5191-4



#5201-4



#5211



#5207-4



Spill Kits can be found
on page M49.

OIL SELECTIVE SORBENTS

- Absorbs oil-based liquids such as oil, gas and solvents.
- Repels any water-based liquid.
- Absorbs up to 16 times their weight.
- Ideal for outdoor areas where water or rain may be present.
- Indoor or outdoor use.
- Bonded material for strength.

PART NO.	SHAPE	DESCRIPTION	SIZE	QTY.
5190-4	Rectangle	Premium Pads	16" x 18"	100
5192	Rectangle	Economy Pads	16" x 18"	50
5192-4	Rectangle	Economy Pads	16" x 18"	100
5203	Rectangle	Economy Pads	16" x 18"	200
5240	Circle	Premium Drum Tops	22"	25
5221	Circle	Premium Drum Top with Vent	22"	25

#5190-4



#5192
#5192-4
#5203



#5240



#5221



**All first time chemical product
orders from Imperial include MSDS
for maintaining OSHA Compliance.**

**View MSDS 24/7 on our website at
www.imperialsupplies.com**



Scott
Dedicated Service Advisor

Diligent...

"My customers want it all.
And I don't blame them.
It's all about delivering real
value."

M47



SHOP SUPPLIES

SORBENTS AND TRAYS

OIL ONLY SORBENT SOCKS

- Used on petroleum based liquid clean-ups such as gas, diesel, or solvents.
- Use around machinery or anywhere oil may leak.
- Repels water and is wringable if necessary.
- For indoor or outdoor use.
- Not for use with acids.
- Will not pick up water.



PART No.	ABSORBENT CAPACITY	SIZE	QTY.
5205	1 gal per sock	3" x 4'	15
5206	2.5 gal per sock	3" x 10'	6

OIL ONLY SORBENT SOCK

- Non-linting melt blown.
- Absorbs 10% more oil than regular melt blown booms.
- Comes with end rings, snaps and sturdy rope.
- Green product.



PART No.	ABSORBENT CAPACITY	SIZE	QTY.
5208	—	8" x 10'	4

UNIVERSAL CELLULOSE SORBENT SOCK

- Use with non-aggressive type spills such as oils and water based liquids.
- Cellulose based sorbent material absorbs more than virtually any other type of sorbent material.
- Superior absorption capacity.



PART No.	ABSORBENT CAPACITY	SIZE	QTY.
5219	2.4 gal per sock	3" x 4'	15

SPILHYDER® MULTI PURPOSE ABSORBENT ROLL

- For use with water and oil based liquid spills.
- The 16" x 150' roll is perforated every 12".
- Heavy weight sorbent material with a high absorption capacity.
- Patterned material looks better longer and hides the spilled material, which promotes a better looking workplace.



PART No.	QTY.
5245	2 roll

PREMIUM GENERAL PURPOSE SORBENT ROLLS

- Can be used as pads, rolled for socks, folded, or rolled out as a walk mat.
- Ideal for shaping around machinery.



PART No.	PERFORATIONS	SIZE	QTY.
5218	12" length wise, 4" width wise	16" x 80'	1
5217	12" length wise, 16" width wise	32" x 150'	1

EMERGENCY WOOD PLUGS

- Use with spill kit products.
- For temporary plugging of ruptured tanks or fuel lines.
- Easy carrying four pack to be used for fuel leaks.
- Tapered from 1/4" to 3/4" x 3-1/2" L.




PART No.	QTY.
5214	4

CHEMICAL SPILL TRAY

- Heavy duty polyethylene construction.
- Will not rust or corrode.
- Keeps messy drips and spills off of floors.
- Ribbed bottom keeps cans, pails and other containers elevated above small spills or leaks.
- Nestable for easy storage when not in use.
- Dimensions: 16" x 52" x 5"
- Usable dimensions: 12" x 48" x 4-3/4"
- Capacity: 12 gallons

PART No.	QTY.
72606	1



CHEMICAL SPILL TRAY

- Has a built-in pouring spout to conveniently remove spills.
- Dimensions: 21" x 17" x 4"
- Usable surface: 17-1/8" x 13-1/8"
- Capacity: 2.9 gallons

PART No.	QTY.
72593	1



Experience our dedicated customer service.

M48



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

SPILL KITS

PETROLEUM ONLY SPILL KIT

- Amounts Absorbed: 2.5 Gallons
- Applications:
 - » Fuel Islands, service trucks for road repairs, semi trucks for emergency fuel spills, drain run-off areas or storm sewers, ideal around in-plant machinery.

Kit Contents	Qty
3" x 4' Socks	1
16" x 18" Square Pads	5
Pair Splash Goggles	1
Wooden Plugs	4
Pair Latex Gloves	1
Disposable Bag	1
Disposable Label In A Carry Bag	1
Part No.	Qty.
5226	1



SPILL KIT

- Petroleums only.
- Applications:
 - » Fuel Islands, service trucks for road repairs, semi trucks for emergency fuel spills, drain run-off areas or storm sewers, ideal around in-plant machinery.

Kit Contents	Qty.
3" x 4' Socks	2
16" x 16" Square Pads	5
Pair of Nitrile Gloves	1
Ties	1
Disposable Bag	1
Part No.	Qty.
5236	60
5236-4	4



PETROLEUM ONLY SPILL KIT

- Amount Absorbed: 6 Gallons
- Packaged in a sealed yellow, 6 mil bag.
- Applications:
 - » Fuel Islands, service trucks for road repairs, semi trucks for emergency fuel spills, drain run-off areas or storm sewers, ideal around in-plant machinery.

Kit Contents	Qty
3" x 4' Socks	2
16" x 18" Square Pads	5
Ties	1
Disposable Bag	1
Part No.	Qty.
5220	1
5220-4	4



VEHICLE SPILL KIT

- Use indoors or outdoors.
- Absorbs up to 4.7 gallons.
- Carry in a vehicle for emergency spills.
- Oil-only sorbents float, absorbing oil and other hydrocarbons and repelling water.
- Contains small micron diameter fibers for liquid retention and strength.
- Durable and long lasting.

Kit Contents	Qty
16" x 16" Oil Selective Pads	20
3" x 4' Oil Selective Socks	2
33" x 39" Black 1.5 mil polybag	2
Closeable Zipper PVC Bag	1
Part No.	Qty.
5246	60



SPILL KIT IN GRAB HANDLE BAG

- Storage bag with sealable handle, to protect contents from moisture and dust until ready for use.

Kit Contents	Qty
3" X 4' Oil Selective Sorbent Sock	1
16" X 18" Oil Selective Sorbent Pad	5
Disposable Bag with Tie	1
Hazardous Waste Label	1
Storage Bag	1
Part No.	Qty.
5222-1	1



BATTERY ACID SPILL KIT

- Place in strategic locations for quick response to leaking or spilled battery acid.
- Effective for clean-up of dry cell batteries.
- OSHA 1910.178(g) 2 states that facilities using batteries containing electrolyte/ battery acid must provide a contingency plan in case a spill occurs.

Kit Contents	Qty
Liquid Acid Neutralizer	2 Qts
12" x 12" Hazmat Pad	10
Aqualock Polymer	1
Pair Nitrile Gloves	1
Pair Splash Goggles	1
Poly Apron	1
Trigger Sprayer	1
Scoop w/ Detachable Scraper	1
Disposable bag and Twist Tie	1
Part No.	Qty.
5249	1 kit



Think safety first. Always.
Imperial offers a wide range of Safety Products.



LEAK FINDING DYES

LEAK FINDING DYES: HOW IT WORKS

1. A small amount of fluorescent dye is added to a vehicles fluid system and allowed to circulate.
2. The dye escapes with the system's fluid and remains at all leak sites.
3. When the system is scanned with a Ultraviolet or UV/Blue light inspection lamp, the dye highlights a brilliant yellow-green to pinpoint the exact source of every leak.
4. To check repairs, the residual dye is removed from the leak site with a degreaser.
5. Run the system to re-inspect the repair sites for additional leaks. No glow means all the leaks are repaired.

DYE-LITE® ALL-IN-ONE™ FULL SPECTRUM DYE

- For use on all oil-based fluids.
- Turns yellow-green under both ultraviolet and blue lights.
- For gasoline engine oil, diesel engine oil, gasoline, diesel fuel, automatic transmission fluid, power steering fluid and standard hydraulic and lubrication fluids.

PART NO.	NET WEIGHT	QTY.
7790	16 oz	1
7788	1 oz	6



SUGGESTED DILUTION RATIOS

FLUID	HOW MUCH TO USE
Engine Oil	
" Gasoline	1/2 oz per 4-6 qt
" Diesel	1/2 oz per 4 qt
Power Steering	1/2 oz per 4 qt
Automatic Transmission	1 oz per 12 qt
Fuel (Gasoline & Diesel)	1 oz per 12-18 gallons
Hydraulics (Petroleum-Based)	
" Light to Medium - Colored	1 oz per 4-6 gallons
" Very Dark or Intensely Blue	1 oz per 4-6 qt

DYE-LITE® LEAK FINDING DYE FOR ENGINE COOLANT

- Leak detection dye for all engine coolants and auto body leak checks.
- Works with any leak detection inspection lamps.

PART NO.	NET WEIGHT	QTY.
7791	16 oz	1
7789	1 oz	6



SUGGESTED DILUTION RATIOS

FLUID	HOW MUCH TO USE
Engine Coolant	1 oz per 4 gallons

LEAK FINDING DYE FOR AIR CONDITIONING SYSTEMS

- Multi-dose cartridge with universal dye for all refrigerant systems.

PART NO.	NET WEIGHT	QTY.
7792	4 oz	1



LEAK FINDING DYE FOR AIR CONDITIONING SYSTEMS

- Dye for AC&R systems.
- Description: 150 cSt viscosity
- Use with Injector, Part No. 7793.

PART NO.	SIZE	QTY.
7808	8 oz	1



LEAK FINDING KIT

- For finding all refrigerant and fluid leaks.

KIT CONTAINS:

- » (1) Optimax LED Flashlight with AC Charger
- » (1) Fluorescence-enhancing Glasses
- » (1) Glow-Away Dye Cleaner/Remover, 8 oz
- » (1) All-In-One Dye, 8 oz
- » (1) Dye-Lite, 8 oz
- » (2) Ez-Ject Universal Dye Cartridges, 1/2 oz
- » (1) EZ-Ject Dye Injector
- » (1) AC&R hose — R-134a
- » (1) R-12 Adapter/Purge Fitting
- » (1) Plastic Storage Case

PART NO.	QTY.
7770	1



OPTIMAX UV LIGHT

- 10 times brighter than regular LED lights.
- More than six hours of operation between charges.
- Power comparable to super high intensity 100 watt lamps.
- Inspection range up to 20 feet or more.
- Compatible with all leak detection dyes.
- Powered by a rechargeable NiMH battery.
- AC charger and fluorescence enhancing glasses included.



PART NO.	QTY.
7799	1

BIG EZ ASSEMBLY INJECTOR

- For use with the A/C cartridge.
- Provides more control for dispensing A/C dye.
- Less chance of the dye leaking from cartridge.

PART NO.	QTY.
7793	1



INJECTOR HOSE

- Hose assembly for BigEZ Injector.
- Includes a R134a coupler and R12/purge fitting - Low Side.

PART NO.	QTY.
7794	1



M50



PARTS WASHING CHEMICALS

OZZYJUICE® SW-3 TRUCK GRADE SOLUTION

- Neutral pH mixture of emulsifiers and surfactants containing no VOC's or solvents.
- Biodegradable, non-toxic, non-caustic, nonflammable, non-hazardous oil dispersant and degreaser.
- Does not contain any known carcinogens, non OSHA or DOT regulated chemicals, no ingredients requiring SAEA Title III reporting, no RCRA hazardous waste chemicals and no items on the CERCLA hazardous substance list.
- Efficient cleaner on:
 - » Motor oil bearing grease, automotive grease, impacted grease, creosote and resin products.
 - » Hydraulic fluid, transmission fluid and crude oil.
 - » 5th wheel grease, solder/flux and animal fat.
- Appearance: Clear freely flowing liquid
- Odor: Low
- Density: 1.0136g/ml
- pH: 7.3
- Flash Point: None

PART No.	SIZE	QTY.
85611	5 gal	1



OZZYJUICE® SW-4 HEAVY-DUTY DEGREASING SOLUTION

- Approved by AQMD in California as a Clean Air Solvent because it has virtually no VOCs.
- Carries the NSF mark.
- Product is so safe that it can be used on food handling equipment.
- More aggressive on synthetic greases.
- Stable over a wide range of temperatures.
- Color: Semi-Transparent Tan

PART No.	SIZE	QTY.
85617	5 gal	1



OZZYJUICE® SW-7 PARTS / BRAKE CLEANING SOLUTION

- Biodegradable.
- Non-toxic, non-caustic, non-flammable and non-hazardous oil dispersant and degreasing fluid.
- The SW-7 formula contains no OSHA or DOT regulated chemicals, no known carcinogens, no ingredients requiring SARA Title III reporting, no RCRA hazardous waste chemicals and no items on the CERCLA hazardous substance list
- Excellent cleaning efficiency on: crude oil, hydraulic transmission fluid, motor oil, solder and flux, bearing grease, automotive grease, resin products, fifth wheel grease, creosote, impacted grease, automotive varnish and burned on carbon.

PART No.	SIZE	QTY.
85616	5 gal	1



B'BLASTER® PARTS WASHER SOLVENT

- Cuts through cutting oil, water-soluble oil, motor oils and grease.
- Safe to use on all metals, most plastics and painted surfaces.
- Leaves no residue.
- High flash point formula 142° F.
- Contains no chlorinated solvents.

PART No.	NET WEIGHT	QTY.
5520	1 gallon	4



OZZYBOOSTER™ MICROBIAL ENHANCER

- Enhances or boosts microbial activity in the SmartWasher system, broadening the available territory in which Ozzys can breed and eat.
- Add when overused parts washing machine needs a boost.

PART No.	SIZE	QTY.
85618	4 oz	1



FL-3 SINGLE LAYER OZZYMAT™

- Designed to introduce microbes (Ozzys) into the SmartWasher System, a patented process and to help reduce excess clogging during its 30 days, or (1) month's use.
- Must be changed monthly which will keep the microbe colony healthy and keep your SmartWasher System working at peak performance.
- Designed for applications with normal to heavy usage.
- Made up of (1) white layer and (1) blue layer. The white layer on the mat is designed to trap any particulate larger than 50 Microns. The blue layer provides support for the microbes located in the mat. These microbes migrate from the OzyMat™ into the OzyJuice®, located in your SmartWasher tank and break down hazardous waste.

PART No.	SIZE	QTY.
85612	12" x 21"	1



FL-4 MULTI-LAYER OZZYMAT™

- Designed to introduce microbes (Ozzys) into the SmartWasher system, a patented process and to help reduce excess clogging during its 30 days, or (1) month's use.
- Must be changed monthly which will keep the microbe colony healthy and keep your SmartWasher system working at peak performance.
- Designed for applications with Normal to Heavy Usage.
- Made up of (4) white layers and (1) blue layer. The white layers on the mat trap any particulate larger than 50 microns and should be peeled away once a week for optimum performance. The blue layer is the support structure that contains the microbes and delivers them into the system. These microbes migrate from the OzyMat™ into the OzyJuice®, located in your SmartWasher tank and break down hazardous waste.

PART No.	SIZE	QTY.
85613	12" x 21"	1



NEUTRALIZER

- Smelly parts or not changing your OzyMat™ on time can sometimes cause an odor in your SmartWasher®.
- The simple solution to this predicament is our green-apple scented neutralizer.
- Just add (1) 4 oz. container directly into the SmartWasher to make odors disappear.

PART No.	SIZE	QTY.
85623	4 oz	1



M51



SHOP SUPPLIES

INSTRUMENTS & TOOLS

REFRACTOMETER – BATTERY & COOLANT CHECKER

- Scale measures specific gravity of battery fluid and measures the freezing temperature of anti-freeze.
- Measures both ethylene glycol and propylene glycol.
- Has adjustable eye piece to focus in on the reading.
- Has a one-year manufacturer's warranty against defects.
- Reads in Fahrenheit for:
 - » Ethylene glycol: -60°F to 32°F
 - » Propylene glycol: -50°F to 32°F
- Calibration is done with water.
- Compact and easy to carry.

PART No.	QTY.
5987	1



DIGITAL REFRACTOMETER

- Used for measuring concentration and freezing temperature (°F) of ethylene glycol solutions that are used as coolant, antifreeze, deicing, or anti-icing mixtures.
- Measurements in 3 seconds.
- Automatic temperature compensation.
- Calibration with water only.
- Requires only a few drops of samples.

PART No.	QTY.
5986	1



ELECTRONIC HEAT GUN

- Variable temperature control from 250° F to 1,100° F.
- Two speed motor selector switch.
- Rating: 120 V; 1,200 watts at 10 amps
- Meets UL and CSA approvals.
- Lightweight at 1.8 lbs.

PART No.	DESCRIPTION	QTY.
71147	Electronic Heat Gun	1
71148	Replacement Deflector	1



HANDS FREE BUTANE MICRO TORCH

- Torch ships empty.
- Anti-flare, hands-free operation.
- Torch is refillable, automatic, adjustable, self-igniting and has a 2500°F (1,300° C) flame.

PART No.	QTY.
71339	1



Note: Imperial Supplies will not sell or ship butane. Butane can be purchased locally. Blazer Triple Refined Butane is recommended.

BUTANE MICRO TORCH

- Compact size allows it to be carried anywhere and easily fits into tool kits.
- Flame temperature up to 2,500° F, (1,300° C).
- Wind-proof flame and water-resistant ignition.
- Built-in safety lock with easy to use self-ignition system.
- Nonstop run time of approximately 20 minutes.
- Built-in fuel level viewing window.
- Comes with one refillable butane fuel cell.

PART No.	QTY.
71145	1



If you can't find the products you are looking for, call us and we will find it for you.

M52

MEASURING TAPE

- Tape Style: Blade
- Blade Length: 30'
- Blade Width: 1"
- Graduation Type: Inch/Feet
Inches To 16ths, Standout.
- ABS plastic case.

PART No.	QTY.
9005	1



BOLT CUTTER

- Heavy duty.
- Full 36" length.
- Replaceable jaws, part number 6449.
- All steel construction.
- Rubber cushion grips.
- Adjustable cutting edges.

PART No.	QTY.
6448	1



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

INSTRUMENTS & TOOLS

PERMANENT RARE EARTH MAGNETIZED WAND

- The wands powerful magnet quickly and safely picks up metal chips, fasteners, nuts, bolts and more.
- Simply wave wand over debris and release by pulling the knob.
- Magnetic strength: 15 lbs

PART No.	LENGTH	DIAMETER	QTY.
82345	15-3/5"	1"	1



MAGNETIC PICKUP

- Magnet Capacity: 2 lbs
- Telescopes from 6-1/2" to 27".
- Cushion grip and ABS plastic handle.
- Stainless steel telescoping wand.
- Magnet holder is reinforced nylon with adjustable double ball joints.

PART No.	QTY.
82348	1



MAGNETIZER / DEMAGNETIZER

- Super C8 magnets.
- Magnetize tools and parts or demagnetize as needed.
- No batteries required.

PART No.	QTY.
82347	1



MAGNETIC SWEEPER

- 24" sweeping width.
- Magnet will pick up 7.5 lbs of 8-penny nails, about 680 pieces.
- Easy to operate over most terrain.
- Light aluminum housing.
- Wheel diameter: 6"

PART No.	QTY.
82346	1



MECHANICS WIRE

MECHANICS WIRE

- Heat treated.



PART No.	GAUGE	WIRE DIAMETER	ROLL SIZE	APPROX. FOOT PER POUND	FINISH	QTY.
71497	14	.073 - .080	2 lb	58'	Black	1
71499	16	.055 - .0625	5 lb	96'	Galvanized	1
71500	18	.0475 - .042	5 lb	166'	Galvanized	1

Cut costs by reducing your vendors. Imperial's Specialty Programs can help.

SAFETY LOCK WIRE

- General purpose annealed wire in one pound canister.
- Used in aircraft and general applications where locking fasteners in place is required.
- Meets ASTM A580 chemistry.
- Material: Stainless Steel- Type 302/304

PART No.	GAUGE	WIRE DIAMETER	APPROX. LENGTH	QTY.
71571	22	.025	595'	1
71624	20	.032	362'	1



*Allen
Product Manager*

Resourceful...

"It's all about doing my homework, looking for options and alternatives for my customers, finding the best quality at a reasonable price."

M53




SHOP SUPPLIES

PAINT SUPPLIES

DEEPWELL PLASTIC ROLLER TRAY


- Standard 11" deep well roller tray.
- Recycled plastic for easy cleaning and durability.
- Reusable.
- Solvent resistant.
- Disposable liner Part No. 82281 for fast clean-up.



PART No.	DESCRIPTION	QTY.
82280	11" Paint Tray	6

DEEPWELL PLASTIC ROLLER TRAY LINER

- Standard 11" deep well roller tray liner.
- Use with Part No. 82280.



PART No.	DESCRIPTION	QTY.
82281	11" Paint Tray Liner	25

MINI ROLLER TRAY

- Fits up to a 7" roller.
- Multipurpose.
- Solvent resistant.
- Reusable.



PART No.	DESCRIPTION	QTY.
82282	7" Paint Tray	6

FLOOR PROTECTOR

- Protects the floor from paint spills.
- Hold either quart or gallon metal cans.
- Provides a place to lay paint brush, paddle, rags and other accessories.
- When locked in place, can and tray can be moved together.



PART No.	COLOR	QTY.
82290	Black	2

DROP CLOTH

- Absorbent paper/plastic drop cloth.
- Ideal for floor and furniture masking.



PART No.	SIZE	QTY.
82286	9' x 12'	1

EZ POUR™ REPLACEMENT LID

- Fits one gallon metal paint cans.
- Convenient pour spout.
- Snap-on cap for storage.
- Eliminates contamination.
- Reusable.



PART No.	QTY.
82283	2

GALLON TURBO® PAINT MIXER

- Fast, complete mixing.
- Fits 3/8" drill.
- Reusable.
- Made from durable recycled plastic.



PART No.	QTY.
82284	1

PLASTIC PAINT PADDLE STIR STICK

- Holes promote thorough mixing of paint.
- Made from recycled plastic.
- Reusable.



PART No.	QTY.
82285	10

MIX'N MEASURE PLASTIC CONTAINER

- Quart size.
- Plastic, reusable.
- Ounce and metric graduated measurements.
- Flat bottom for easy mixing.
- Solvent resistant.
- Safe to use with paints, pastes and adhesives.
- Container and lid sold separately.



PART No.	DESCRIPTION	QTY.
82312	Quart Container	2
82313	Lid	2

RIM PAINTER'S HUBB CAPP™

- Eliminates the need to tape and paper mask your wheels when painting the rims.
- Fits most standard rear truck and bus hubs.
- Reusable and durable.
- Made from HDPE.
- Size: 9" high x 8.75" wide



PART No.	COLOR	QTY.
82289	Blue	4

M54



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM

PAINT SUPPLIES

CHIP AND OIL BRUSHES

- Economical brush.
- Plated ferrule.
- Durable handle.

PART NO.	WIDTH	THICKNESS	BRISTLE LENGTH	QTY.
82205	1/2"	1/4"	1-1/2"	5
82206	1"	5/16"	1-5/8"	5
82207	1-1/2"	5/16"	1-5/8"	5
82208	2"	5/16"	1-5/8"	4
82209	2-1/2"	3/8"	1-3/4"	2
82220	3"	3/8"	1-3/4"	2



FOAM PAINT BRUSH

- Single use foam brush.
- Use on smooth surfaces with all paints, stains, varnishes, urethanes, melamine and gloss paints.
- DO NOT USE with shellac or lacquer.

PART NO.	SIZE	QTY.
82288	1"	12



DISPOSABLE PAINT BRUSHES

- White bristle.
- Plated ferrule.
- Wood handle.


PART NO.	WIDTH	TRIM LENGTH	QTY.
82190	2"	1-1/2"	5
82191	3"	1-1/2"	5
82254	4"	1-7/8"	5



PAINT & VARNISH BRUSHES

- Durable handle.
- Plated ferrule.

PART NO.	WIDTH	THICKNESS	TRIM LENGTH	QTY.
82252	2"	1/2"	2-1/4"	1
82253	4"	5/8"	2-3/4"	1




See page L2
for MRO Paint.

DURABLE ROLLER FRAME

- Four-wire cage construction with nylon end caps.
- 5/16" plated shank with threaded synthetic grip handle.

PART NO.	DESCRIPTION	OVERALL LENGTH	FOR INSIDE DIAMETER	QTY.
82260	9" Width Handle	15"	1-1/2"	1
82267	3" Wide Roller	12"	1-1/2"	1



PAINT ROLLER

PART NO.	DESCRIPTION	SURFACE	PILE LENGTH	INSIDE DIAMETER	QTY.
82261	9" Roller	Semi-rough	1/2"	1-1/2"	2
82262	9" Roller	Smooth	1/4"	1-1/2"	2
82263	9" Roller	Smooth/Semi-rough	3/8"	1-1/2"	1
82265	3" Roller	Lint Resistant	1/4"	1-1/2"	4
82268	3" Roller	Smooth	1/4"	1-1/2"	1



SINGLE WIRE FRAME AND PAINT ROLLER

- Professional caliber long handle.
- Roller frame offers 12" reach.
- Roller is 4" x 1/2" polyester cover.

PART NO.	DESCRIPTION	OVERALL LENGTH	QTY.
82269	4" Polyester Roller	4"	6
82270	4" Wire Frame, 1 Roller	12"	1



TELESCOPING FIBERGLASS POLE

- Heavy-duty construction with acme threads.
- Use with floor brushes and paint roller frames.

PART NO.	OVERALL LENGTH	QTY.
82194	4-8"	1



See L1-L3 for our complete
listing of paints.

See M12 for more Extension
Poles and Handles.



SHOP SUPPLIES

DRINK MIXES

GATORADE® DRINK MIXES

- Provides proper electrolyte levels that promotes rehydration by aiding water absorption.
- Just add water.

PART NO.	DESCRIPTION	NET WT	YIELD	QTY.
85630	Gatorade® Fruit Punch	1.0 oz	16.9 oz	8
85631	Gatorade® Lemon Lime	1.0 oz	16.9 oz	8
85632	Gatorade® Orange	1.0 oz	16.9 oz	8
85633	Gatorade® G2 Grape	0.5 oz	16.9 oz	8
85634	Gatorade® G2 Fruit Punch	0.5 oz	16.9 oz	8
85640	Gatorade® Glacier Freeze	21 oz	2.5 gal	1
85641	Gatorade® Lemon Lime	21 oz	2.5 gal	1
85642	Gatorade® Orange	21 oz	2.5 gal	1
85643	Gatorade® Fruit Punch	21 oz	2.5 gal	1
85644	Gatorade® Riptide Rush	21 oz	2.5 gal	1
85650	Gatorade® Glacier Freeze	51 oz	6 gal	1
85651	Gatorade® Lemon Lime	51 oz	6 gal	1
85652	Gatorade® Orange	51 oz	6 gal	1
85653	Gatorade® Fruit Punch	51 oz	6 gal	1
85654	Gatorade® Riptide Rush	51 oz	6 gal	1

Imperial
continuously
adds new
products.



WATER COOLERS & ACCESSORIES

IGLOO® WATER COOLER

- Portable, insulated, plastic water cooler with spigot.
- Comes with swing top handle, with a lid keeper cord.
- White FDA Grade inner liner is easy to clean and resists stains and odors.
- HDPE hide won't chip, peel, buckle or rust.
- "Drinking Water" imprint meets OSHA requirements.

PART NO.	CAPACITY	QTY.
3827	3 Gallons	1
3828	10 Gallons	1



M56

IGLOO® PLASTIC CUP DISPENSER

- Fits coolers:
 - » 3 gallon, Part No. 3827
 - » 5 gallon
 - » 10 gallon, Part No. 3828
 - » 15 gallon
- Holds up to 250 4-1/4 oz cups.
- Made from a durable plastic.

PART NO.	QTY.
3829	1



PAPER CONE DRINKING CUPS

PART NO.	CAPACITY	QTY.
85660	4-1/2 oz	200
85660-4	4-1/2 oz	1,000



CALL 1-800-558-2808 / FAX 1-800-553-8769 / WWW.IMPERIALSUPPLIES.COM