SAFETY DATA SHEET.

Issuing date 20-May-2015

Revision Date 29-Aug-2018

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier 4629-0 GALLON VINYL PROTECTOR **Product name** Recommended use of the chemical and restrictions on use F01660 Product code Product Type Non-flammable liquid None Synonyms Supplier's details **Recommended Use** Vinyl Protector. No information available Uses advised against Manufactured For: Manufacturer American Jetway Corporation Imperial Supplies LLC 789 Armed Forces Drive 34136 Myrtle Street P.O. Box 11008 Wayne, MI 48184-0126 Green Bay, WI 53407-1008 Phone:(734) 721-5930 1-800-558-2808 Emergency telephone number **Chemical Emergency Phone** CHEMTREC: 1-800-262-8200 ID 1195 (UNITED STATES) Number

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

GHS Label elements, including precautionary statements

Not classified

The product contains no substances which at their given concentration, are considered to be hazardous to health

Emergency Overview

Appearance Opaque

Physical state Liquid

Odor Slight Fragrance

Hazards not otherwise classified (HNOC)

None

Other information

0.875% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
SODIUM NITRITE	7632-00-0	<1

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	Avoid contact with eyes, skin, and clothing.	
Eye contact	Immediately flush with plenty of water for at least 15 minutes. After initial flushing, remove any contact lenses and continue flushing. Seek immediate medical attention/advice.	
Skin contact	Wash off with soap and plenty of water. Remove and wash contaminated clothing before re-use. Rinse immediately with plenty of water for 15 minutes and seek medical advice if skin irritation persists.	
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately.	
Ingestion	Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person.	
Most important symptoms/effects, acute and delayed		
Main Symptoms	Not applicable.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

Explosion Data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge none.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use with adequate ventiliation to keep the exposure levels below the OELS. Follow safe handling advice and personal protective equipment recommendations.		
Environmental precautions			
Environmental precautions	Vapors can accumulate in low areas. Report spills as required by local and federal regulations. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Should not be released into the environment.		
Methods and materials for containn	nent and cleaning up		
Methods for Containment	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains.		
Methods for cleaning up	Soak up with inert absorbent material. Contain liquid and collect with an inter, non-combustible material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Prevent product from entering drains. Take precautionary measures against static discharges.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.		
Conditions for safe storage, includi	ing any incompatibilities		
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces, and sources of ignition. Keep in properly labeled containers. Keep out of the reach of children. Store locked up. Keep cool.		
Incompatible products	Strong acids, alkalis, oxidizing agents.		
8. EX	8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

Control parameters

 Exposure Guidelines
 This product does contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

 ACGIH: (American Conference of Governmental Industrial Hygienists)
 OSHA: (Occupational Safety & Health Administration)

Exposure controls

Engineering MeasuresShowersEyewash stationsVentilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses with side-shields.
Skin and body protection	Chemical resistant apron. Protective gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Appearance Color	Liquid Opaque White	Odor Odor Threshold	Slight Fragrance
<u>Property</u> pH Melting/freezing point Boiling point/boiling range	<u>Values</u> 7.89 No information available	Remarks • Methods +/- 0.50	
Flash Point Evaporation rate Flammability (solid, gas)	No information available No information available	Not flammable	
Flammability Limits in Air upper flammability limit lower flammability limit			
Vapor pressure Vapor density Specific Gravity	1.001		
Water solubility Partition coefficient: n-octanol/wate Autoignition temperature Decomposition temperature	Miscible with water er No information available		
Viscosity Explosive properties	No information available		
Other information			
VOC Content(%) EPA VOC (g/l) Actual VOC (lb/gal) MIR Value	2 20 0.2 0		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

<u>Conditions to Avoid</u> Extremes of temperature and direct sunlight.

Incompatible Materials

Strong acids, alkalis, oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

F01660 - 4629-0 GALLON VINYL PROTECTOR

Product Information

Inhalation	Respiratory irritation may occur if excessive exposure to product by inhalation.
Eye contact	Eye irritation may occur if excessive exposure to product occurs.
Skin contact	Skin irritation may occur if person excessively exposes product to the skin.
Ingestion	Not acutely toxic. May be harmful if swallowed.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
SODIUM NITRITE 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

Excessive exposure to the product may result in eye, skin, or respiratory irritation. Under normal conditions of intended use, this product does not pose a risk to health.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	Not a known sensitizer.
Germ Cell Mutagenicity	Not a germ cell mutagen.
Carcinogenicity	There are no known carcinogenic chemicals in this product.
IARC: (International Agency for Res	earch on Cancer)
Group 2A - Probably Carcinogenic to H	
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Specific target organ systemic	No known effect based on information supplied.
toxicity (single exposure)	
Specific target organ systemic	No known effect based on information supplied.
toxicity (repeated exposure)	
Chronic toxicity	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and potential cardiac arrest.
Target Organ Effects	No known effects under normal use conditions.
Neurological effects	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or
-	fatal.
Aspiration hazard	No information available.
Numerical measures of toxicity - Pr	oduct Information
Unknown Acute Toxicity	0.875% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document . 56667 mg/kg

ATEmix (oral)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
---------------	-------------------	------------------	-------------------------------	--------------------------------------------------------

F01660 - 4629-0 GALLON VINYL PROTECTOR

SODIUM NITRITE	- 0.19 mg/L LC50	-	-
7632-00-0	Oncorhynchus mykiss 96h		
	flow-through 0.092 - 0.13		
	mg/L LC50 Oncorhynchus		
	mykiss 96h flow-through 0.4	•	
	- 0.6 mg/L LC50		
	Oncorhynchus mykiss 96h		
	semi-static 0.65 - 1 mg/L		
	LC50 Oncorhynchus mykiss		
	96h static 2.3 mg/L LC50		
	Pimephales promelas 96h		
	flow-through 20 mg/L LC50		
	Pimephales promelas 96h		
	static		

Persistence and degradability

Bioaccumulation

Chemical Name	log Pow
SODIUM NITRITE	-3.7
7632-00-0	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods	It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.
Contominated neckaging	Do not to use empty containers

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground	NOT REGULATED

ΙΑΤΑ	NOT REGULATED
IMDG	NOT REGULATED

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
SODIUM NITRITE	Х	X	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

F01660 - 4629-0 GALLON VINYL PROTECTOR

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
SODIUM NITRITE - 7632-00-0	7632-00-0	<1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Star Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does contain the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
SODIUM NITRITE 7632-00-0	100 lb			Х

CERCLA

This material, as supplied, does contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

		RQs	
SODIUM NITRITE 7632-00-0	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
SODIUM NITRITE	Х	Х	Х
7632-00-0			

EPA Pesticide Registration Number Not applicable

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION					
NFPA_	Health Hazard 1	Flammability 0	Instability 0	Physical and chemical hazards	
HMIS	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal protection B	
Prepared By	34136 M	n Jetway Corporation lyrtle Street MI 48184-0126			
Issuing date Revision Date Revision Note	20-May- 29-Aug-2	2015			

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet