

SPILL KITS

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: STARDUST Spill Kits

| Part No. | STARDUST Spill Kits | | | |
|----------|--|--|--|--|
| D560 | STARDUST Wall Mount Spill Kit | | | |
| D710 | STARDUST Quick Response Spill Kit | | | |
| D715 | STARDUST Quick Response II Spill Kit | | | |
| D920P | STARDUST 20-Gallon Oil-Only Spill Kit | | | |
| D920U | STARDUST 20-Gallon Universal Spill Kit | | | |
| D930P | STARDUST 30-Gallon Oil-Only Spill Kit | | | |
| D930U | STARDUST 30-Gallon Universal Spill Kit | | | |

| Part No. | STARDUST Spill Kits | | | |
|----------|--|--|--|--|
| D932PW | STARDUST 32-Gallon Oil-Only Wheeled Spill Kit | | | |
| D932UW | STARDUST 32-Gallon Universal Wheeled Spill Kit | | | |
| D950P | STARDUST 95-Gallon Catastrophic Oil-Only Wheeled Spill Kit | | | |
| D950U | STARDUST 95-Gallon Catastrophic Universal Wheeled Spill Kit | | | |

PRODUCT FORM: Nylon Bags, Plastic Drums, Sorbent Fabrics

PRODUCT DESCRIPTION: Nylon bags and plastic drums filled with assorted pads, socks, pillows and rolls designed to absorb all types of liquids, water and oil based. Not recommended for aggressive fluids. Color coded for identification in Gray (Universal Spills), White (Oil-Only Spills), and Yellow (Hazardous Substance Spills).

SUPPLIER NAME AND ADDRESS:

Paradigm International, Inc. 45 Mirador Irvine, CA 92162 USA

SUPPLIER PHONE NUMBER: 714-550-4999

EMERGENCY TELEPHONE NUMBER: 714-550-4999

EMAIL: <u>info@stardustpillproducts.com</u> **WEB**: <u>www.stardustspillproducts.com</u>

SECTION 2: HAZARD(S) IDENTIFICATION

This product is not classified as hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR

1910.1200)

HAZARD STATEMENTS: None

PRECAUTIONARY STATEMENTS: None

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC): None

OTHER INFORMATION: None

HAZARD SYMBOLS/PICTOGRAMS: None required

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| INGREDIENTS | PERCENT | CAS NUMBER | OSHA PEL | ACGIHTLV |
|--------------------|----------------|-------------------|----------|-----------------|
| Polypropylene | 98.3% | 9003-07-0 | N/A | N/A |
| Surfactant | 1.4% | N/A | N/A | N/A |
| Color dye | 0.3% | N/A | N/A | N/A |

Page 1 of 4 - SDS for STARDUST Spill Kits

SECTION 4: FIRST AID MEASURES

EYE CONTACT:

Use eyewash, or flush with water for 15 minutes consult physician if accompanied by pain or irritation.

SKIN CONTACT: N/A INHALATION: N/A INGESTION: N/A

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT: 329° C (625° F) **AUTO IGNITION**: 357° C (675° F)

FLAMMABLE LIMITS: N/A

FIRE EXTINGUISHING MEDIA: Water, Foam, CO2, Dry Chemical **SPECIAL FIRE FIGHTING PROCEDURES:** Standard procedures for Class A fires

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Some carbon monoxide formation is possible under oxygen-lean conditions. Matting will not support combustion. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the SDS for the chemical absorbed before proceeding

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES:

If material is unused, sweep or pick up and dispose of as a non-hazardous material.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING AND STORAGE: Store in dry area. Do not store near open flame, high heat, strong oxidants, or halogenated hydrocarbons. Polypropylene, when heated, becomes very sticky and will burn. Use self-contained air masks to entersmoky area in the event of fire. Adequate ventilation is required to remove decomposition products when temperature exceeds melting point. Avoid contact with melted product.

Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the SDS for the chemical absorbed before proceeding

INCOMPATIBLE MATERIALS: Strong oxidizers, strong acids, strong alkalines

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING PROTECTION: None Required **RESPIRATORY PROTECTION:** None Required

VENTILATION: None Required

PROTECTIVE GLOVES: Not required. However, use of cloth, canvas or leather gloves is a good industrial practice. **EYE PROTECTION:** Safety glasses with side shields are recommended as a good practice for industrial safety.

OTHER PROTECTIVE EQUIPMENT: None Required

GENERAL HYGIENE MEASURES: Wash after handling, especially before eating, drinking or smoking.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Gray, White, or Yellow and virtually odor free

 SPECIFIC GRAVITY:
 0.88 - 0.92

 BOILING POINT (C):
 Not Applicable

 MELTING POINT (C):
 >160° C (320° F)

 FLASH POINT(C):
 625 ° C (1157° F)

SOLUBILITY IN WATER: Insoluble

PERCENT VOLATILE BY VOLUME: N/A
EVAPORATION RATE: N/A
VAPOR PRESSURE (mm Hg): N/A
VAPOR DENSITY (Air = 1): N/A

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Stable

CHEMICAL STABILITY: Hazardous reactions will not occur under normal conditions\

CONDITIONS TO AVOID: Strong oxidizing agents may degrade product over an extended period of time

INCOMPATIBLE MATERIALS: Strong oxidizing agents

HAZARDOUS DECOMPOSITION: When heated, it may emit toxic fumes

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Products are inert. N/A

SECTION 12: ECOLOGICAL INFORMATION

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal must be done in accordance with local, state and federal regulations based on chemicals adsorbed by products. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous.

Always refer to the SDS for the chemical absorbed before proceeding

SECTION 14: TRANSPORT INFORMATION

DOT: Not regulated TDG: Not regulated ICAO: Not regulated IATA: Not regulated

IMDG/IMO: Not regulated ADR/RID: Not regulated

SECTION 15: REGULATORY INFORMATION

TSCA: Not regulated DSL/NDSL: Not regulated

CERCLA: This product is not subject to reporting

OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200: Not listed

SARA TITLE III:

SECTIONS 311/312: Not applicable SECTIONS 313: Not applicable SECTIONS 302: Not applicable

CAA (CLEAN AIR ACT): Not applicable CWA (CLEAN WATER ACT): Not applicable CALIFORNIA PROPOSITION 65: Not applicable STATE RIGHT TO KNOW LISTS: Not applicable

WHMIS: Not applicable

SECTION 16: OTHER INFORMATION

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.

DATE ISSUED: May 1, 2015

Revision Date: N/A

Prepared By: Paradigm International, Inc