1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Leather Cleaner & Conditioner **PRODUCT TYPE:** Neutral Liquid Vehicle Dressing

PRODUCT NUMBER: S3289XXX (Last 3 characters vary with the packaging)

CONTROL NUMBER:..... S3289XXX

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536

www.simoniz.com

EMERGENCY PHONE: (800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Eye Irritation (2B)

SYMBOLS:....

SIGNAL WORD: WARNING!

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling.

RESPONSE:..... IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

rinsing. If eye irritation persists get medical advice/attention.

STORAGE:......N/A
DISPOSAL:.....N/A

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT
Water
7732-18-5
Hydrotreated Light Distillates
Polydimethylsiloxane
Oleic Diethanolamide
C.A.S. NUMBER
7732-18-5
64742-47-8
63148-62-9
68155-20-4

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 - FIRST-AID MEASURES

BREATHING (INHALATION): .. If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: Inhalation, skin absorption, or ingestion.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:>180 degrees F.

EXTINGUISHING MEDIA: Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol

resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:.....Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:..... None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:..... Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE:..... Store in a cool, well ventilated area. Avoid overheating or

freezing.

HANDLING: Do not place this product in an unmarked container! Keep away

from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty

container.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:.....Not usually needed. Vapors not normally

harmful.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES:..... Do not place this product in an unmarked container! Keep away

from children! Spilled material is slippery. ATTENTION: Empty

containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

PEL

C.A.S. NUMBER

Water	7732-18-5	No limits established
Hydrotreated Light Distillates	64742-47-8	500 ppm PEL
Polydimethylsiloxane	63148-62-9	No limits established
Oleic Diethanolamide	68155-20-4	No limits established

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR:....... Slightly viscous white liquid, pleasantly scented.

ODOR THRESHOLD: N/A **pH:** 6.5-7.5

MELTING POINT: 210 degrees F.

INGREDIENT

FREEZING POINT: N/A

BOILING POINT: 210 degrees F.

BOILING POINT RANGE: N/A

FLASHPOINT:>180 degrees F.

EVAPORATION RATE: N/A
FLAMMABILITY (solid/gas): ... N/A
EXPLOSION LIMITS: N/A
VAPOR PRESSURE: N/A

VAPOR DENSITY (AIR=1): Greater than 1.

SPECIFIC GRAVITY:..... 0.99

SOLUBILITY IN WATER: Dispersible.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Significant body

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions. **HAZARDOUS DECOMP.:** This product not known to polymerize. **INCOMPATIBILITY:** Do not mix with other chemicals.

11 - TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:..... Inhalation, skin absorption, or ingestion.

LISTED CARCINOGEN: None over 0.1%.

MEDICAL CONDITION AGGRAVATED:May aggravate pre-existing dermatitis.

mists or vapors. Maintain adequate ventilation in the work area.

INGESTION: Swallowing even small amounts may be harmful. Effects may be nausea, headache, vomiting and central nervous system depression. EYES: May cause severe eye irritation. SKIN (DERMAL): This product may cause irritation if not removed from the skin. Prolonged exposure may cause central nervous system depression. ACUTE TOXICITY* (ORAL): 2000 mg/kg ACUTE TOXICITY* (DERMAL): 2000 mg/kg ACUTE TOXICITY* (INHALATION): 200,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust) *Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)		
12 – ECOLOGICAL INFORMATION		
ENVIRONMENTAL FATE AND DISTRIBUTION: N/A		
13 -DISPOSAL CONSIDERATIONS		
WASTE DISPOSAL: As recommended by local, state and federal authorities.		
14 – TRANSPORTATION INFORMATION		
PROPER SHIPPING NAME: Not D.O.T. regulated in these container sizes. HAZARD CLASS:		
15 - REGULATIONS		
Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200		
16 – OTHER INFORMATION		
NFPA HEALTH:		
ADDITIONAL:		

this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE: 06/22/15