DJ CONCRETE CLEANER - ORANGE

UNCONTROLLED DOCUMENT Version 1.0030
Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date 03/04/2015
ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites. Print Date 04/26/2017



Section 1. Chemical product and company identification

Product Name: DJ CONCRETE CLEANER - ORANGE

Product use: Floor degreaser

Contact Information: Warsaw Chemical Co., Inc.

P.O. Box 858

Warsaw, IN 46581 Tel: 1.800.548.3396 Fax: 1.574.267.3884 Emergency Phone: INFOTRAC

800.535.5053 USA & Canada 352.323.3500 International

Section 2. Hazards identification

GHS Classification:

Skin corrosion/irritation(Category 2) Serious eye damage/eye irritation(Category 2A) Acute toxicity, oral(Category 4)

Pictogram(s):



Signal Word: WARNING

Hazard Statements:

H315 Causes skin irritation H319 Causes serious eye irritation

H302 Harmful if swallowed

Precautionary Statement(s):

P264 Wash ... thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P362 Take off contaminated clothing and wash before reuse

P270 Do not eat, drink or smoke when using this product

P501 Dispose of contents/container in accordance with federal, state and/or local regulations

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

P337+313 If eye irritation persists get medical advice/attention

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P332+313 If skin irritation occurs: Get medical advice/attention

P302+352 IF ON SKIN: Wash with soap and water

DJ CONCRETE CLEANER - ORANGE

UNCONTROLLED DOCUMENT

Version

Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date 03/04/2015 04/26/2017

1.0030



Section 3. Composition/information on ingredients

| <u>Name</u> | <u>CAS number</u> | % Less Than |
|---------------------|-------------------|-------------|
| Sodium Metasilicate | 6834-92-0 | 40.0000 |
| Alkali Salt | 497-19-8 | 60.0000 |
| Dye | 2321-07-5 | 0.1000 |
| Pine Oil Mixture | PROPRIETARY | 1.0000 |
| Solvent | 8052-41-3 | 2.0000 |
| | | |

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

Section 4. First aid measures

Check for and remove contact lenses. Immediately flush eyes with plenty of Eye contact:

water for at least 15 minutes, occasionally lifting the upper and lower

eyelids. Get medical attention immediately.

Skin contact: Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes

thoroughly before reuse. Get medical attention if irritation develops.

Move exposed person to fresh air. If breathing is irregular or if Inhalation:

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen clothing. Get medical attention immediately.

Wash out mouth with water. Do not induce vomiting unless directed to do so Ingestion:

by medical personnel. Never give anything by mouth to an unconscious

person. Get medical attention immediately.

General: Physicians: No specific treatment. Treat symptomatically. Contact poison

treatment specialist if large quantities have been inhaled or ingested.

Safety Data

DJ CONCRETE CLEANER - ORANGE

UNCONTROLLED DOCUMENT

Version Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date Print Date

03/04/2015 04/26/2017

1.0030

ORDERS: 800-548-3396 • PHONE: 574-267-3251 • FAX: 574-267-3884

Fire-fighting measures Section 5.

Flammability: In a fire or if heated, a pressure increase will occur and the container

may burst.

Use an extinguishing agent suitable for the surrounding fire. Extinguishing Media:

Protective Equipment: Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA) with full face-piece operated in

positve pressure mode.

Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/ Additional Information:

oxides, halogenated compounds.

Accidental release measures Section 6.

No action should be taken involving individual risk or without suitable Personal Precautions:

training. Isolate area. Avoid contact with material. Do not breath vapors. Provide adequate ventilation. Wear proper personal protective equipment.

Environmental: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform relevant authorities if the product

reaches sewers, waterways or soil.

Containment/Cleanup: Stop leak if without risk. Move containers from spill area. Contain or

absorb with inert dry material. Dispose of according to local regulations. See Section 1 for emergency contact information and 13 for waste disposal.

7. Handling and storage Section

Safe Handling: Wear appropriate personal protective equipment (see Section 8). Eating

drinking and smoking should be prohibited. Do not get into eyes or on skin

Do not ingest. Keep containers tightly closed. Do not reuse container.

Safe Storage: Store in accordance with local regulations. Store in original container

away from foods, drink and incompatible materials. Keep container tightly

closed. Do not store unlabeled. Use appropriate containment.

DJ CONCRETE CLEANER - ORANGE

UNCONTROLLED DOCUMENT

Version Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date Print Date

03/04/2015 04/26/2017



Exposure controls/personal protection Section 8.

Apply technical measures to comply with occupational exposure limits. Engineering Controls: Mechanical ventilation, eyewash stations, showers where necessary.

Eye Protection:

Safety eyewear/face shield complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure

to liquid splashes, mists or dusts.

Respiratory Protection: Use a properly fitted air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the safe working limits of the chosen respirator.

Hand Protection: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

Personal protective equipment for the body should be selected based on the Skin Protection:

task being performed and the risks involved and should be approved by a

specialist before handling this product.

| COMPONENT | ACGIH TWA ppm | OSHA/NIOSH STEL ppm | OSHA/ACGIH STEL mg/m3 |
|--------------------------------|------------------|---------------------------|-----------------------------|
| Sodium Metasilicate Solvent | N/A 100 | N/A | |

Physical and chemical properties Section 9.

Physical State: Powder Color: Orange Odor: Pine Odor Threshold: N/E

:Hq 12.0 @ 1% SOL.

Melting Point: N/E Freezing Point: N/E Boiling Point: N/E

Flash Point: Nonflammable

Evaporation Rate: N/E

Flammability: Nonflammable

Upper Explosive Limits: N/A Lower Explosive Limits: N/A Vapor Pressure: N/E Vapor Density: N/E Relative Density: N/E Solubility: N/E Partition coefficient: N/E Auto-Ignition Temperature: Decompostion Temperature: N/E Specific Gravity: 1.057 % Volatile: N/E

Safety Data

DJ CONCRETE CLEANER - ORANGE

Version

1.0030 03/04/2015

ORDERS: 800-548-3396 • PHONE: 574-267-3251 • FAX: 574-267-3884 www.warsaw-chem.com

UNCONTROLLED DOCUMENT Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date Print Date 04/26/2017

Stability and reactivity Section 10.

Reactivity: Non reactive

Chemical stability: Stable under normal conditions.

Possibility of

None known

hazardous reactions:

Conditions to avoid:

Excessive heat or open flame.

Incompatible materials: Avoid contact with acidic materials and strong oxidizers.

Hazardous Decomposition

Products:

Dermal:

Under normal conditions, none are known

Toxicological information Section 11.

Routes of entry: Inhalation X Absorption Ingestion Acute Exposure Hazards: Eye contact: Irritation, stinging, redness, burns.

Irritation, burns upon prolonged exposure.

Oral: Nausea, vomiting.

Not expected route of entry. Irritation Inhalation:

COMPONENT Result Species Exposure Dose Sodium Metasilicate LD50 ORAL Rat-Male and female 1,152-1,349 MG/KG Danio rerio (Zebra fish) 210 MG/L 96 hours LC50 LD50 INTRAVENOUS Mouse 300 mg/kg Dye Solvent 5.0 mg/kg

DJ CONCRETE CLEANER - ORANGE

Version

03/04/2015

1.0030 UNCONTROLLED DOCUMENT Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date 04/26/2017

No data available.



Section 12. Ecological information

No data available. Ecotoxicity: Persistance & degradability: No data available. Bioaccumulative potential: No data available.

Mobility in soil: Other adverse effects: No data available.

Component Result Species Dose Exposure

Section 13. Disposal considerations

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of this product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

% Less Than

Transport information Section 14.

DOT (US)

UN Number: N/A

Shipping Name: Technical Name: Hazard Class:

Packaging Group: N/A

Section 15. Regulatory information

CAS No.

SARA 313 Components

California Prop. 65 Components CAS No. % Less Than

Safety Data

DJ CONCRETE CLEANER - ORANGE

Version Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date

1.0030 03/04/2015 04/26/2017 ORDERS: 800-548-3396 • PHONE: 574-267-3251 • FAX: 574-267-3884

Section 16. Other information

Hazardous Material Information System (U.S.A.)

UNCONTROLLED DOCUMENT


| Health Hazard | 2 |
|---------------------|-----|
| Fire Hazard | 0 |
| Reactivity | 0 |
| Personal Protection | (B) |

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

PERSONAL PROTECTION INDEX

| А | Safety Glasses | |
|------------------------------|---|--|
| В | Safety Glasses, Gloves | |
| С | Safety Glasses, Gloves, Apron | |
| D Face Shield, Gloves, Apron | | |
| E | Safety Glasses, Gloves, Dust Respirator | |
| F | Safety Glasses, Gloves, Apron, Dust Respirator | |
| G | Safety Glasses, Gloves, Vapor Respirator | |
| H | Splash Goggles, Gloves, Apron, Dust & Vapor Respirator | |
| I | Safety Glasses, Gloves, Dust & Vapor Respirator | |
| J | Splash Goggles, Gloves, Apron, Dust & Vapor Respirator | |
| K | Airline Hood or Mask, Gloves, Full Suit, Boots | |
| X | Consult your supervisor for special handling directions | |

National Fire Protection Association (U.S.A.)



Instability/Reactivity

Special

NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals.

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.