

SAFETY DATA SHEET.

Issuing date 17-Jun-2015

Revision Date 13-Sep-2018

Version 3.01

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name 4335 PINT DEGREASER

Recommended use of the chemical and restrictions on use

Product code F02650

Product Type Combustible liquid
Synonyms None

Supplier's details

Recommended Use Degreaser.

Uses advised against No information available

Manufactured For:
Imperial Supplies LLC
789 Armed Forces Drive
P.O. Box 11008
Green Bay, WI 53407-1008
1-800-558-2808

Manufacturer
American Jetway Corporation
34136 Myrtle Street
Wayne, MI 48184-0126
Phone:(734) 721-5930

Emergency telephone number
Chemical Emergency Phone Number

CHEMTREC: 1-800-262-8200 ID 1195 (UNITED STATES)

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Skin Sensitization	Category 1
Flammable Liquids	Category 4

GHS Label elements, including precautionary statements

Emergency Overview

DANGER

Hazard Statements

Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Combustible liquid



Appearance Slightly Hazy

Physical state Liquid

Odor Fragrance

Precautionary Statements - Prevention

Do not breathe dust, fume, gas, mist, vapors, spray.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves, protective clothing, eye protection, face protection.
Contaminated work clothing must not be allowed out of the workplace
Keep away from heat, sparks, open flames, hot surfaces - No smoking.

Precautionary Statements - Response

If exposed: call a POISON CENTER or doctor/physician.
Specific treatment (see first aid on this label).
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed: call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water, shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice, attention
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If exposed: call a POISON CENTER or doctor/physician.
IF SWALLOWED: Rinse Mouth. Do NOT induce vomiting
In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Keep cool.

Precautionary Statements - Disposal

Dispose of contents, container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

None

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
ETHOXYLATED ALCOHOL	68439-46-3	1-2
SODIUM METASILICATE PENTAHYDRATE	6834-92-0	1-2
D-LIMONENE	5989-27-5	<1

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures for different exposure routes**

General advice	Avoid contact with eyes, skin, and clothing. Avoid breathing vapors, mist, or gas.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. After initial flushing, remove any contact lenses and continue flushing. Seek immediate medical attention/advice.
Skin contact	If on skin (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash skin with soap and warm water. Wash clothing before re-use. If skin irritation or rash occurs : Get medical advice/attention.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately.
Ingestion	Call a physician or Poison Control Center immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Risk of product entering the lungs on vomiting after ingestion.

Most important symptoms/effects, acute and delayed**Main Symptoms** Causes severe skin burns and serious eye damage. May cause allergic skin reaction.**Indication of immediate medical attention and special treatment needed, if necessary****Notes to physician** Treat symptomatically.**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water fog.Dry chemical. Foam.Carbon dioxide (CO2). Cool containers/tanks with water spray.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire. Keep away from sources of ignition - No smoking.**Specific hazards arising from the chemical**

The product causes burns of eyes, skin and mucous membranes. Some of these materials may burn, but most do not ignite readily. Keep product and empty container away from heat and sources of ignition.

Explosion Data**Sensitivity to Mechanical Impact** none.**Sensitivity to Static Discharge** Yes.**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use with adequate ventilation to keep the exposure levels below the OELS. Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions

Environmental precautions Vapors can accumulate in low areas. Report spills as required by local and federal regulations. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Should not be released into the environment.

Methods and materials for containment and cleaning up

Methods for Containment Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains.

Methods for cleaning up Soak up with inert absorbent material. Contain liquid and collect with an inert, non-combustible material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Prevent product from entering drains. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces, and sources of ignition. Keep in properly labeled containers. Keep out of the reach of children. Store locked up. Keep cool.

Incompatible products Strong acids, alkalis, oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Under most handling conditions, this product will not generate mist or dust. In most conditions, no special ventilation is needed. General ventilation is recommended. If the product is heated above 150 C or atomized ventilation should be used.

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration)

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

Engineering Measures	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Tightly fitting safety goggles.
Skin and body protection	Chemical resistant apron. Protective gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
-------------------------	--

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical and chemical properties**

Physical state	Liquid	Odor	Fragrance
Appearance	Slightly Hazy	Odor Threshold	
Color	Slightly Hazy		

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	13	+/- 0.50
Melting/freezing point	No information available	
Boiling point/boiling range		
Flash Point	> 93 °C / > 199 °F	(based on components)
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
upper flammability limit		
lower flammability limit		
Vapor pressure		
Vapor density		
Specific Gravity	1.011	
Water solubility	Soluble in Water	
Partition coefficient: n-octanol/water		
Autoignition temperature	No information available	
Decomposition temperature		
Viscosity	No information available	
Explosive properties		

Other information

VOC Content(%)	0.49
EPA VOC (g/l)	5
Actual VOC (lb/gal)	0

10. STABILITY AND REACTIVITY**Reactivity**

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong acids, alkalis, oxidizing agents.

Hazardous Decomposition Products

Carbon oxides , Hydrocarbons, Fumes.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Inhalation	Avoid breathing vapors or mists. May cause respiratory irritation.
Eye contact	Causes serious eye damage.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Ingestion	May be harmful if swallowed .

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
ETHOXYLATED ALCOHOL 68439-46-3	= 1400 mg/kg (Rat)	-	-
SODIUM METASILICATE PENTAHYDRATE 6834-92-0	= 1153 mg/kg (Rat)	-	-
D-LIMONENE 5989-27-5	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-

Information on toxicological effects

Symptoms	Causes severe skin burns. Causes serious eye damage. May cause an allergic skin reaction.
-----------------	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes severe burns. Irritating to skin.
Eye damage/irritation	Causes serious eye damage. Irritating to eyes.
Corrosivity	Causes severe burns. Causes serious eye damage.
Sensitization	Known skin sensitizer.
Germ cell mutagenicity	Not a germ cell mutagen.
Carcinogenicity	There are no known carcinogenic chemicals in this product.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Specific target organ systemic toxicity (single exposure)	No known effect based on information supplied.
Specific target organ systemic toxicity (repeated exposure)	No known effect based on information supplied.
Chronic toxicity	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and potential cardiac arrest.
Target Organ Effects	Eyes, Skin, and Respiratory System.
Neurological effects	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
Aspiration hazard	May be harmful if swallowed.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 52838 mg/kg

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
SODIUM METASILICATE PENTAHYDRATE 6834-92-0	-	210 mg/L LC50 Brachydanio rerio 96h semi-static 210 mg/L LC50 Brachydanio rerio 96h	-	-
D-LIMONENE 5989-27-5	-	0.619 - 0.796 mg/L LC50 Pimephales promelas 96h flow-through 35 mg/L LC50 Oncorhynchus mykiss 96h	-	-

Persistence and degradability

In soil, siloxanes are degraded.

Bioaccumulation

Not likely to bioaccumulate.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment****Waste Disposal Methods**

Dispose of in accordance with federal, state, and local regulations. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Dispose of in accordance with federal, state, and local regulations.

Contaminated packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION**DOT Ground**

CONSUMER COMMODITY ORM-D
or
LIMITED QUANTITY

IATA

UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM METASILICATE), 8, PGIII, LTD. QTY

IMDG

UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM METASILICATE), 8, PGIII, LTD. QTY

15. REGULATORY INFORMATION**International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
ETHOXYLATED ALCOHOL	X	X	Not listed	X	X	X	X	X
SODIUM METASILICATE PENTAHYDRATE	X	X	X	X	X	X	X	X
D-LIMONENE	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Star Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DEIONIZED WATER 7732-18-5			X

EPA Pesticide Registration Number Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and

the SDS contains all the information required by the CPR.**16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazard 2	Flammability 1	Instability 0	Physical and chemical hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal protection B

Prepared By	American Jetway Corporation 34136 Myrtle Street Wayne, MI 48184-0126
Issuing date	17-Jun-2015
Revision Date	13-Sep-2018
Revision Note	

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet