Revision Date: 10/12/2020

SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier: BRAKE PARTS CLEANER 4649

Other means of identification

SDS number: RE1000044571

Recommended restrictions
Recommended use: Cleaner
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: IMPERIAL SUPPLIES LLC

Address: PO BOX 11008

GREEN BAY,WI 54307-1008

US

Telephone: 800-558-2808

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 2

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A
Toxic to reproduction Category 2
Specific Target Organ Toxicity - Category 3
Single Exposure (Narcotic effect.)
Specific Target Organ Toxicity - Category 2

Repeated Exposure

Aspiration Hazard Category 1

Environmental Hazards

Acute hazards to the aquatic Category 3

environment

Label Elements

Hazard Symbol:



Signal Word: Danger

Revision Date: 10/12/2020

Hazard Statement: Highly flammable liquid and vapor.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

Harmful to aquatic life.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container tightly closed. Ground and bond

container and receiving equipment. Use explosion-proof

[electrical/ventilating/lighting] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the

environment.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. In case

of fire: Use... to extinguish.

Storage: Store in a well-ventilated place. Keep cool. Store locked up. Keep container

tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

Static accumulating flammable liquid can become electrostatically charged

even in bonded and grounded equipment.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanone	67-64-1	50 - <100%
Naphtha (petroleum), hydrotreated light	64742-49-0	5 - <10%
Benzene, methyl-	108-88-3	1 - <3%
Heptane	142-82-5	1 - <5%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

Inhalation: Move to fresh air.

Revision Date: 10/12/2020

Skin Contact: Take off immediately all contaminated clothing. Wash skin thoroughly

with soap and water. If skin irritation occurs: Get medical

advice/attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Get medical attention.

Ingestion: Call a physician or poison control center immediately. Rinse mouth.

Never give liquid to an unconscious person. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

Personal Protection for First-

aid Responders:

Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Water may be

ineffective in fighting the fire. Fight fire from a protected location. Move

containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of

vapors or gases to explosive concentrations.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Accidental release measures: Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk.

Revision Date: 10/12/2020

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal. In case of leakage, eliminate all ignition sources.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation):

No data available.

Safe handling advice: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

Contact avoidance measures: No data available.

Storage

Safe storage conditions: Store locked up. Store in a well-ventilated place. Store in a cool place.

Safe packaging materials: No data available.

Storage Temperature: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure L	imit Values	Source
2-Propanone	STEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	250 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	750 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	500 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	250 ppm	590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Naphtha (petroleum), hydrotreated light	REL	100 ppm	400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Benzene, methyl-	STEL	150 ppm	560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	100 ppm	375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	300 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	200 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX. CONC	500 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	STEL	150 ppm	560 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Heptane	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended

Revision Date: 10/12/2020

				T
	REL	85 ppm	350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	STEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	400 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	500 ppm		US. ACGIH Threshold Limit Values, as amended
	Ceil_ Time	440 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Cyclohexane, methyl-	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	400 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	400 ppm	1,600 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Hexane	TWA	50 ppm	180 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	500 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL	50 ppm	180 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	50 ppm		US. ACGIH Threshold Limit Values, as amended
Cyclohexane	TWA	100 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	300 ppm	1,050 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	300 ppm	1,050 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	300 ppm	1,050 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Benzene, ethyl-	STEL	125 ppm	545 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL	100 ppm	435 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	100 ppm	435 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	STEL	125 ppm	545 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	100 ppm	435 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
Benzene	REL	0.1 ppm		US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	1 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	25 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	0.5 ppm		US. ACGIH Threshold Limit Values, as amended
<u> </u>	STEL	2.5 ppm	-	US. ACGIH Threshold Limit Values, as amended
	STEL	5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	OSHA _ACT	0.5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	TWA	10 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX. CONC	50 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	STEL	5 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	1 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	STEL	1 ppm		US. NIOSH: Pocket Guide to Chemical Hazards, as amended

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL
Benzene, methyl- (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEL
Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEL
Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEL
Hexane (2,5-Hexanedion, without hydrolysis: Sampling time: End of shift.)	0.5 mg/l (Urine)	ACGIH BEL
Benzene, ethyl- (Sum of mandelic acid and phenylglyoxylic acid: Sampling time: End of shift.)	0.15 g/g (Creatinine in urine)	ACGIH BEL
Benzene (S-Phenylmercapturic acid: Sampling time: End of shift.)	25 μg/g (Creatinine in urine)	ACGIH BEL
Benzene (t,t-Muconic acid: Sampling time: End of shift.)	500 μg/g (Creatinine in urine)	ACGIH BEL

Revision Date: 10/12/2020

Exposure guidelines

Hexane	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
Benzene	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.

Appropriate Engineering

Controls

No data available.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Skin and Body Protection: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke. Do not handle until all safety precautions have been

read and understood. Obtain special instructions before use.

No data available. No data available.

9. Physical and chemical properties

Appearance

Physical state: liquid Form: liquid

Color: No data available. Odor: No data available. **Odor Threshold:** No data available. pH: No data available. Freezing point: No data available. **Boiling Point:** Estimated 56 °C Flash Point: Estimated -17 °C **Evaporation Rate:** No data available. Flammability (solid, gas): No data available. **Explosive limit - upper (%):** No data available. Explosive limit - lower (%): No data available. Vapor pressure: No data available. Vapor density (air=1): No data available. Density: No data available. Relative density: No data available. Solubility in Water: No data available. No data available. Solubility (other): No data available. Partition coefficient (n-octanol/water): **Self Ignition Temperature:** No data available. **Decomposition Temperature:** No data available. Kinematic viscosity: No data available. Dynamic viscosity: No data available.

Explosive properties:

Oxidizing properties:

Revision Date: 10/12/2020

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Heat, sparks, flames.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Components:

2-Propanone NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental

result, Key study

Naphtha (petroleum), NOAEL (Rat(Female, Male), Inhalation): 10,000 mg/m3 Inhalation

hydrotreated light Experimental result, Key study

LOAEL (Rat(Female, Male), Oral, 13 Weeks): 1,250 mg/kg Oral Readacross based on grouping of substances (category approach), Key study

NOAEL (Rat(Female, Male), Dermal, 28 d): > 375 mg/kg Dermal

Experimental result, Supporting study

Revision Date: 10/12/2020

Benzene, methyl- LOAEL (Rat(Female, Male), Oral, 13 Weeks): 1,250 mg/kg (Target

Organ(s): Liver, Kidney) Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): 625 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation - vapor): 2,355 mg/l Inhalation

Experimental result, Key study

Heptane NOAEL (Rat(Male), Inhalation): 12,470 mg/m3 Inhalation Experimental

result, Key study

Skin Corrosion/Irritation

Product: No data available.

Components:

2-Propanone in vivo (Rabbit): Not irritant
Naphtha (petroleum),
hydrotreated light In vitro (Human): not corrosive
Benzene, methylHeptane in vivo (Rabbit): Irritating
in vivo (Rabbit): Irritating

Serious Eye Damage/Eye Irritation

Product: No data available.

Components:

2-Propanone Irritating.

Rabbit, 24 hrs: Minimum grade of severe eye irritant

Naphtha (petroleum),

hydrotreated light

Rabbit, 24 - 72 hrs: Not irritating

Benzene, methyl- Rabbit, 24 - 72 hrs: Not irritating

Heptane Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Components:

2-Propanone Skin sensitization:, in vivo (Guinea pig): Non sensitising Naphtha (petroleum), Skin sensitization:, in vivo (Guinea pig): Non sensitising

hydrotreated light

Benzene, methyl-Heptane Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Revision Date: 10/12/2020

Reproductive toxicity

Product: No data available.

Components:

Benzene, methyl- Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Components:

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects. Benzene, methyl- Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

Heptane Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Components:

Benzene, methyl- Category 2

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product: No data available.

Components:

Naphtha (petroleum), hydrotreated light

May be fatal if swallowed and enters airways.

Benzene, methyl- May be fatal if swallowed and enters airways. Heptane May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Components:

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key

study

Naphtha (petroleum), hydrotreated light

LC 50 (96 h): 8.41 mg/l Experimental result, Key study

Benzene, methyl- LC 50 (Oncorhynchus kisutch, 96 h): 5.5 mg/l Experimental result, Key study

Heptane LC 50 (Mozambique tilapia (Tilapia mossambica), 96 h): 375 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Components:

2-Propanone LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

Naphtha (petroleum), hydrotreated light

EC 50 (Daphnia magna, 48 h): 4.5 mg/l Experimental result, Key study

Revision Date: 10/12/2020

Benzene, methyl- LC 50 (Water flea (Daphnia magna), 48 h): 54.6 - 174.7 mg/l Mortality

LC 50 (Ceriodaphnia dubia, 2 d): 3.78 mg/l Experimental result, Key study

Heptane EC 50 (Daphnia magna, 48 h): 1.5 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Components:

Naphtha (petroleum), hydrotreated light

NOAEL (Daphnia magna): 2.6 mg/l Other, Key study

Benzene, methyl- NOAEL (Oncorhynchus kisutch): 1.39 mg/l Experimental result, Key study

LOAEL (Oncorhynchus kisutch): 2.77 mg/l Experimental result, Key study

Heptane NOAEL (Oncorhynchus mykiss): 1.284 mg/l QSAR QSAR, Key study

Aquatic Invertebrates

Product: No data available.

Components:

2-Propanone LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Naphtha (petroleum), hydrotreated light

EC 50 (Daphnia magna): 10 mg/l Experimental result, Key study

Benzene, methyl- LOAEL (Ceriodaphnia dubia): 2.76 mg/l Experimental result, Key study

NOAEL (Ceriodaphnia dubia): 0.74 mg/l Experimental result, Key study

Heptane NOAEL (Daphnia magna): 0.17 mg/l Read-across based on grouping of

substances (category approach), Key study

EC 50 (Daphnia magna): 0.23 mg/l Read-across based on grouping of

substances (category approach), Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Components:

2-Propanone 90.9 % (28 d) Detected in water. Experimental result, Key study

Naphtha (petroleum), hydrotreated light

90.35 % (28 d) Detected in water. Experimental result, Supporting study

Benzene, methyl- 100 % (14 d) Detected in water. Experimental result, Weight of Evidence

study

86 % Detected in water. Experimental result, Weight of Evidence study

Heptane 70 % Detected in water. Experimental result, Key study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Revision Date: 10/12/2020

Components:

2-Propanone Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment

Experimental result, Not specified

Naphtha (petroleum), hydrotreated light

Bioconcentration Factor (BCF): 10 - 2,500 Aquatic sediment Estimated by

calculation, Key study

Benzene, methyl- Leuciscus idus, Bioconcentration Factor (BCF): 90 Aquatic sediment

Experimental result, Key study

Heptane Bioconcentration Factor (BCF): 552 Aquatic sediment Estimated by

calculation, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Components:

Naphtha (petroleum), hydrotreated light

Log Kow: > 2.4 - < 5.7 23 °C Yes Experimental result, Key study

Mobility in soil: No data available.

Components:

Heptane

2-Propanone
Naphtha (petroleum), hydrotreated light
Benzene, methyl-

No data available. No data available. No data available.

No data available.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1993

UN Proper Shipping Name: Flammable liquids, n.o.s.

Transport Hazard Class(es)

Class: 3 Label(s): -

EmS No.:

Packing Group: -

Special precautions for user: Not regulated.

IATA

UN Number: UN 1993

UN Proper Shipping Name: Flammable liquids, n.o.s.

Transport Hazard Class(es):

Class: 3
Label(s): Packing Group: II

Special precautions for user: Not regulated.

Other information

Passenger and cargo aircraft: Forbidden.
Cargo aircraft only: Forbidden.

Revision Date: 10/12/2020

IMDG

UN Number: UN 1993

UN Proper Shipping Name: Flammable liquids, n.o.s.

Transport Hazard Class(es)

Class: 3 Label(s): – EmS No.:

Packing Group:

Special precautions for user: Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

<u>Chemical Identity</u> <u>OSHA hazard(s)</u>

Benzene Flammability

Cancer Aspiration Eye Blood Skin

respiratory tract irritation Central nervous system

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity

2-Propanone

ACETONE

BENZENE, METHYL-

UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY

HEXANE

Hexane

CYCLOHEXANE

BENZENE, HEXAHYDRO-

ETHYLBENZENE

BENZENE

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable liquids, Serious Eye Damage/Eye Irritation, Toxic to reproduction, Specific Target Organ Toxicity - Single Exposure, Specific Target Organ Toxicity - Repeated Exposure, Aspiration Hazard, Static-accumulating flammable liquid

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Chemical Identity % by weight

Benzene, methyl- 1.0%

Revision Date: 10/12/2020

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

2-Propanone
Naphtha (petroleum), hydrotreated light
Benzene, methylHeptane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances Chemical Identity

2-Propanone
Naphtha (petroleum), hydrotreated light
Benzene, methylHeptane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

2-Propanone

Stockholm convention

2-Propanone

Rotterdam convention

2-Propanone

Kyoto protocol

Revision Date: 10/12/2020

Inventory Status:

Australia AICS On or in compliance with the inventory

On or in compliance with the inventory Canada DSL Inventory List

Canada NDSL Inventory Not in compliance with the inventory.

Ontario Inventory On or in compliance with the inventory

China Inv. Existing Chemical Substances On or in compliance with the inventory

Japan (ENCS) List On or in compliance with the inventory

On or in compliance with the inventory Japan ISHL Listing

Japan Pharmacopoeia Listing Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI) On or in compliance with the inventory

Mexico INSQ On or in compliance with the inventory

New Zealand Inventory of Chemicals On or in compliance with the inventory

Philippines PICCS On or in compliance with the inventory

Taiwan Chemical Substance Inventory On or in compliance with the inventory

US TSCA Inventory On or in compliance with the inventory

EINECS, ELINCS or NLP Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

Issue Date: 10/12/2020

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent

determination of the methods to safeguard workers and the environment.