

Safety Data Sheet

Glass & Hard Surface Cleaner (Concentrate)

SDS Version Date: 05/20/2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	PAK-IT Glass & Hard Surface Cleaner
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Glass Cleaner - Non-Aerosol
Uses advised against	No information available
Details of the supplier of the safety of	data sheet_
Supplier Name	Big 3 Packaging, LLC
Supplier Address	4201 Torresdale Avenue Philadelphia PA 19124 US
Supplier Phone Number	Phone:215-743-4201 Fax:215-288-0847
Supplier Email	help@big3packaging.com
Emergency telephone number	
Company Emergency Phone Number	800-535-5053

2. HAZARDS IDENTIFICATION

The hazard classification and label elements reflect the intrinsic properties of the concentrate product as supplied, which is sealed in a water soluble sachet. The sachet when intact provides a barrier to dermal and inhalation exposure under conditions of normal handling and use. The precautionary statements are applicable under conditions of potential exposure to the concentrate itself.

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2

GHS Label elements, including precautionary statements

Emergency Overview			
Signal word	Warning	ī	
Hazard Statements Harmful if swallowed Causes serious eye irritation			
Appearance Blue		Physical state Liquid	Odor Window

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Wear eye/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

None

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0.1% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Causes mild skin irritation

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1150337)	Proprietary	15 - 40	*
Triethanolamine	102-71-6	10 - 30	*
Tetrahydrofurfuryl alcohol	97-99-4	10 - 30	*
Hexylene glycol	107-41-5	5 - 10	*
Third Party Formulation (TP # 1150337)	Proprietary	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code	Irritant: Liquid
	Combustible Liquid: III-B

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
Conditions for safe storage, includi	ing any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.
Incompatible Products	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102-71-6	TWA: 5 mg/m ³	-	
Hexylene glycol 107-41-5	Ceiling: 25 ppm	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m ³	Ceiling: 25 ppm Ceiling: 125 mg/m ³
Third Party Formulation (TP # 1150337)	TWA: 10 mg/m ³ mist	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures	Showers	
	Eyewash stations	
	Ventilation systems	

Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur. Wear safety glasses with side shields (or goggles). None required for consumer use.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Liquid		
Appearance	Blue	Odor	Floral
Color	No information available	Odor Threshold	No information available
Property	Values	Remarks Method	
рН	8.5	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	94 C / 201 F	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1	None known	
Water Solubility	Completely soluble	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wat	erNo data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		
Other Information			

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied. Incompatible materials None known based on information supplied. Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product	Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-
Hexylene glycol 107-41-5	= 3692 mg/kg (Rat)	-	> 310 mg/m ³ (Rat)1 h
Third Party Formulation (TP # 1150337)	-	> 10 g/kg (Rabbit)	-

Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA	
Triethanolamine		Group 3			
102-71-6					
IARC (International Agenc Group 3 - Not Classifiable as					
Group 5 - Not Classifiable as		umans			
Reproductive toxicity	No informat	tion available.			
STOT - single exposure	No informat	No information available.			
STOT - repeated exposure	No informat	tion available.			
Chronic Toxicity	No known e	effect based on information s	upplied. Carcinogenic po	tential is unknown.	
Target Organ Effects	Eyes. Centr	Eyes. Central Nervous System (CNS). Kidney. Respiratory system. Skin. Spleen. Testes.			
Aspiration Hazard	No informat	tion available.			

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,185.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Triethanolamine 102-71-6	96h EC50: = 169 mg/L (Desmodesmus subspicatus) 72h EC50: = 216 mg/L (Desmodesmus subspicatus)	96h LC50: 10600 - 13000 mg/L (Pimephales promelas) 96h LC50: > 1000 mg/L (Pimephales promelas) 96h LC50: 450 - 1000 mg/L (Lepomis macrochirus)		24h EC50: = 1386 mg/L
Tetrahydrofurfuryl alcohol 97-99-4		48h LC50: = 3400 mg/L (Chaetodonoides)		
Hexylene glycol 107-41-5		96h LC50: 10500 - 11000 mg/L (Pimephales promelas) 96h LC50: = 10000 mg/L (Lepomis macrochirus) 96h LC50: = 8690 mg/L (Pimephales promelas) 96h LC50: = 10700 mg/L (Pimephales promelas)	EC50 = 3038 mg/L 5 min	48h EC50: 2700 - 3700 mg/L
Third Party Formulation (TP # 1150337)		96h LC50: 51 - 57 mL/L (Oncorhynchus mykiss)		24h EC50: > 500 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Triethanolamine 102-71-6	-2.53
Hexylene glycol 107-41-5	0.14
Third Party Formulation (TP # 1150337)	-1.76

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
<u>RID</u>	Not regulated
ADR	Not regulated
ADN_	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Triethanolamine 102-71-6	Х	Х	Х		
Tetrahydrofurfuryl alcohol 97-99-4		Х	Х		
Hexylene glycol 107-41-5	Х	Х	Х		
Acid blue 9 3844-45-9		Х			
Third Party Formulation (TP # 1150337)	Х	Х	Х	Х	

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Hexylene glycol		Mexico: Ceiling 25 ppm
107-41-5 (5 - 10)		Mexico: Ceiling 125 mg/m ³
Third Party Formulation (TP # 1150337)	-	10mg/m ³ (mist) TWA
(1-5)		

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class Not determined

16. OTHER INFORMATION

NFPA HMIS	Health Hazards2Health Hazards2	Flammability Flammability		stability 0 ysical Hazard 0	Physical and Chemical Hazards Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501				
Revision Date Revision Note	29-May-2 No inform	2015 nation available			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet