

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier Chemical Name CAS No. Trade Name

Product Code

Blaster Food Grade White Spray Grease Mixture Food Grade White Spray Grease EN-4158

Relevant identified uses of the substance or mixture and uses advised against Identified Use(s) Lubricant

Identified Use(s) Uses Advised Against

Company Identification

Telephone Fax

Emergency telephone number

Emergency Phone No.

The Blaster Corporation 8500 Sweet Valley Drive

Valley View, Ohio 44125

(800) 585-6605 (216)901-5801

None

CHEMTEL 24 hr. 1-800-255-3924

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements Hazard Symbol Flam. Aerosol 2; Asp. Tox. 1



Signal word(s)	DANGER
Hazard Statement(s)	Flammable aerosol.
	Pressurised container: May burst if heated.
	May be fatal if swallowed and enters airways.
Precautionary Statement(s)	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	Do not spray on an open flame or other ignition source.
	Do not pierce or burn, even after use.
Other hazards	Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Intentional inhalation of gas from the container may be fatal.



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt.	CAS No.	Hazard classification
Water	30 - 40	7732-18-5	None
Distillates (Petroleum), Hydrotreated Light	10-25	64742-47-8	Asp. Tox. 1; H304 Flam. Liq. 4; H227
Propane	5 - 15	74-98-6	Flam. Gas 2; H221
n-Butane	5 - 15	106-97-8	Flam. Gas 2; H221
Mineral Oil	5-15	8042-47-5	Asp. Tox. 1; H304
Sorbitan Oleate	1 - 2	1338-43-8	None
Zinc Oxide	<1	1314-13-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410
Tatanium Dioxide	<1	13463-67-7	None
Sodium Benzoate	<1	532-32-1	Eye Irrit. 2A; H319

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact	Not normally required. If skin irritation occurs: Get medical advice/attention.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Ingestion	Unlikely to be required but if necessary treat symptomatically. Do not give anything by mouth to an unconscious person. Seek medical treatment.
Most important symptoms and effects, both acute and delayed	IF SWALLOWED: Do not induce vomiting
Indication of any immediate medical attention and special treatment needed	Not normally required.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media -Unsuitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or waterspray. Do not use water jet.



Special hazards arising from the substance or mixture

Advice for fire-fighters

Flammable vapour.

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Avoid breathing gas/spray.
Environmental precautions	Prevent liquid entering sewers, basements and work pits.
Methods and material for containment and cleaning up	Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.
Reference to other sections	None
Additional Information	None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only. Do not use in confined spaces.
Conditions for safe storage, including any incompatibil	ities
-Storage temperature	Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Keep container tightly closed.
-Incompatible materials	This product should be stored away from sources of strong heat or oxidizing chemicals.
Specific end use(s)	Lubricant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

		(8hr TWA)		(ST		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
C9-C15 Alkanes & Cycloalkanes	Mixture		1200 mg/m ³			
n-Butane	106-97-8		250 ppm			
Propane	74-98-6	1000 ppm	Aspyx.#			#

(Naphthas)

*Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

Exposure controls

Appropriate engineering controls

Ensure adequate ventilation.

NIOSH 1500 (hydrocarbons, B.P. 36 - 126 °C); NIOSH 1550

Personal protection equipment

Page: 3/6



Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Wear protective eyewear (goggles, face shield, or safety glasses).

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber or Butyl rubber).

Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment. Check with protective equipment manufacturer's data.

Not normally required. Use gloves with insulation for thermal

Thermal hazards

Environmental Exposure Controls

None known

protection, when needed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Color. Odor Odor Threshold (ppm) pH (Value) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) **Evaporation Rate** Flammability (solid, gas) **Explosive Limit Ranges** Vapor pressure (Pascal) Vapor Density (Air=1) Density (g/ml) Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Point (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) Explosive properties Oxidizing properties

Aerosol spray Colourless Fuel oil-like. Not available Not available Not available. Not available. -104 (-155 °F) - Propane Not available. Flammable aerosol 2.1% - 9.5% v/v (Propane) ca. 95 x 10⁴ (Propane) ca. 1.56 @ 0 °C (Propane) 2.1% - 9.5% v/v (Propane) Not available. Not available Not available Not available Not available <20 at 40°C Not explosive. Not oxidizing.

Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Other information

Chemical stability Possibility of hazardous reactions Conditions to avoid Stable under normal conditions. Stable. None anticipated. Avoid contact with heat and ignition sources.



Incompatible materials

This product should be stored away from sources of strong heat or oxidizing chemicals.

Hazardous decomposition product(s)

Carbon monoxide, Carbon dioxide, Acrid smoke

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects

Acute toxicity (calculated / estimated)	Oral: LD50 >5 g/kg-bw Dermal: LD50 >2 g/kg-bw Inhalation: LC50 >20 mg/l (Vapor), 4-hr. rat - May cause drowsiness or dizziness.
Irritation/Corrosivity	Repeated exposure may cause skin dryness or cracking.
Sensitization	It is not a skin sensitizer.
Repeated dose toxicity	No data
Carcinogenicity	It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity	
Reproductive toxicity	,

Not available. Not available

SECTION 12: ECOLOGICAL INFORMATION

Aquatic toxicity:

Zinc Oxide (CAS# 1314-13-2)

Short term

LOEC (96 hour): 180 µg/L (Danio rerio) LC50 (96 hour): 1.793 mg/L (Danio rerio) EC50 (48 hour): 1.7 mg/L (Daphnia magna, mortality) NOEC (72 hour): 50 µg/L (Pseudokirchnerella subcapitata)

Long Term

NOEC (30 days) 26 µg/L (Jordanella floridae) NOEC (21 days): 48 µg/L (Daphnia magna) NOEL (72 hour) 50 µg/L (Pseudokirchnerella subcapitata)

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SECTION 14: TRANSPORT INFORMATION

	<u>U.S. DOT</u>	Sea transport <u>(IMDG)</u>	Air transport <u>(ICAO/IATA)</u>
UN number	1950	1950	1950
Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1



Packing group Environmental hazards Special precautions for user Not applicable None assigned None assigned Not applicable None assigned None assigned Not applicable None assigned None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

	Chemical Name	CAS No.	-	Гурісаl	%wt.	F	RQ (Pounds)	
	None							
SARAS	SARA 311/312 - Hazard Categories:							
Fire Sudden Release Reactivity Immediate (acute) Chronic						c (delayed)		
SARA 313 - Toxic Chemicals (40 CFR 372):								
	Chemical Name CAS No. Typical %wt						Typical %wt.	
	None							
SARA	302 - Extremely Hazardous S	ubstances (40 CFR 3	55):					
	Chemical N	lame	CAS	No.	Туріс	al %wt.	TPQ (pounds)	
	None							
California Proposition 65 List:								
	Chemical Name			CAS No.		Type of Toxicity		
	None							
		·						

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16. Date of preparation: February 28,2017

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H221: Flammable gas.
- H227: Combustible liquid.
- H304: May be fatal if swallowed and enters airways.
- H319: Causes serious eye irritation.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.