

| Version 4.0 | Revision Date 07/31/2019 | Print Date 02/01/2021 |
|------------------------|-----------------------------|-----------------------|
| | | |
| SECTION 1. PRODUCT AND | COMPANY IDENTIFICATION | |
| Material name | : A07304 ZEP MIRROR & GLASS | 009801 20N18 |
| Material number | : 0000000000009801 | |

Manufacturer or supplier's details

| Company | : | Zep Inc. |
|---------|---|---|
| Address | : | 350 Joe Frank Harris Parkway, SE Emerson, GA 30137 |

Telephone : 404-352-1680

Emergency telephone numbers

| For SDS Information | : | Compliance Services 1-877-428-9937 |
|-------------------------|---|--|
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded |
| For a Transportation | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |
| Emergency | | In the District of Columbia 202-483-7616 |

Recommended use of the chemical and restrictions on use

Recommended use : Glass Cleaner

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | Aerosol containing a liquefied gas |
|------------|------------------------------------|
| Colour | clear, colourless |
| Odour | pleasant |

| GHS Classification | |
|--------------------------|---|
| Gases under pressure | : Liquefied gas |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Warning |
| Hazard statements | : H280 Contains gas under pressure; may explode if heated. |
| Precautionary statements | : Prevention: P251 Pressurized container: Do not pierce or burn, even after |

_



A07304 ZEP MIRROR & GLASS 009801 20N18

| Version 4.0 | Revision Date 07/31/2019 | Print Date 02/01/2021 |
|-------------|--|--|
| | use. P210 Keep away from heat, hot surfact and other ignition sources. No smoking Storage: P410 + P403 Protect from sunlight. St place. P412 Do not expose to temperatures of Disposal: P501 Dispose of contents/container in regulation. | g. ore in a well-ventilated exceeding 50 °C/ 122 °F. |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration [%] |
|-----------------|----------|-------------------|
| propane | 74-98-6 | >= 1 - < 5 |
| ethanol | 64-17-5 | >= 1 - < 5 |
| butane | 106-97-8 | >= 1 - < 5 |
| 2-butoxyethanol | 111-76-2 | >= 1 - < 5 |

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

| General advice | : Do not leave the victim unattended. | |
|---|--|-----|
| If inhaled | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. | |
| In case of skin contact | If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. Wash off immediately with plenty of water for at least 15 minutes. | |
| In case of eye contact | Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. In case of contact, immediately flush eyes with plenty of wa for at least 15 minutes. | ter |
| If swallowed | Clean mouth with water and drink afterwards plenty of wate Keep respiratory tract clear. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. | r. |
| Most important symptoms and effects, both acute and | : Effects may be delayed, symptoms may include minor eye of skin irritation. | or |

SAFETY DATA SHEET



A07304 ZEP MIRROR & GLASS 009801 20N18

| Version 4.0 | Revision Date 07/31/2019 | Print Date 02/01/2021 |
|--------------------|-----------------------------------|-----------------------|
| delayed | Overexposure may cause mild eye | e or skin irritation. |
| Notes to physician | : Treat symptomatically. Symptoms | s may be delayed. |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
|---|---|
| Unsuitable extinguishing media | : High volume water jet |
| Hazardous combustion products | : Carbon dioxide (CO2) Carbon monoxide Smoke |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information | : Standard procedure for chemical fires. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. |
|---|--|
| Environmental precautions | Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains, inform respective authorities. |
| Methods and materials for containment and cleaning up | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | pplication area. ispose of rinse wat egulations. o not breathe vapo | ion see section 8. I drinking should be prohibited in the er in accordance with local and national |
|-----------------------------|--|--|
| Conditions for safe storage | | s pressurized. Keep away from direct sun eratures over 50 °C. Do not open by force |



| Version 4.0 | Revision Date 07/31/2019 | Print Date 02/01/2021 |
|--------------------|---|----------------------------------|
| | or throw into fire even after use. D red-hot objects. Keep in a cool, well-ventilated plac Observe label precautions. Electrical installations / working ma the technological safety standards | ce. aterials must comply with |
| Materials to avoid | : Oxidizing agents | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Components | CAS-No. | Value type | Control | Basis |
|-----------------|----------|------------|---------------|-----------|
| | | (Form of | parameters / | |
| | | exposure) | Permissible | |
| | | | concentration | |
| propane | 74-98-6 | TWA | 1,000 ppm | NIOSH REL |
| | | | 1,800 mg/m3 | |
| | | TWA | 1,000 ppm | OSHA Z-1 |
| | | | 1,800 mg/m3 | |
| | | TWA | 1,000 ppm | OSHA P0 |
| | | | 1,800 mg/m3 | |
| | | PEL | 1,000 ppm | CAL PEL |
| | | | 1,800 mg/m3 | |
| ethanol | 64-17-5 | TWA | 1,000 ppm | ACGIH |
| | | TWA | 1,000 ppm | NIOSH REL |
| | | | 1,900 mg/m3 | |
| | | TWA | 1,000 ppm | OSHA Z-1 |
| | | | 1,900 mg/m3 | |
| | | TWA | 1,000 ppm | OSHA P0 |
| | | | 1,900 mg/m3 | |
| | | STEL | 1,000 ppm | ACGIH |
| | | PEL | 1,000 ppm | CAL PEL |
| | | | 1,900 mg/m3 | |
| butane | 106-97-8 | TWA | 800 ppm | NIOSH REL |
| | | | 1,900 mg/m3 | |
| | | TWA | 800 ppm | OSHA P0 |
| | | | 1,900 mg/m3 | |
| | | PEL | 800 ppm | CAL PEL |
| | | | 1,900 mg/m3 | |
| | | STEL | 1,000 ppm | ACGIH |
| 2-butoxyethanol | 111-76-2 | TWA | 20 ppm | ACGIH |
| | | TWA | 5 ppm | NIOSH REL |
| | | | 24 mg/m3 | |
| | | TWA | 50 ppm | OSHA Z-1 |
| | | | 240 mg/m3 | |
| | | TWA | 25 ppm | OSHA P0 |
| | | | 120 mg/m3 | - |
| | | PEL | 20 ppm | CAL PEL |
| | | | 97 mg/m3 | - |

Components with workplace control parameters

Biological occupational exposure limits

| Component | CAS-No. | Control | Biological | Sampling | Permissible | Basis |
|-----------|---------|------------|------------|----------|---------------|-------|
| | | parameters | specimen | time | concentration | |

SAFETY DATA SHEET



A07304 ZEP MIRROR & GLASS 009801 20N18

| Version 4.0 | Rev | ision Date 0 | 7/31/2019 | | Print Date 02/01 | 1/2021 |
|--|----------------|--|----------------|--|---------------------------------------|-----------|
| 2-BUTOXYETHANOL 1 | | utoxyacetic cid (BAA) | Urine | End of shift (As soon as possible after exposure ceases) | 200.mg/g Creatinine | ACGIH BEI |
| Engineering measures | : effec | tive ventilation | on in all proc | cessing area | as | |
| Personal protective equip | oment | | | | | |
| Respiratory protection | appr In the | oved filter. | | | spirator with an use respirator wi | th an |
| Hand protection Material Remarks | : The | ective gloves suitability for the producer | a specific w | | nould be discuss es. | ed |
| Eye protection | Acce inclu | | | | t be available, o r eye wash bottl | |
| Skin and body protection | Choo | | tection acco | | amount and e at the work pl | ace. |
| Hygiene measures | Whe | n using do n n using do n h hands befo | ot smoke. | | nd of workday. | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : Aerosol containing a liquefied gas |
|------------------------------|--------------------------------------|
| Colour | : clear, colourless |
| Odour | : pleasant |
| Odour Threshold | : No data available |
| рН | : 10 - 11 |
| Melting point/freezing point | : No data available |
| Boiling point | : 96.11 °C |
| Flash point | : Not applicable |
| Evaporation rate | : >1 |

SAFETY DATA SHEET



A07304 ZEP MIRROR & GLASS 009801 20N18

| Version 4.0 | Revision Date 07/31/2019 | Print Date 02/01/2021 |
|--|---|-----------------------|
| Flammability (solid, gas) | : Not classified as a flammability hazard | |
| Upper explosion limit | : No data available | |
| Lower explosion limit | : No data available | |
| Vapour pressure | : No data available | |
| Relative vapour density | : No data available | |
| Density | : 0.95 g/cm3 | |
| Solubility(ies) | | |
| Water solubility | : soluble | |
| Solubility in other solvents | : not determined | |
| Partition coefficient: n- octanol/water | : No data available | |
| Auto-ignition temperature | : not determined | |
| Thermal decomposition | : No data available | |
| Viscosity | | |
| Viscosity, kinematic | : No data available | |
| Heat of combustion | : < 20 kJ/g | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Stable |
|------------------------------------|--|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed. |
| Conditions to avoid | : Heat, flames and sparks. |
| Incompatible materials | : Strong oxidizing agents |
| Hazardous decomposition products | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Nitrogen oxides (NOx) |

SECTION 11. TOXICOLOGICAL INFORMATION

| Potential Health Effects | |
|--------------------------|--|
| | |

| Aggravated Medical | : | None known. |
|--------------------------|---|--|
| Condition | | |
| Symptoms of Overexposure | : | Effects may be delayed, symptoms may include minor eye or skin irritation. |



| /ersion 4.0 | Revision Date 07/31/2019 | Print Date 02/01/202 |
|--|--|-----------------------------|
| | | |
| Carcinogenicity: | | |
| IARC | No component of this product presen | t at levels greater than or |
| | equal to 0.1% is identified as probabl human carcinogen by IARC. | e, possible or confirmed |
| ACGIH | Confirmed animal carcinogen with un humans | known relevance to |
| | ethanol 2-butoxyethanol | 64-17-5 111-76-2 |
| OSHA | No component of this product presen equal to 0.1% is on OSHA's list of reg | t at levels greater than or |
| NTP | No component of this product presen equal to 0.1% is identified as a known by NTP. | t at levels greater than or |
| cute toxicity | | |
| Product: | | |
| Acute oral toxicity | : Acute toxicity estimate : > 5,000 m Method: Calculation method | ıg/kg |
| Acute inhalation toxicity | : Acute toxicity estimate : 120.19 m Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method | g/I |
| Acute dermal toxicity | : Acute toxicity estimate : > 5,000 m Method: Calculation method | ıg/kg |
| Components: | | |
| ethanol: Acute oral toxicity | : LD50 Oral Rat: 7,060 mg/kg | |
| Acute inhalation toxicity | : LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour | |
| 2-butoxyethanol: Acute oral toxicity | : LD50 Oral Rat: 880 mg/kg | |
| Acute dermal toxicity | : LD50 Dermal Rabbit: 1,060 mg/kg | |

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:



Version 4.0

Revision Date 07/31/2019

Print Date 02/01/2021

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

| Partition coefficient: n- octanol/water <u>Components:</u> ethanol : | : Remarks: No data available |
|---|------------------------------|
| Partition coefficient: n- octanol/water | : Remarks: No data available |
| butane : Partition coefficient: n- | : Pow: 2.89 |



| Version 4.0 | Revision Date 07/31/2019 | Print Date 02/01/2021 |
|--|--|-----------------------|
| octanol/water | | |
| Mobility in soil | | |
| No data available | | |
| Other adverse effects | | |
| No data available <u> Product:</u> | | |
| Regulation | 40 CFR Protection of Environment; Stratospheric Ozone - CAA Section Substances | |
| Remarks | This product neither contains, nor w with a Class I or Class II ODS as de Clean Air Act Section 602 (40 CFR + B). | efined by the U.S. |
| Additional ecological information | : No data available | |
| intornation | No data available | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|------------------------|--|
| Waste from residues | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity



Version 4.0

Revision Date 07/31/2019

Print Date 02/01/2021

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : Gases under pressure | |
|----------------------|---|-----------------|
| SARA 302 | : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. | |
| SARA 313 | : The following components are subject to reporting levels established by SARA Title III, Section 313: | |
| | 2-butoxyethanol 111-76-2 | 1.248 % |
| California Prop. 65 | | |
| | This product does not contain any chamicals kn | own to State of |

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

| DSL | All components of this product are on the Canadian DSL |
|------|--|
| TSCA | On TSCA Inventory |

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)




Version 4.0

Revision Date 07/31/2019

Print Date 02/01/2021

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:

| Hazard pictograms | |
|--|---|
| Signal word Hazard statements Precautionary statements | : Warning: : Contains gas under pressure; may explode if heated. |
| | Prevention: Pressurized container: Do not pierce or burn, even after use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| | Storage: Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F. |
| | Disposal: Dispose of contents/container in accordance with local regulation. |

| Version: | 4.0 |
|----------------|------------|
| Revision Date: | 07/31/2019 |
| Print Date: | 02/01/2021 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.



Version 4.0

Revision Date 07/31/2019

Print Date 02/01/2021