



Safety Data Sheet

acc. to OSHA HCS

Reviewed on 02/10/2020

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Specialty Products
 - Synonyms: Viz-Torque 202 White
 - Part number: VT2025
 - Application of the substance / the mixture Assembly adhesive

- Details of the supplier of the safety data sheet


- *Manufacturer/Supplier:* ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- *Emergency telephone number:* United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification


- Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



- Signal word Danger

- Hazard-determining components of labeling: isopropanol
- titanium dioxide
- Hazard statements
- H225 Highly flammable liquid and vapor.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H336 May cause drowsiness or dizziness.
- Precautionary statements
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray

Reviewed on 02/10/2020

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 1) P264 Wash face, hands and any exposed skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P280 Wear eye protection / face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P312 Call a poison center/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

	Acrylic polymer	Combustible Dust	20 – 299
CAS: 1332-58-7	Kaolin		20 – 29%
CAS: 616-38-6	dimethyl carbonate	Flam. Liq. 2, H225	20 - 299
CAS: 67-63-0	isopropanol	Flam. Liq. 2, H225; Eye Irrit. 2A, H319; STOT SE 3, H336	20 – 299
CAS: 67762-90-7	Amorphous Silica	Combustible Dust	1 – 4%
CAS: 13463-67-7	titanium dioxide	Carc. 2. H351	1-4%

4 First-aid measures

- Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

- Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available. - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation
- Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Dispose of the collected material according to regulations.

Printing date 02/10/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 2)

Reviewed on 02/10/2020

- Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

CAS	: 1332-58-7 Kaolin
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV	Long-term value: 2* mg/m³ E; as respirable fraction
CAS	: 67-63-0 isopropanol
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI
	- Ingredients with biological limit values:
CAS	: 67-63-0 isopropanol
	40 mg/L Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

Personal protective equipment:

- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Safety Data Sheet acc. to OSHA HCS

Printing date 02/10/2020

Trade name: Vibra-TITE® Specialty Products

Reviewed on 02/10/2020

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation - *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - **Eye protection:**

Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties		
- Information on basic physical and che - General Information - Appearance:	emical properties	
- Form:	Liquid	
- Color:	White	
- Odor:	Alcohol-like	
- Odor threshold:	Not determined.	
- pH-value:	Not determined.	
- Change in condition - Melting point/Melting range: - Boiling point/Boiling range:	Undetermined. ≥ 82 °C (≥ 179.6 °F)	
- Flash point:	13 °C (55.4 °F)	
- Flammability (solid, gaseous):	Not applicable.	
- Ignition temperature:	425 °C (797 °F)	
- Decomposition temperature:	Not determined.	
- Auto igniting:	Product is not selfigniting.	
- Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
- Explosion limits:		
- Lower:	2 Vol %	
- Upper:	12 Vol %	
 Vapor pressure at 20 °C (68 °F): 	≤ 56 hPa (≤ 42 mm Hg)	
- Density at 20 °C (68 °F):	~ 1.37226 g/cm³ (~ 11.45151 lbs/gal)	
 Relative density 	Not determined.	
- Vapor density	Not determined.	
- Evaporation rate	Not determined.	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.	
- Partition coefficient (n-octanol/water): Not determined.		
- Viscosity:		
- Dynamic: Kinomotio	Not determined.	
- Kinematic:	Not determined.	
- Solvent content:		
- Organic solvents:	21.1 %	
- VOC content:	21.13 % ~ 289.9 g/l / ~ 2.42 lb/gal	
- Solids content:	28.1 %	
- Other information	No further relevant information available.	

(Contd. on page 5)

(Contd. of page 4)

Printing date 02/10/2020

Trade name: Vibra-TITE® Specialty Products

Reviewed on 02/10/2020

10 Stability and reactivity

- Reactivity No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate) Inhalative LC50/4 h > 102 mg/l (rat)

CAS: 6	16-38-6 dir	nethyl carbonate
Oral	1 D50	13000mg/kg(rat)

Ulai	LDJU	13,000 mg/kg (lat)
Dermal	LD50	> 5,000 mg/kg (rabbit)

CAS: 67-63-0 isopropanol

Oral LD50 5,045 mg/kg (rat) Dermal LD50 12,800 mg/kg (rabbit)

Inhalative LC50/4 h 30 mg/l (rat)

CAS: 13463-67-7 titanium dioxide

 Oral
 LD50
 > 20,000 mg/kg (rat)

 Dermal
 LD50
 > 10,000 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 > 6.82 mg/l (rat)

- Primary irritant effect:

- on the skin: No irritant effect.

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

CAS: 67-63-0 isopropanol CAS: 13463-67-7 titanium dioxide • NTP (National Toxicology Program) None of the ingredients is listed.	3 2B	
- NTP (National Toxicology Program)	2B	
None of the ingredients is listed.		
- OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

- Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.

- Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:
 - Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.

- Other adverse effects No further relevant information available.

Safety Data Sheet acc. to OSHA HCS

Printing date 02/10/2020

Trade name: Vibra-TITE® Specialty Products

Reviewed on 02/10/2020

 Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Incleaned packagings: Recommendation: Disposal must be made according to official regulations. Transport information UN 139 Writing Control (Control (Control	Disposal considerations	
- Recommendation: Disposal must be made according to official regulations. Transport information JM-Number - DOT, MDG, IATA - DOT, MDG, IATA - DOT - Class - Label - Special precautions for user - Mumber (Kemler code): - Stowage Category - B Transport in bulk according to Annex II of MARPOLT3778 Ind the IBC Code Not applicable. Transport/Additional information: - DOT - Quantity limitations On cargo aircraft/rail: 5 L On cargo aircraft only: 60 L - Imited quantities (LQ) 1L - Excepted quantities (EQ) 1L - Excepted quantities (EQ) 1L - Excepted quantities (EQ) </th <th><i>Waste treatment methods</i> - <i>Recommendation:</i> Must not be disposed of together with h</th> <th>nousehold garbage. Do not allow product to reach sewage system.</th>	<i>Waste treatment methods</i> - <i>Recommendation:</i> Must not be disposed of together with h	nousehold garbage. Do not allow product to reach sewage system.
UN-Number - DOT, IMDG, IATA UN1139 UW proper shipping name - DOT - DOT Coating solution COATING SOLUTION Transport hazard class(es) - DOT Coating solution - DOT Coating solution - Class 3 Flammable liquids - Label 3 - IMDG, IATA 3 - Class 3 Flammable liquids - Label 3 - Label 3 - IMDG, IATA 1 Environmental hazards: Not applicable. Special precautions for user - POT, MIMBC Identification number (Kemler code): 33 - EMS Number: -FELS-E - Stowage Category B Transport in bulk according to Annex II of MARPOL7378 and the IBC Code Not applicable. Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - IMDG - Limited quantities (LQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II	Uncleaned packagings: - Recommendation: Disposal must be made according to o	fficial regulations.
· DOT, IMDG, IATA UN139 UW proper shipping name - DOT Coating solution COATING SOLUTION Transport hazard class(es) · DOT · DOT Coating solution · DOT · Class · Label 3 · IMDG, IATA · Class · Label 3 · Label 3 · IMDG, IATA · Class · Label 3 · IMDG, IATA · Class · Label 3 · IMDG, IATA · Class · Label 3 · Packing group · Class · Label 3 · Packing group · Not applicable. · Mazard identification number (Kemler code): 33 · Hazard identification number (Kemler code): 33 · Hazard identification number (Kemler code): 33 · EMS Number: · F-E,S-E · Stowage Category B Transport in bulk according to Annex II of MARPOL73778 Not applicable. Transport in bulk according to Annex II of MARPOL73778 Not applicable. Transport in bulk according to Annex II of Code On cargo aircraft/rail	Transport information	
- IMDG, IATA COATING SOLUTION Transport hazard class(es) - DOT - DOT - Second Sec	UN-Number - DOT, IMDG, IATA	UN1139
- DOT • Class • Label • Code • Label • Code • Limited quantities (LQ) • Excepted quantities (LQ) • Limited quantities (LQ	- DOT	•
Class - Class - Label - Class - Label - L	Transport hazard class(es)	
- Label 3 - IMDG, IATA 3 - Class 3 Flammable liquids - Label 3 Packing group 3 - Label 3 Packing group 1 Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-E - Stowage Category B Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code Not applicable. Transport/Additional information: - - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - IMDG 1L - - Limited quantities (LQ) 1L - - Excepted quantities (EQ) 1L - - Wodel Regulation": UN 1139 COATING SOLUTION, 3, II	- DOT	
- Label 3 - IMDG, IATA I - Class 3 Flammable liquids - Label 3 Packing group . - DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-E - Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: - DOT - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - IMDG - Limited quantities (LQ) 1L - Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 50 ml Maximum net quantity per outer packaging: 50 ml		
- IMDG, IATA •••••••••••••••••••••••••••••••••••		•
Class C		3
- Label 3 Packing group - DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - EMS Number: - Stowage Category 33 F-E,S-E - Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 50 ml UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II		
- DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-E - Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: - - DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - IMDG - Limited quantities (LQ) 1L - Excepted quantities (EQ) 1L - Excepted quantities (EQ) UN 1139 COATING SOLUTION, 3, II		
Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-E - Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L - DOT On cargo aircraft only: 60 L - IMDG 1L - Limited quantities (LQ) 1L - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II		II
 Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations IMDG Limited quantities (LQ) Excepted quantities (EQ) UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II 	Environmental hazards:	Not applicable.
and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L - DOT On passenger aircraft/rail: 5 L - Quantity limitations On passenger aircraft/rail: 5 L - IMDG 1L - Limited quantities (LQ) 1L - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II	- Hazard identification number (Kemler code): - EMS Number:	33 F-E, <u>S-E</u>
- DOT On passenger aircraft/rail: 5 L - Quantity limitations On passenger aircraft/rail: 5 L - IMDG IL - Limited quantities (LQ) 1L - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II	Transport in bulk according to Annex II of MARPOL73, and the IBC Code	
- Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - IMDG 1L - Limited quantities (LQ) 1L - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II	-	
- Limited quantities (LQ) 1L - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II	-	
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN "Model Regulation": UN 1139 COATING SOLUTION, 3, II	- Limited quantities (LQ)	
UN 1139 COATING SOLUTION, 3, II		Maximum net quantity per inner packaging: 30 ml
Regulatory information	UN "Model Regulation":	
	Regulatory information	

None of the ingredients is listed.

(Contd. of page 6)

Trade name: Vibra-TITE® Specialty Products

Reviewed on 02/10/2020

- TSCA (1	oxic Substances Control Act):	
All components ha	ave the value ACTIVE.	
- Haza	rdous Air Pollutants	
None of the ingre	lients is listed.	
- Proposi	tion 65	
- Cher	nicals known to cause cancer:	
None of the ingre	lients is listed.	
- Cher	nicals known to cause reproductive toxicity for females:	
None of the ingre	dients is listed.	
- Cher	nicals known to cause reproductive toxicity for males:	
None of the ingre	dients is listed.	
- Cher	nicals known to cause developmental toxicity:	
None of the ingre	dients is listed.	
- Carcino	genic categories	
- EPA	(Environmental Protection Agency)	
None of the ingre	dients is listed.	
- TLV	(Threshold Limit Value established by ACGIH)	
CAS: 1332-58-7	Kaolin	A4
CAS: 67-63-0	isopropanol	A4
CAS: 13463-67-7	titanium dioxide	A4
- NIOS	H-Ca (National Institute for Occupational Safety and Health)	
CAS: 13463-67-7	titanium dioxide	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires

- Classification System:

- HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 02/10/2020 / 20

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

- IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

- BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation Category 2A
- Carc. 2: Carcinogenicity Category 2 STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- * Data compared to the previous version altered.

Safety Data Sheet acc. to OSHA HCS

Printing date 02/10/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 7)

Reviewed on 02/10/2020

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.