

SAFETY DATA SHEET

A CSW Industrials Company

Issuing Date 21-Oct-2014 Revision Date 2-Mar-2017 Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name 769 LUBRICANT® (BULK form)

Other means of identification

Product Code(s) 275, 373

Synonyms 769

Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products, metal surface treatment product

Uses advised against No information available

Supplier's details

Manufacturer Address

Jet-Lube, LLC 930 Whitmore Dr. Rockwall, Texas 75087 TEL: 972-771-1000 Toll Free: 1-800-669-6318

Emergency telephone number

Emergency Telephone CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

Number 1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Aspiration Toxicity	Category 1
Flammable liquids	Category 4

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Danger Hazard Statements

May be fatal if swallowed and enters airways

Combustible liquid.



Appearance Pale yellow Physical State Liquid. Odor Petroleum

Precautionary Statements

Prevention

- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

None

Ingestion

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- Do NOT induce vomiting.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- · Store locked up.
- Store in a well-ventilated place. Keep cool.

Disposa

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Harmful to aquatic life with long lasting effects

9.3% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms 769

Chemical Name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated light	64742-47-8	60-65	*
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	20-25	*
Carbamodithioic acid, dibutyl-, methylene ester	10254-57-6	3-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing. If symptoms persist, call a physician.

Skin ContactWash skin with soap and water. Remove and wash contaminated clothing before re-use. If

skin irritation persists, call a physician.

WPS-JLI-110US - 769 LUBRICANT® (BULK form)

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce

vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

Protection of First-aidersUse personal protective equipment.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Move containers from fire area if you can do it without risk.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

Combustible material. Vapors may travel to source of ignition and flash back.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment. Ensure adequate ventilation. Avoid contact with skin,

eyes and inhalation of vapors. Remove all sources of ignition.

Environmental Precautions

Environmental Precautions Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Remove all sources of ignition. Handle in accordance with good industrial hygiene and

safety practice. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not take internally. Do not eat, drink or smoke when using this product. Wash thoroughly after

handling.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled

containers. Keep away from incompatible materials.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 5 mg/m³ STEL: 10 mg/m³ (as oil mist)	TWA: 5 mg/m³ (as oil mist)	-
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m³, as oil mist, mineral	-

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and Body Protection Long sleeved clothing. Protective gloves. Please observe the instructions regarding

permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such

as the danger of cuts, abrasion.

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

None known

None known

be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical StateLiquidAppearancePale yellow.

Odor Petroleum Odor Threshold No information available

Remarks/ - Method **Property** Values Neutral None known Hq **Melting Point/Range** -50 °C None known **Boiling Point/Boiling Range** 199-260 °C None known **Flash Point** > 75 °C None known **Evaporation rate** No data available None known No data available Flammability (solid, gas) None known Flammability Limits in Air No data available upper flammability limit lower flammability limit No data available **Vapor Pressure** No data available None known **Vapor Density** No data available None known **Specific Gravity** 0.83 None known Water Solubility Slightly soluble None known Completely soluble Solubility in other solvents None known Partition coefficient: n-octanol/water 3.3-6 None known

No data available

No data available

Autoignition Temperature

Decomposition Temperature

WPS-JLI-110US - 769 LUBRICANT® (BULK form)

Viscosity 4.5 -6 cSt (@ 40°C) None known

Flammable Properties Not flammable

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) 0 g/L

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Incompatible products.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None under normal use.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation Vapors may irritate throat and respiratory system.

Eye Contact Contact with eyes may cause irritation.

Skin Contact Repeated exposure may cause skin dryness or cracking.

Ingestion Potential for aspiration if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Petroleum distillates, solvent dewaxed heavy paraffinic	-	-	>4.7 mg/l (rat) 4 hr.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available. **Mutagenic Effects** No information available.

CarcinogenicityThe full refining history is known for this product and it can be shown that the substance

from which it is produced is not a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, solvent	A2	Group 1		X
dewaxed heavy paraffinic				

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard May be fatal if swallowed and enters airways

Numerical measures of toxicity - Product

Acute Toxicity 9.3% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated light 64742-47-8		LC50 96 h: = 45 mg/L flow- through (Pimephales promelas) LC50 96 h: = 2.2 mg/L static (Lepomis macrochirus) LC50 96 h: = 2.4 mg/L static (Oncorhynchus mykiss)		LC50 96 h: = 4720 mg/L (Den-dronereides heteropoda)
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

<u>ICAO</u> Not regulated

<u>IATA</u> Not regulated

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Petroleum distillates, solvent				X	
dewaxed heavy paraffinic					

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 21-Oct-2014

Issuing Date 21-Oct-2014 **Revision Date** 2-Mar-2017

Revision Note Updated company information

General Disclaimer
The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet