# SAFETY DATA SHEET.

Issuing date 31-Jul-2015 Revision Date 30-Apr-2018 Version 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name 6730-1 CONTACT CLEANER 6 PK

Recommended use of the chemical

and restrictions on use

Product code F03280

Product Type Extremely Flammable Aerosol

Synonyms None

Supplier's details

Recommended Use Contact Cleaner.
Uses advised against No information available

Manufactured For: Manufacturer

Imperial Supplies LLCAmerican Jetway Corporation789 Armed Forces Drive34136 Myrtle StreetP.O. Box 11008Wayne, MI 48184-0126

Green Bay, WI 53407-1008 Wayne, MI 48184-012 Phone: (734) 721-5930

1-800-558-2808

Emergency telephone number

Chemical Emergency Phone CHEMTREC: 1-800-262-8200 ID 1195 (UNITED STATES)

Number

## 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2A	
Reproductive Toxicity	Category 2	
Specific target organ toxicity (single exposure)	Category 3	
Specific target organ toxicity (repeated exposure)	Category 2	
Aspiration toxicity	Category 1	
Flammable aerosols	Category 1	
Gases under pressure	Compressed Gas	

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### DANGER

#### Hazard Statements

Causes skin irritation

Causes serious eye irritation

Suspected of damaging fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness.

May cause damage to organs (Eyes, Skin, Respiratory System, Central Nervous System, and Peripheral Nervous System)

through prolonged or repeated exposure.

May be fatal if swallowed and enters airways

Extremely Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance Clear Physical state Aerosol Odor Solvent

## **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash face, hands and any exposed skin thoroughly after handling.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces.-No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention.

Specific treatment (see first aid on this label)

IF IN EYES:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER /doctor/physician

Do NOT induce vomiting.

## **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None

#### Other information

0% of the mixture consists of ingredient(s) of unknown toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
1,1-DIFLUOROETHANE	75-37-6	30-40
ISOHEXANE	107-83-5	20-30
ACETONE	67-64-1	10-20
3-METHYLPENTANE	96-14-0	1-10
2,3-DIMETHYLBUTANE	79-29-8	1-10
2,2-DIMETHYLBUTANE	75-83-2	1-10
N-HEXANE	110-54-3	1-10

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice Avoid contact with eyes, skin, and clothing. Avoid breathing vapors, mist, or gas.

Eye contact Immediately flush with plenty of water for at least 15 minutes. After initial flushing, remove

any contact lenses and continue flushing. If eye irritation persists, consult a doctor.

**Skin contact** Wash off immediately with plenty of water. Remove and wash contaminated clothing before

re-use. If symptoms persist, call a physician.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped,

contact emergency medical services immediately.

Ingestion Call a physician or Poison Control Center immediately. Do NOT induce vomiting. Never

give anything by mouth to an unconscious person. Risk of product entering the lungs on

vomiting after ingestion.

## Most important symptoms/effects, acute and delayed

Main Symptoms Causes skin and serious eye irritation. Suspected of damaging fertility or the unborn child.

May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be harmful if swallowed and enters

airways.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Water fog.Dry chemical. Foam.Carbon dioxide (CO2). Cool containers/tanks with water spray. Water fog. Dry chemical. Carbon dioxide (CO2). Cool containers / tanks with water spray.

**Unsuitable Extinguishing Media**. Cool containers / tanks with water spray. Do not use a solid water stream as it may scatter and spread fire.

### Specific hazards arising from the chemical

Extremely Flammable / Flammable. Keep product and empty container away from heat and sources of ignition. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. Keep product and empty container away from heat and sources of ignition.

## **Explosion Data**

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

#### **Protective Equipment and Precautions for Firefighters**

In the event of fire and/or explosion do not breathe fumes. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect fire-fighters from bursting containers.

### 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

handling advice and personal protective equipment recommendations.

Environmental precautions

Environmental precautions Vapors can accumulate in low areas. Report spills as required by local and federal

regulations. Do not flush into surface water or sanitary sewer system. Do not allow material

to contaminate ground water system. Should not be released into the environment.

Methods and materials for containment and cleaning up

**Methods for Containment**Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal. Prevent further leakage or spillage if safe to do so. Do not allow material to

contaminate ground water system. Prevent product from entering drains.

Methods for cleaning up Soak up with inert absorbent material. Contain liquid and collect with an inter,

non-combustible material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly . After cleaning, flush away traces with water. Prevent product from entering drains. Take precautionary measures against static discharges.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Keep away

from open flames, hot surfaces and sources of ignition. Contents under pressure. Do not puncture or incinerate cans. Handle in accordance with good industrial hygiene and safety

practice. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces, and sources of ignition. Keep in properly labeled containers. Keep out

of the reach of children. Store locked up.

Incompatible products Strong acids, alkalis, oxidizing agents.

Aerosol Level 2

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,1-DIFLUOROETHANE 75-37-6	TWA 1000 PPM 8 hours	-	-
ISOHEXANE 107-83-5	STEL: 1000 ppm TWA: 500 ppm	-	-
ACETONE 67-64-1	STEL: 500 ppm TWA: 250 ppm	TWA: 1000 ppm TWA: 2400 mg/m³ (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m³ (vacated) STEL: 2400 mg/m³ The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m³
3-METHYLPENTANE 96-14-0	STEL: 1000 ppm TWA: 500 ppm	-	-
2,3-DIMETHYLBUTANE 79-29-8	STEL: 1000 ppm TWA: 500 ppm	-	-
2,2-DIMETHYLBUTANE 75-83-2	STEL: 1000 ppm TWA: 500 ppm	-	-
N-HEXANE 110-54-3	TWA: 50 ppm Skin - potential significant contribution to overall exposure by the cutaneous route	TWA: 500 ppm TWA: 1800 mg/m³ (vacated) TWA: 50 ppm (vacated) TWA: 180 mg/m³	IDLH: 1100 ppm TWA: 50 ppm TWA: 180 mg/m³

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Exposure controls** 

Engineering Measures Ventilation systems. Use adequate ventilation to keep the exposure levels below the

occupational exposure limits.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Chemical resistant apron. Protective gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Aerosol

**Appearance** Clear Odor Solvent

Color Clear **Odor Threshold** 

**Property** Values Remarks • Methods No information available

pН

Melting/freezing point No information available

Boiling point/boiling range

Flash Point -50 °C / -58 °F Based on propellant

No information available

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limits in Air upper flammability limit lower flammability limit

Vapor pressure Vapor density

Specific Gravity 0.772 Water solubility Negligible

Partition coefficient: n-octanol/water

Autoignition temperature **Decomposition temperature** 

No information available Not applicable

**Viscosity Explosive properties** 

**Other information** 

VOC Content(%) 44.05

### 10. STABILITY AND REACTIVITY

## Reactivity

Stable under recommended storage conditions

## **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

## **Incompatible Materials**

Strong acids, alkalis, oxidizing agents.

## **Hazardous Decomposition Products**

Carbon oxides, Hydrocarbons, Fumes.

## 11. TOXICOLOGICAL INFORMATION

\_\_\_\_\_

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** May cause respiratory irritation. May cause drowsiness or dizziness.

**Eye contact** Causes serious eye irritation.

**Skin contact** Causes skin irritation.

**Ingestion** May be fatal if swallowed and enters airways.

**Component Information** 

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
ACETONE	= 5800 mg/kg (Rat)	-	= 50100 mg/m <sup>3</sup> (Rat) 8 h
67-64-1			
N-HEXANE	= 25 g/kg (Rat)	= 3000 mg/kg ( Rabbit )	= 48000 ppm (Rat) 4 h
110-54-3			

### Information on toxicological effects

Symptoms Causes skin and serious eye irritation. Suspected of damaging fertility or the unborn child.

May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs (listed below) through prolonged or repeated exposure. May be fatal if swallowed

and enters airways.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationIrritating to skin.Eye damage/irritationIrritating to eyes.SensitizationNot a known sensitizer.Germ Cell MutagenicityNot a germ cell mutagen.

**Carcinogenicity** There are no known carcinogenic chemicals in this product.

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

Specific target organ systemic

May cause drowsiness and dizziness. May cause respiratory irritation.

toxicity (single exposure)

Specific target organ systemic May cause damage to target organs listed below through prolonged and repeated

toxicity (repeated exposure) exposure.

Chronic toxicity Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and

potential cardiac arrest.

Target Organ Effects

Eyes, Skin, Respiratory System, Central Nervous System, and Peripheral Nervous System.

Neurological effects

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

**Aspiration hazard** May be fatal if swallowed and enters airways.

### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 17255 mg/kg
ATEmix (dermal) 11488 mg/kg
ATEmix (inhalation-gas) 996173 mg/l
ATEmix (inhalation-dust/mist) 6.3 mg/l
ATEmix (inhalation-vapor) 55096 mg/l

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
ACETONE 67-64-1	-	4.74 - 6.33 mL/L LC50 Oncorhynchus mykiss 96h 6210 - 8120 mg/L LC50 Pimephales promelas 96h static 8300 mg/L LC50 Lepomis macrochirus 96h	-	10294 - 17704 mg/L EC50 Daphnia magna 48h Static 12600 - 12700 mg/L EC50 Daphnia magna 48h
N-HEXANE 110-54-3	-	2.1 - 2.98 mg/L LC50 Pimephales promelas 96h flow-through	-	-

## Persistence and degradability

•

## **Bioaccumulation**

Chemical Name	log Pow
ACETONE	-0.24
67-64-1	2.0
2,2-DIMETHYLBUTANE 75-83-2	3.8

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state, and local regulations. Dispose of in

accordance with federal, state, and local regulations.

**Contaminated packaging** Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D

or

LIMITED QUANTITY

IATA UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD.QTY.

IMDG UN1950, AEROSOLS, 2.1, LTD. QTY.

# 15. REGULATORY INFORMATION

**International Inventories** 

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
1,1-DIFLUOROETHA NE	Х	Х	Х	Х	Х	Х	Х	Х
ISOHEXANE	Х	Х	Х	Х	Х	Х	Х	Х
ACETONE	Х	Х	Х	Х	Х	Х	X	X
3-METHYLPENTANE	Х	Х	Х	Х	Х	Х	Х	Х
2,3-DIMETHYLBUTAN E	Х	Х	X	Х	X	Х	Х	Х
2,2-DIMETHYLBUTAN E	Х	Х	Х	Х	Х	Х	Х	Х
N-HEXANE	Χ	X	X	Χ	Х	X	X	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
N-HEXANE - 110-54-3	110-54-3	1.32155	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Star Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

## **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
ACETONE 67-64-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
N-HEXANE 110-54-3	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

# U.S. State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals:



This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical Name	California Prop. 65	
N-HEXANE - 110-54-3	Developmental, Reproductive (Male) 1-10 %	

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,1-DIFLUOROETHANE 75-37-6	X	X	
ISOHEXANE 107-83-5	Х	X	X
ACETONE 67-64-1	Х		X
3-METHYLPENTANE 96-14-0		X	X
2,3-DIMETHYLBUTANE 79-29-8	X	X	X
2,2-DIMETHYLBUTANE 75-83-2	X	X	X
N-HEXANE 110-54-3	X	X	X

**EPA Pesticide Registration Number** Not applicable

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

### **WHMIS Hazard Class**

A Compressed gases D2B Toxic materials B5 Flammable aerosol

# **16. OTHER INFORMATION**

NFPA Health Hazard 2 Flammability 4 Instability 0 Physical and chemical hazards -

HMIS Health Hazard 2\* Flammability 4 Physical Hazard 1 Personal protection B

Chronic Hazard Star Legend Chronic Health Star Hazard Repeated or prolonged exposure may cause central nervous system

damage

Prepared By American Jetway

34136 Myrtle Street Wayne, MI 48184 Tel.734-721-5930

**Issuing date** 31-Jul-2015 **Revision Date** 30-Apr-2018

**Revision Note** 

(M)SDS sections updated

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**