

Version 3.0	Revision Date 07/24/2017	Print Date 02/06/2018
SECTION 1. PRODUCT AND	D COMPANY IDENTIFICATION	

Material name	: A00734 ZEP PRO BRAKE WASH R19001 20N14
Material number	: 0000000001041084
Manufacturer or supplie	r's details
Company	: Zep Inc.
Address	: 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	: 404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Vehicle Maintenance

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a compressed gas
Colour	clear
Odour	aliphatic, solvent-like

GHS Classification

Flammable aerosols Gases under pressure Skin irritation Specific target organ toxicity - single exposure	: Category 1 : Compressed gas : Category 2 : Category 3 (Central nervous system)
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	: Prevention:



Version 3.0	Revision Date 07/24/2017	Print Date 02/06/2018
	P210 Keep away from heat, hot surface and other ignition sources. No smoking P211 Do not spray on an open flame of P251 Pressurized container: Do not pie use. P261 Avoid breathing dust/ fume/ gas/ P264 Wash skin thoroughly after handli P271 Use only outdoors or in a well-ver P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with p P304 + P340 + P312 IF INHALED: Ren and keep comfortable for breathing. Ca CENTER/doctor if you feel unwell. P332 + P313 If skin irritation occurs: Ge attention. P362 Take off contaminated clothing ar Storage: P410 + P412 Protect from sunlight. Do temperatures exceeding 50 °C/ 122 °F. P403 Store in a well-ventilated place. Dispose of contents/container in accord regulation.	es, sparks, open flames other ignition source. rce or burn, even after mist/ vapours/ spray. ng. itilated area. lenty of soap and water. nove person to fresh air II a POISON et medical advice/ nd wash before reuse. not expose to

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]		
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 70 - < 90		
ethanol	64-17-5	>= 5 - < 10		
carbon dioxide	124-38-9	>= 5 - < 10		
heptane	142-82-5	>= 1 - < 5		
The exact percentages of disclosed substances are withheld as trade secrets				

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Show this safety data sheet to the doctor in atternation in the case of accident or if you feel unwell, see advice immediately (show the label where poss Move out of dangerous area. Do not leave the victim unattended.	ek medical
If inhaled	Remove to fresh air. Call a physician or poison control centre immed	liately.
In case of skin contact	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at minutes.	t least 15
In case of eye contact	Flush eyes with water at least 15 minutes. Get attention if eye irritation develops or persists.	medical



Version 3.0	Revision Date 07/24/2017	Print Date 02/06/2018
If swallowed	: DO NOT induce vomiting unless physician or poison control center Keep respiratory tract clear. Obtain medical attention. Never give anything by mouth to	r.
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayer Symptoms may include irritation, Symptoms may include central ner resulting in headache, nausea an Effects are dependent on exposu contact time). Causes skin irritation. May cause drowsiness or dizziner Review section 2 of SDS to see a 	redness, pain, and rash. ervous system depression, id/or dizziness. re (dose, concentration, ss.
Notes to physician	: Treat symptomatically. Symptom	is may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Do not allow run-off from fire fighting to enter drains or water courses.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.
protective equipment and	Ensure adequate ventilation.
emergency procedures	Remove all sources of ignition.
	Evacuate personnel to safe areas.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.



Version 3.0		Revision Date 07/24/2017	Print Date 02/06/2018	
Environmental precautions	:	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.		
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. c	loth, fleece).	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours or spray mist. Do not puncture. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Do not store together with oxidizing and self-igniting products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m3	NIOSH REL
		ST	30,000 ppm 54,000 mg/m3	NIOSH REL
		TWA	5,000 ppm	OSHA Z-1



ersion 3.0	Revision	Date 07/24/207	17 Print	Date 02/06/2018
	1	1	9,000 mg/m3	
		TWA	10,000 ppm 18,000 mg/m3	OSHA P0
		STEL	30,000 ppm 54,000 mg/m3	OSHA P0
		PEL	5,000 ppm 9,000 mg/m3	CAL PEL
		STEL	30,000 ppm 54,000 mg/m3	CAL PEL
heptane	142-82-5	TWA	85 ppm 350 mg/m3	NIOSH REL
		С	440 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		STEL	500 ppm 2,000 mg/m3	OSHA P0
		PEL	400 ppm 1,600 mg/m3	CAL PEL
		STEL	500 ppm 2,000 mg/m3	CAL PEL
Engineering measures	: effective v	entilation in all	processing areas	
Personal protective equip	ment			
Respiratory protection	: In the cas approved		mation use a respirato	r with an
Hand protection				
Material Remarks	 Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves. 			
Eye protection	: Tightly fitting safety goggles			
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Hygiene measures	 When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed	gas
Colour	: clear	
Odour	: aliphatic, solvent-like	

SAFETY DATA SHEET



A00734 ZEP PRO BRAKE WASH R19001 20N14

Version 3.0	Revision Date 07/24/2017	Print Date 02/06/2018
Odour Threshold	: No data available	
рН	: No data available	
Melting point/freezing point	: No data available	
Boiling point	: Not applicable	
Flash point	: Not applicable	
Evaporation rate	: not determined	
Upper explosion limit	: not determined	
Lower explosion limit	: not determined	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: No data available	
Solubility(ies)		
Water solubility	: Not applicable	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects



Version 3.0	Revision Date 07/24/2017	Print Date 02/06/2018
A graves rate of Mandianal		
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time). 	
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with unk humans ethanol	nown relevance to 64-17-5
OSHA	No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA.	at levels greater than or
NTP	No component of this product present at levels greater than c equal to 0.1% is identified as a known or anticipated carcinog by NTP.	
Acute toxicity		
Components:		
ethanol:		
Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h	
heptane: Acute inhalation toxicity	: LC50 Rat: 103 mg/l Exposure time: 4 h	
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irritatio	n	
Product:		
Remarks: May irritate eyes.		
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		



Version 3.0	Revision Date 07/24/2017	Print Date 02/06/2018

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
heptane :	
Partition coefficient: n-	: log Pow: 5
octanol/water	

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances



Version 3.0	Revision Date 07/24/2017	Print Date 02/06/2018
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).	
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

- -

.

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION



Version 3.0	Revision Date 07/24/2017	Print Date 02/06/2018
TSCA list	 No substances are subject to a Signif No substances are subject to TSCA 1 requirements. 	

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
toluene	108-88-3	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard		
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
California Prop 65	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.		
toluene	108-88-3		
The components of this product are reported in the following inventories:			

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION




Version 3.0

Revision Date 07/24/2017

Print Date 02/06/2018





HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause drow siness or dizziness.
Precautionary statements	 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and w ashbefore reuse. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	3.0
Revision Date:	07/24/2017
Print Date:	02/06/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®],



Version 3.0

Revision Date 07/24/2017

Print Date 02/06/2018

Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.