

Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018
SECTION 1 PRODUCT AN	D COMPANY IDENTIFICATION	

Material name	:	BZ7410 HD BUTYL DEGREASER R08824 4/1G
Material number	:	0000000001041483
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

## Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

## Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

### SECTION 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

Appearance	liquid
Colour	dark blue, clear
Odour	mild

### **GHS** Classification

Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	<ul> <li>Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> </ul>



Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018
	P303 + P361 + P353 IF ON SKIN immediately all contaminated clot water/shower. P304 + P340 + P310 IF INHALED and keep comfortable for breathin POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN water for several minutes. Remov and easy to do. Continue rinsing. CENTER/doctor. P363 Wash contaminated clothing <b>Disposal:</b> Dispose of contents/container in regulation.	thing. Rinse skin with b: Remove person to fresh air ng. Immediately call a N EYES: Rinse cautiously with e contact lenses, if present Immediately call a POISON g before reuse.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
2-butoxyethanol	111-76-2	>= 20 - < 30
sodium xylenesulphonate	1300-72-7	>= 1 - < 5
Sodium metasilicate (disodium salt)	6834-92-0	>= 1 - < 5
The superstance of displayed with the second	2011 11 6 1	1

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	:	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. If skin irritation persists, call a physician.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person.



Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018
	DO NOT induce vomiting unless din physician or poison control center. If symptoms persist, call a physicia Take victim immediately to hospital	n.
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are dependent on exposure contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include blistering, i Causes severe skin burns and eye Review section 2 of SDS to see all</li> </ul>	rritation, burns, and pain. damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Alcohol-resistant foam Carbon dioxide (CO2)	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	۶r
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	<ul> <li>Collect contaminated fire extinguishing water separately. Tr must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water mu be disposed of in accordance with local regulations.</li> </ul>	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	: Neutralise with acid. Soak up with inert absorbent material (e.g. sand, silica gel,



Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018

acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>To avoid spills during handling keep bottle on a metal tray.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Keep away from oxidizing agents and strongly acid or alkaline materials.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL

### **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-BUTOXYE THA NOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200.mg/g Creatinine	ACGIH BEI

Engineering measures : effective ventilation in all processing areas



Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018
Personal protective equipment		
Respiratory protection :	: Use respiratory protection unless adequate local exventilation is provided or exposure assessment den that exposures are within recommended exposure	
Hand protection		
Material :	Protective gloves	
	The suitability for a specific workplace s with the producers of the protective glow	
Eye protection :	Ensure that eyewash stations and safet the workstation location. Tightly fitting safety goggles	y showers are close to
Skin and body protection :	Impervious clothing Choose body protection according to th concentration of the dangerous substan	
Hygiene measures :	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the e	nd of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	dark blue, clear
Odour	:	mild
Odour Threshold	:	No data available
рH	:	12.5 - 13.52
Melting point/freezing point	:	No data available
Boiling point	:	104.44 °C
Flash point	:	does not flash
Evaporation rate	:	1
Upper explosion limit	:	No data available
Upper explosion limit Lower explosion limit	:	No data available No data available
	::	
Lower explosion limit	::	No data available
Lower explosion limit Vapour pressure	::	No data available not determined
Lower explosion limit Vapour pressure Relative vapour density	: : : : :	No data available not determined No data available
Lower explosion limit Vapour pressure Relative vapour density Density	:	No data available not determined No data available 1.021 g/cm3
Lower explosion limit Vapour pressure Relative vapour density Density Bulk density	:	No data available not determined No data available 1.021 g/cm3



Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018
octanol/water		
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: 5.7 mm2/s (20 °C)	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Acids Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

## SECTION 11. TOXICOLOGICAL INFORMATION

**Potential Health Effects** 

Aggravated Medical Condition Symptoms of Overexposure	<ul> <li>None known.</li> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include blistering, irritation, burns, and pain.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans
OSHA	2-butoxyethanol 111-76-2 No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.



Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 2,139 mg/k Method: Calculation method	g
Acute inhalation toxicity	: Acute toxicity estimate : 48.93 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate : 4,893 mg/k Method: Calculation method	g
Components:		
<b>2-butoxyethanol:</b> Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	
Sodium metasilicate (disod Acute oral toxicity		
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosive	e and destructive to tissue.	
Serious eye damage/eye irritati	on	
Product:		
Remarks: May cause irrevers	ible eye damage.	
Respiratory or skin sensitisation	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity No data available		
STOT - single exposure		
No data available		
	7 / 11	



Version 3.0

Revision Date 07/20/2017

Print Date 02/06/2018

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

## **Further information**

### **Product:**

Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

#### No data available **Bioaccumulative potential**

Draduat

<u>Product:</u>	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues	: Do not dispose of waste into sewer.
waste nom residues	Do not contaminate ponds, waterways or ditches with
	Do not contaminate poinds, waterways of ditches with



Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018
	chemical or used container. Dispose of in accordance with local regulations.	
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard



Version 3.0	Revision Date 07/20/2017	Print Date 02/06/2018
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	<ul> <li>This material does not contain any chemi known CAS numbers that exceed the thre reporting levels established by SARA Title</li> </ul>	eshold (De Minimis)
California Prop 65	This product does not contain any chemic California to cause cancer, birth defects, reproductive harm.	
The components of this product are reported in the following inventories:		


TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION




### **OSHA - GHS Label Information:**

Hazard pictograms

Signal w ord Hazard statements Precautionary statements





Causes severe skin burns and eye damage.

**Prevention:** Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. **Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with w ater/shower. IF



Version 3.0

Revision Date 07/20/2017

Print Date 02/06/2018

INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	3.0
Revision Date:	07/20/2017
Print Date:	02/06/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.