* * *Section 1 - IDENTIFICATION* * *

Product Identifier:

Manus Bond 64-A Premium

Recommended Use

adhesives / sealant Restrictions on Use

None known.

Manufacturer Information

Manus Products, Inc. 866 Industrial Blvd. West Waconia, MN 55387 Phone: (952) 442-3323

Emergency # (800) 424-9300

* * *Section 2 - HAZARD(S) IDENTIFICATION* * *

Classification in accordance with 29 CFR 1910.1200.

No classification is assigned, based on classification criteria. Review the entire data sheet for any additional information which did not result in a GHS classification.

GHS LABEL ELEMENTS

Symbol(s)

None

Signal Word

None

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

* * *Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS* * *

CAS	Component	Percent					
1317-65-3	Calcium Carbonate	40-50					
14807-96-6	Talc	18-22					

* * *Section 4 - FIRST-AID MEASURES* * *

Description of Necessary Measures Inhalation

Not a likely route of exposure. It is unlikely that emergency treatment will be required.

Skin Contact

Wash with plenty of soap and water. Get medical attention if irritation develops or persists.

Product Identifier: Manus Bond 64-A Premium

Eye Contact

Flush eyes with plenty of water. If eye irritation persists: Get medical advice/attention.

Ingestion

If a large amount is swallowed, get immediate medical attention.

Most Important Symptoms/Effects

Acute

skin irritation dermatitis eye irritation

Delaved

No information on significant adverse effects.

Indication of Immediate Medical Attention and Special Treatment Needed, If Needed

Treat symptomatically and supportively.

* * *Section 5 - FIRE-FIGHTING MEASURES* * *

Suitable Extinguishing Media

Use carbon dioxide, regular dry chemical, regular foam or water.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Hazardous Combustion Products

Combustion: Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Special Protective Equipment and Precautions for Firefighters

May burn, but does not ignite readily.

Fire Fighting Measures

Move material from fire area if it can be done without risk. Cool containers with water. Avoid inhalation of vapors or combustion by-products.

Protective Equipment and Precautions for Firefighters

Firefighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

* * *Section 6 - ACCIDENTAL RELEASE MEASURES* * *

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Collect spilled material in appropriate container for disposal.

* * *Section 7 - HANDLING AND STORAGE* * *

Precautions for Safe Handling

Avoid contact with skin and eyes. Wear personal protective clothing and equipment, see Section 8. Wash thoroughly after handling.

Conditions for Safe Storage, including any Incompatibilities

Store and handle in accordance with all current regulations and standards. Store in a cool, dry place. Keep separated from incompatible substances.

Incompatibilities: strong acids, strong bases, strong oxidizing materials

* * *Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION* * *

Component Exposure Limits

Calcium Carbonate (1317-65-3)

OSHA: 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

Product Identifier: Manus Bond 64-A Premium

NIOSH:10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)Mexico10 mg/m3 TWA LMPE-PPT20 mg/m3 STEL [LMPE-CT]

Talc (14807-96-6)

ACGIH: 2 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)

NIOSH: 2 mg/m3 TWA (containing no Asbestos and <1% Quartz, respirable dust)

Mexico 2 mg/m3 TWA LMPE-PPT (respirable fraction)

Appropriate Engineering Controls

Based on available information, additional ventilation is not required. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eyes/Face Protection

Wear safety goggles if eye contact is possible.

Skin Protection

Protective clothing is not required under normal conditions.

Glove Recommendations

Protective gloves are not required under normal conditions.

Respiratory Protection

Respiratory protection is not required under normal conditions of use.

Use an approved respirator if exposure limits are exceeded or if irritation develops or persists.

* * *Section 9 - PHYSICAL AND CHEMICAL PROPERTIES* * *

Physical State:	Solid	Appearance:	solid form
Physical Form:	Solid	Odor:	Not Available
Odor Threshold:	Not available	pH:	Not available
Melting Point:	Not available	Boiling Point:	Not available
Flash Point:	Not available	Decomposition:	Not available
Evaporation Rate:	Not available	OSHA Flammability Class:	Not available
Vapor Pressure:	Not available	Vapor Density (air = 1):	Not available
Density:	Not available	Specific Gravity (water = 1):	Not available
Water Solubility:	Negligible	Log KOW:	Not available
Coeff. Water/Oil Dist:	Not available	KOC:	Not available
Auto Ignition:	Not available	Viscosity:	Not available
VOC:	Not available	Volatility:	Not available
Molecular Formula:	Not available		

* * *Section 10 - STABILITY AND REACTIVITY* * *

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials

strong acids, strong bases, strong oxidizing materials

Hazardous Decomposition Products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Hazardous Decomposition

Combustion: Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

* * *Section 11 - TOXICOLOGICAL INFORMATION* * *

Acute Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Information on Likely Routes of Exposure

Inhalation

No information available for the product.

Ingestion

Ingestion may cause irritation of the esophagus and gastrointestinal tract.

Skin Contact

May cause irritation of the skin. Repeated or prolonged contact may result in dermatitis.

Eye Contact

May cause irritation of the eyes. Contact may cause tearing, redness, a stinging or burning feeling, swelling, and blurred vision.

Immediate Effects

skin irritation eye irritation

Delayed Effects

No information is available.

Medical Conditions Aggravated by Exposure

skin disorders,eye disorders

Irritation/Corrosivity Data

May cause irritation of the skin and eyes.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Germ Cell Mutagenicity

No information available for the product.

Carcinogenicity

Component Carcinogenicity

Talc (14807-96-6)

- ACGIH: A4 Not Classifiable as a Human Carcinogen (containing no asbestos fibers)
- IARC: Monograph 93 [2010] (inhaled); Supplement 7 [1987]; Monograph 42 [1987] (Group 3 (not classifiable))
- **DFG:** Category 3B (could be carcinogenic for man, free of asbestos fibers)

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Product Identifier: Manus Bond 64-A Premium

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration Hazard

No information available for the product.

* * *Section 12 - ECOLOGICAL INFORMATION* * *

Ecotoxicity

No information available for the product.

Component Analysis - Aquatic Toxicity

Talc (14807-96-6)

Fish: 96 Hr LC50 Brachydanio rerio: >100 g/L [semi-static]

Persistence and Degradability

No information available for the product.

Bioaccumulation

No information available for the product.

Mobility

No information available for the product.

Biodegradation

No information available for the product.

* * *Section 13 - DISPOSAL CONSIDERATIONS* * *

Disposal Methods

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Disposal of Contaminated Packaging

Dispose of properly. Recycle if possible.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

* * *Section 14 - TRANSPORT INFORMATION* * *

US DOT Information

Not regulated as a hazardous material.

TDG Information

Not regulated as dangerous goods.

* * *Section 15 - REGULATORY INFORMATION* * *

U.S. Federal Regulations

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA 311/312 Hazardous Categories

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactive: No

State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Calcium Carbonate	1317-65-3	No	Yes	Yes	Yes	Yes
Talc	14807-96-6	Yes	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer.

Product Identifier: Manus Bond 64-A Premium

SDS ID: MAN-009

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
Calcium Carbonate	1317-65-3	Yes	NSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Talc	14807-96-6	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

Component Analysis - Inventory

* * *Section 16 - OTHER INFORMATION* * *

Summary of Changes

New SDS: 1.00

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH -National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL -Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

Other Information

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations.

End of Sheet MAN-009