

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture CAS No. Mixture Trade Name Brake Cleaner **Product Code** 20-BC

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Brake cleaner Uses Advised Against None

Company Identification The Blaster Corporstion

> 8500 Sweet Valley Drive Valley View, Ohio 44125

Telephone (216) 901-5800 Fax (216) 901-5801 Website www.blastercorp.com

Emergency telephone number

Transportation Emergency: ChemTel 800-255-3924 Emergency Phone No.

Contract #: MIS7234544

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Flam. Aerosol 1; Compressed dissolved gas; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; Asp. Tox. 1

Label elements

Hazard Symbol

DANGER

Signal word(s)

Hazard Statement(s) Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

Repeated exposure may cause skin dryness or cracking.

May cause drowsiness or dizziness.

May cause damage to organs: (Optic nerve, Central nervous system)

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Avoid breathing spray.

Protect from sunlight and do not expose to temperatures exceeding 50

°C/122 °F.

Wash hands and exposed skin after use.

Keep out of reach of children.

Other hazards None

Revision: 12/02/16 Page: 1/7



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification
Acetone	70 - 90	67-64-1	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336
Heptane, branched, cyclic and linear	4 -10	426260-76-6	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336
Carbon dioxide	4 - 10	124-38-9	Compressed dissolved gas

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Move person to fresh air. If breathing is labored, administer oxygen. If

symptoms develop, obtain medical attention.

Skin Contact Wash affected skin with soap and water. If symptoms develop, obtain

medical attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If symptoms

occur obtain medical attention.

Ingestion Do not give anything by mouth to an unconscious person. Seek medical

treatment.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs: (Optic nerve, Central nervous system)

Indication of any immediate medical attention and

special treatment needed

IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media -Unsuitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or water spray.

Do not use water jet.

Special hazards arising from the substance or

mixture

Highly flammable vapor (flash point below 23°C).

Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying

with water if exposed to fire.

Revision: 12/02/16 Page: 2/7

^{*} The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.



SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

emergency procedures

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Take precautionary measures against static discharges. Avoid contact

with skin and eyes. Avoid breathing vapors.

Environmental precautions

Methods and material for containment and cleaning up

Cover spills with inert absorbent material. Transfer to a container for

Prevent liquid entering sewers, basements and work pits.

disposal or recovery.

Reference to other sections

Additional Information

None None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Keep away from heat/sparks/open flames/hot surfaces. – No

smoking. Avoid contact with skin and eyes. Use product in a well-

ventilated area only.

Conditions for safe storage, including any incompatibilities

-Storage temperature Keep in a cool, well ventilated place. Store at temperatures not

exceeding 50 °C / 122 °F.

-Incompatible materials This product should be stored away from sources of strong heat or

oxidizing chemicals.

Specific end use(s) Brake cleaner

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
Acetone	67-64-1	1000	500		750	^NIC
Heptane, branched, cylic and linear	426260-76-6	500 ppm*	1500 mg/m ³			*n-heptane
Carbon dioxide	124-38-9		5000 ppm		30,000 ppm	

[^]NIC = Notice of Intended Changes (ACGIH®);

Recommended monitoring method NIOSH 1300 (Ketones I); NIOSH 2000 (Methanol); NIOSH 1500

(hydrocarbons, B.P. 36 - 126 °C)

Exposure controls

Appropriate engineering controls Provide adequate ventilation to ensure that the occupational exposure

limit is not exceeded.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).



Revision: 12/02/16 Page: 3/7



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber)



Respiratory protection

Normally no personal respiratory protection is necessary. In case of

insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Not normally required. Use gloves with insulation for thermal

protection, when needed.

Environmental Exposure Controls None known

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Liquid Appearance Color. Colorless Odor Acetone-like Not available Odor Threshold (ppm) Not available pH (Value) Melting Point (°C) / Freezing Point (°C) Not available Boiling point/boiling range (°C): 56 (Acetone) Flash Point (°C) -17 (Acetone) Not available **Evaporation Rate** Flammability (solid, gas) Not applicable

Explosive Limit Ranges 2.5% - 12.8% v/v (Acetone)

2.4 x 10⁴ (Acetone) Vapor pressure (Pascal) Vapor Density (Air=1) Not available Density (g/ml) Not available Solubility (Water) Not available Solubility (Other) Not available Partition Coefficient (n-Octanol/water) Not available Auto Ignition Point (°C) 465 (Acetone) Decomposition Temperature (°C) Not available

Kinematic Viscosity <20

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Other information Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions None anticipated.

Conditions to avoid Avoid contact with heat and ignition sources.

Incompatible materials Strong oxidizing agents

Hazardous decomposition product(s)

Carbon monoxide, Carbon dioxide, Acrid smoke

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects

Revision: 12/02/16 Page: 4/7



Acetone (CAS No. 67-64-1)

Acute toxicity

Negative. Not a specific developmental toxin. Negative. Not a specific reproductive toxin.

Negative

Irritation / Corrosivity Sensitisation Repeated dose toxicity Carcinogenicity

* ATE (oral) = 100 mg/kg * ATE (dermal) = 300 mg/kg * ATE (inhalation) = 3 mg/L

NTD	IARC	VCCIH (OSHA	NIOSH
NIP	IARC	ACGIR	ОЗПА	NIOSH
No.	No.	No.	No.	No.

Mutagenicity

Toxicity for reproduction

Oral LD50 = 5800 mg/kg (rat) Dermal LD50 >15800 mg/kg (rabbit)

Inhalation LC50 76 mg/L (4 hour(s)) (rat) - Vapours may cause

drowsiness and dizziness.

Other information

Acute toxicity

Heptane, branched, cylic and linear (CAS# 426260-76-6) - By analogy with similar materials:

Oral NOAEL = 900 mg/kg/day (rat) (90-days)

Inhalation NOAEL ≥ 19,000 ppm (rat)

It is unlikely to present a carcinogenic hazard to man.

Sensitization

Repeated dose toxicity

Negative Negative

Carcinogenicity

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

None known.

Causes serious dryness or crack

It is not a skin se

Mutagenicity

Reproductive toxicity Oral: LD50 >5 g/kg-bw

Dermal: LD50 >2 g/kg-bw

Inhalation: LC50 = 65 - 103 mg/L (Vapor), 4-hr. rat

May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

Revision: 12/02/16 Page: 5/7



SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixtures

Heptane, branched, cylic and linear (CAS# 426260-76-6) - By analogy with similar materials:

Short term LL50 (96 hour): >13.4 mg/L (Oncorhynchus mykiss)

EL50 (48 hour): 3 mg/l (Daphnia magna, mobility)

EC50 (96 hour): 13 mg/l (Pseudokirchnerella subcapitata)

Long Term NOELR (28 days) 1.5 mg/l (Fish) QSAR

LOEC (21 days): 0.32 mg/l (Daphnia magna)

NOEL (96 hour) 6.3 mg/l (Algae)

Persistence and degradability Readily biodegradable.

Bioaccumulative potential The product has no potential for bioaccumulation.

Mobility in soil Not available.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national

legislation. Consult an accredited waste disposal contractor or the

Air transport

Sea transport

local authority for advice.

SECTION 14: TRANSPORT INFORMATION

U.S. DOT (IMDG) (ICAO/IATA) **UN** number 1950 1950 1950 **Proper Shipping Name** Aerosols, flammable Aerosols, flammable Aerosols, flammable Transport hazard class(es) 2.1 2.1 2.1 Packing group Not applicable Not applicable Not applicable **Environmental hazards** None assigned None assigned None assigned Special precautions for user None assigned None assigned None assigned



Revision: 12/02/16 Page: 6/7



This Product is shipped as a Limited Quantity

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Acetone	67-64-1	70 - 90	5000

SARA 311/312 - Hazard Categories:

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
none		

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
Acetone	67-64-1	Developmental

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: Dec. 15,2015

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H225: Highly flammable liquid and vapor.
- H301: Toxic if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H311: Toxic in contact with skin.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H331: Toxic if inhaled.
- H336: May cause drowsiness or dizziness.
- H370: Causes damage to organs.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Revision: 12/02/16 Page: 7/7