

Revision Date 17-Aug-2017

# SAFETY DATA SHEET

Version 6

1.	IDENTIFICATION

Product identifier Product Name	PX 16BR BLACK RTV SILICONE 3 OZ.
Other means of identification Product Code Synonyms	81158 None
Recommended use of the chemical	
Recommended Use	Sealant
Uses advised against	No information available
Details of the supplier of the safety Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, OH 44139 USA	data sheet <u>May Also Be Distributed by:</u> ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994
24 Hour Emergency Phone Number	Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453
E-mail address	mail@permatex.com

**Classification** 

# OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 2

# Label elements

**Emergency Overview** 

## <u>Signal word</u> Warning

Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer



# Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

## **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- Not applicable

Unknown acute toxicity

29.274 % of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

## Substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
DISTILLATES (PETROLEUM), HYDROTREATED	64742-47-8	3 - 7	*
LIGHT			
2-BUTANONE OXIME	96-29-7	1 - 5	*

# **4. FIRST AID MEASURES**

## Description of first aid measures

General advice

Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact	IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medica	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media Carbon dioxide (CO2), Dry chemical,	Foam		
Unsuitable extinguishing media None.			
Specific hazards arising from the c None in particular.	hemical		
	hemical None. None.		
None in particular. <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge <u>Protective equipment and precaution</u>	None. None.		
None in particular. <u>Explosion data</u> <u>Sensitivity to Mechanical Impact</u> <u>Sensitivity to Static Discharge</u> <u>Protective equipment and precaution</u> As in any fire, wear self-contained bree	None. None. ons for firefighters		
None in particular. <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge <u>Protective equipment and precaution</u> As in any fire, wear self-contained bree protective gear.	None. None. o <u>ns for firefighters</u> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
None in particular. <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge <u>Protective equipment and precaution</u> As in any fire, wear self-contained bree protective gear.	None. None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES		
None in particular. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bree protective gear. Personal precautions, protective equipment	None. None. <u>ons for firefighters</u> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <u>6. ACCIDENTAL RELEASE MEASURES</u> <u>quipment and emergency procedures</u> Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skir		
None in particular.  Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bre protective gear.  Personal precautions, protective equipment Personal precautions	None. None. <u>ons for firefighters</u> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <u>6. ACCIDENTAL RELEASE MEASURES</u> <u>quipment and emergency procedures</u> Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skir		
None in particular.  Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bre protective gear.  Personal precautions, protective equipment Personal precautions Environmental precautions	None. None. <b>ons for firefighters</b> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <b>6. ACCIDENTAL RELEASE MEASURES</b> <b>guipment and emergency procedures</b> Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required. See Section 12 for additional Ecological Information.		
None in particular.  Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautie As in any fire, wear self-contained bre protective gear.  Personal precautions, protective equipment Personal precautions Environmental precautions Environmental precautions	None. None. <b>ons for firefighters</b> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <b>6. ACCIDENTAL RELEASE MEASURES</b> <b>guipment and emergency procedures</b> Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required. See Section 12 for additional Ecological Information.		
None in particular.  Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautio As in any fire, wear self-contained bre protective gear.  Personal precautions, protective equipmental precautions Environmental precautions Methods and material for containmental	None. None. Das for firefighters bathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <b>6. ACCIDENTAL RELEASE MEASURES</b> <b>fuipment and emergency procedures</b> Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skirr Use personal protective equipment as required. See Section 12 for additional Ecological Information. <b>ent and cleaning up</b>		
None in particular.  Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautio As in any fire, wear self-contained bre protective gear.  Personal precautions, protective equipmental precautions Environmental precautions Methods and material for containment Methods for containment	None. None. <b>ons for firefighters</b> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <b>6. ACCIDENTAL RELEASE MEASURES</b> <b>guipment and emergency procedures</b> Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skir Use personal protective equipment as required. See Section 12 for additional Ecological Information. <b>tent and cleaning up</b> Prevent further leakage or spillage if safe to do so. Ensure adequate ventilation. Flood with water to complete polymerization and scrape off floor. Sweep up and shovel into suitable containers for disposal. Slippery, can cause falls if		

# Page 3/8

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.	
Incompatible materials	Strong oxidizing agents, Acids, Water	
8. EX	POSURE CONTROLS/PERSONAL PROTECTION	
Control parameters		
Exposure Guidelines NIOSH IDLH Immediately Dangerous	s to Life or Health	
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).	
Appropriate engineering controls		
Engineering Controls	Showers Eyewash stations Ventilation systems	
Individual protection measures, su	ch as personal protective equipment	
Eye/face protection	Tight sealing safety goggles.	
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.	
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.	
	9. PHYSICAL AND CHEMICAL PROPERTIES	
Information on basic physical and	chemical properties	
Physical state	Paste	

Physical state	Paste	
Appearance	Black	
Odor	Mild	
Odor threshold	No information available	
Property_	Values	Remarks • Method
рН	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	Not Applicable	Polymerization
Flash point	> 93 °C / > 200 °F	Tag Closed Cup
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	<5 mm Hg	
Vapor density	3.0	Air = 1
Relative density	1.43	
Water solubility	Not applicable	Polymerization

Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

## **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available

No information available No information available 3.2%, 45.87 g/l No information available No information available

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available

#### Chemical stability

Stable under recommended storage conditions

# Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Excessive heat.

#### Incompatible materials

Strong oxidizing agents, Acids, Water

# **Hazardous Decomposition Products**

Carbon oxides Nitrogen oxides (NOx) Formaldehyde May release 2-butanone oxime (ethyl methyl ketoxime) at elevated temperature

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
2-BUTANONE OXIME 96-29-7	= 930 mg/kg (Rat)	1000 - 1800 mg/kg (Rabbit)	> 4800 mg/m³(Rat)4 h

#### Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.
	Governmental Industrial Hygienists)
A3 - Animal Carcinogen IARC (International Agency for Re Group 2B - Possibly Carcinogenic to	
	lealth Administration of the US Department of Labor)
Target Organ Effects	Eyes, Lymphatic System, Respiratory system, Skin.
The following values are calculate	ed based on chapter 3.1 of the GHS document
ATEmix (oral)	14090 mg/kg
ATEmix (dermal)	9616 mg/kg

**12. ECOLOGICAL INFORMATION** 

#### **Ecotoxicity**

95.074 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

# Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

### Mobility

No information available.

Chemical Name	Partition coefficient
2-BUTANONE OXIME	0.65
96-29-7	

## Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

# **14. TRANSPORT INFORMATION**

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated

## IMDG

Proper shipping name:

Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Not determined
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
CARBON BLACK - 1333-86-4	*Carcinogen (airborne, unbound particles of respirable size)
SILICA, QUARTZ - 14808-60-7	*Carcinogen (airborne particles of respirable size only)

• \*The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product **U.S. State Right-to-Know Regulations**\_\_\_\_\_

Chemical Name	New Jersey	Massachusetts	Pennsylvania
LIMESTONE	Х	Х	Х

1317-65-3			
CARBON BLACK	X	Х	Х
1333-86-4			
SILICA, QUARTZ	Х	Х	Х
14808-60-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2B - Toxic materials

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 1
HMIS	Health hazards 2	Flammability 1

Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 17-Aug-2017

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**