

Revision Date 24-Jul-2018

SAFETY DATA SHEET

Version 1

1. IDENTIFICATION

Product identifier HIGH STRENGTH REMOVABLE ORANGE THREADLOCKER 10 ML. **Product Name** Other means of identification **Product Code** 25210 Recommended use of the chemical and restrictions on use **Recommended Use** Adhesive No information available Uses advised against Details of the supplier of the safety data sheet Manufacturer Address May Also Be Distributed by: **ITW Permatex ITW Permatex Canada** 6875 Parkland Blvd. 101-2360 Bristol Circle Solon, OH 44139 USA Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency:

E-mail address: mail@permatex.com

Contract Number: MIS0003453

2. HAZARDS IDENTIFICATION

Classification

00+1+ 813-248-0585

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 2 |
|--|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Carcinogenicity | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Label elements

Emergency Overview

<u>Signal word</u> Warning

Causes skin irritation Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure



Appearance Orange

Physical state Liquid

Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Not applicable

Unknown acute toxicity

13.17 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance(s)

| Chemical Name | CAS No | Weight-% |
|----------------|---------|----------|
| DIMETHYLBENZYL | 80-15-9 | 1 - 5 |
| HYDROPEROXIDE | | |
| CUMENE | 98-82-8 | 0.1 - 1 |

4. FIRST AID MEASURES

Description of first aid measures

General advice

Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

| Skin contact | IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse. |
|--|--|
| Inhalation | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. |
| Ingestion | IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. |
| Self-protection of the first aider | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Most important symptoms and eff | ects, both acute and delayed |
| Symptoms | See section 2 for more information. |
| Indication of any immediate medic | cal attention and special treatment needed |
| Note to physicians | Treat symptomatically. |
| | 5. FIRE-FIGHTING MEASURES |
| Suitable extinguishing media Carbon dioxide (CO2), Dry chemical | , Foam |
| Unsuitable extinguishing media None | |
| Specific hazards arising from the one of particular. | <u>chemical</u> |
| <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge | None. None. |
| Protective equipment and precaut As in any fire, wear self-contained br protective gear. | <u>ions for firefighters</u> reathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions, protective e | equipment and emergency procedures |
| Personal precautions | Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required. |
| Environmental precautions | |
| Environmental precautions | See section 12 for additional ecological information. |
| Methods and material for containn | nent and cleaning up |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. |
| | |

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

| Precautions for safe handling | |
|--|--|
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. |
| Conditions for safe storage, including | ng any incompatibilities |
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. |
| Incompatible materials | Strong oxidizing agents |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|-------------|--------------------------------------|----------------------------|
| CUMENE | TWA: 50 ppm | TWA: 50 ppm | IDLH: 900 ppm |
| 98-82-8 | | TWA: 245 mg/m ³ | TWA: 50 ppm |
| | | (vacated) TWA: 50 ppm | TWA: 245 mg/m ³ |
| | | (vacated) TWA: 245 mg/m ³ | C C |
| | | (vacated) S* | |
| | | S* | |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

| v | |
|------------------------------------|--|
| Engineering Controls | Showers Eyewash stations Ventilation systems |
| Individual protection measures, su | ch as personal protective equipment |
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin and body protection | Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves. |
| Respiratory protection | Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate. |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Odor Odor threshold | Liquid Orange Mild No information available | |
|---|---|-------------------------|
| <u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point | <u>Values</u> No information available No information available No information available > 95 °C / > 203 °F | <u>Remarks • Method</u> |
| Evaporation rate | No information available | |

25210 - HIGH STRENGTH REMOVABLE ORANGE THREADLOCKER 10 ML.

| Flammability (solid, gas) | No information available |
|------------------------------|--------------------------|
| Flammability Limit in Air | |
| Upper flammability limit: | No information available |
| Lower flammability limit: | No information available |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Relative density | 1.1 |
| Water solubility | No information available |
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Decomposition temperature | No information available |
| Kinematic viscosity | No information available |
| Dynamic viscosity | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| | |
| Other Information | |
| | |
| Softening point | No information available |
| Malaaulayuualaht | No information available |

S Molecular weight VOC Content (%) Density Bulk density

No information available <3% No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid Excessive heat.

Incompatible materials Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | hemical Name | Oral J D50 Dermal J D50 Inhalation J C50 | | | |
|---|--------------|--|--|--|--|
| Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the ey | Ingestion | Ingestion may cause irritation to mucous membranes. | | | |
| | Skin contact | May cause skin irritation and/or dermatitis. | | | |
| Inhalation May cause damage to organs through prolonged or repeated exposure if inhaled | Eye contact | Contact with eyes may cause irritation. May cause redness and tearing of the eyes. | | | |
| | Inhalation | May cause damage to organs through prolonged or repeated exposure if inhaled. | | | |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|-------------------|------------------------|--------------------|
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | = 382 mg/kg (Rat) | = 0.126 mL/kg (Rabbit) | = 220 ppm (Rat)4 h |

25210 - HIGH STRENGTH REMOVABLE ORANGE **THREADLOCKER 10 ML.**

| CUMENE | = 1400 mg/kg (Rat) | = 12300 µL/kg (Rabbit) | > 3577 ppm (Rat) 6 h = 39000 |
|---------|--------------------|------------------------|------------------------------|
| 98-82-8 | | | mg/m ³ (Rat) 4 h |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization | No informatio | n availabla | | |
|--|----------------------------|---------------------------|-----------------------------|--------------------------|
| | | | | |
| Germ cell mutagenicity | No information | on available. | | |
| Carcinogenicity | The table bel | ow indicates whether each | n agency has listed any ing | redient as a carcinogen. |
| Chemical Name | ACGIH | IARC | NTP | OSHA |
| CUMENE | - | Group 2B | Reasonably Anticipated | Х |
| 98-82-8 | | | | |
| IARC (International Age | ency for Research on Cance | er) | | |
| Group 2B - Possibly Carcinogenic to Humans | | | | |
| Not classifiable as a human carcinogen | | | | |
| NTD (National Taviaala | au Drogram) | | | |

NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

The following values are calculated based on chapter 3.1 of the GHS document .

| ATEmix (oral) | 9623 mg/kg |
|-------------------------------|------------|
| ATEmix (dermal) | 7409 mg/kg |
| ATEmix (inhalation-dust/mist) | 21.5 mg/l |

12. ECOLOGICAL INFORMATION

Ecotoxicity

45.21 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

No information available.

Bioaccumulation

Mobility

No information available.

| Chemical Name | Partition coefficient | |
|---------------|-----------------------|--|
| CUMENE | 3.7 | |
| 98-82-8 | | |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
|------------------------|---|
| Contaminated packaging | Do not reuse container. |
| US EPA Waste Number | Not applicable |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| DIMETHYLBENZYL HYDROPEROXIDE | Toxic |
| 80-15-9 | Ignitable |
| CUMENE | Toxic |
| 98-82-8 | Ignitable |

14. TRANSPORT INFORMATION

DOT

| Proper shipping name: | Not regulated |
|-------------------------------|---------------|
| IATA Proper shipping name: | Not regulated |
| IMDG Proper shipping name: | Not regulated |

15. REGULATORY INFORMATION

| International inventories | |
|---------------------------|----------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Not determined |
| ENCS | Not determined |
| IECSC | Not determined |
| KECL | Not determined |
| PICCS | Not determined |
| AICS | Not determined |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % | |
|--|-------------------------------|--|
| DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9 | 1.0 | |
| SACCHARIN - 81-07-2 | 1.0 | |
| SARA 311/312 Hazard Categories | | |
| Acute health hazard | Yes | |
| Chronic Health Hazard | No | |
| Fire hazard | No | |
| Sudden release of pressure hazard | No | |
| Reactive Hazard | No | |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------|--------------------------|----------------|--------------------------|
| DIMETHYLBENZYL | 10 lb | - | RQ 10 lb final RQ |
| HYDROPEROXIDE | | | RQ 4.54 kg final RQ |
| 80-15-9 | | | 5 |
| CUMENE | 5000 lb | - | RQ 5000 lb final RQ |
| 98-82-8 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 | |
|------------------|---------------------------|--|
| CUMENE - 98-82-8 | Carcinogen | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------|------------|---------------|--------------|
| DIMETHYLBENZYL | Х | X | X |
| HYDROPEROXIDE | | | |
| 80-15-9 | | | |
| SACCHARIN | Х | X | X |
| 81-07-2 | | | |
| CUMENE | Х | Х | X |
| 98-82-8 | | | |
| 1,4-NAPHTHOQUINONE | Х | X | Х |
| 130-15-4 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u> HMIS Health hazards 2 Health hazards 2 Flammability 1 Flammability 1 Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

24-Jul-2018

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet