
1 – PRODUCT IDENTIFICATION

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Skin Irritation (2) Eye Irritation (2A)



3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Water Hydrotreated Light Distillates C.A.S. NUMBER 7732-18-5 64742-47-8

PAGE 1 of 5

Aluminum Silicate Sodium Aluminosilicate Glycerin 66402-68-4 68989-22-0 56-81-5

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION):	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or
	milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	Inhalation, skin absorption, or ingestion.
SKIN (DERMAL):	Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:.....>180 degrees F.

EXTINGUISHING MEDIA:...... Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

Store in a cool, well ventilated area. Avoid overheating or freezing.
HANDLING: Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful. PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles. ADDITIONAL MEASURES: Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

INGREDIENT C.A.S. NUMBER PEL No limits established Water 7732-18-5 Hydrotreated Light Distillates 64742-47-8 500 ppm PEL Aluminum Silicate 66402-68-4 10 mg/m3 total dust Sodium Aluminosilicate No limits established 68989-22-0 Glycerin 56-81-5 No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Yellow cream, banana scented. ODOR THRESHOLD: N/A MELTING POINT: 210 degrees F. FREEZING POINT: N/A BOILING POINT:..... 210 degrees F. BOILING POINT RANGE:..... N/A FLASHPOINT:.....>180 degrees F. EVAPORATION RATE:.....N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS: N/A VAPOR DENSITY (AIR=1):..... Greater than 1. SPECIFIC GRAVITY: 0.99 SOLUBILITY IN WATER: Dispersible. PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE:N/A DECOMPOSITION TEMPERATURE:N/A VISCOSITY: Siginificant body

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated in these container sizes. HAZARD CLASS:...... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH:1 NFPA FLAMMABILITY:1 NFPA REACTIVITY:0 NFPA OTHER:None